


Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 30/360 = 0.083$   
 $lab^*tch$  and  $lab^*nch$

D65: hue O  
 LCH\*Ma: 57 77 30  
 olv\*Ma: 1.0 0.0 0.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 38/360 = 0.105$   
 $lab^*tch$  and  $lab^*nch$

D65: hue O  
 LCH\*Ma: 48 83 38  
 olv\*Ma: 1.0 0.0 0.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 95.41 \ -0.98 \ 4.75$   
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 1.0 \ 0.0 \ 0.0$   
 $lab^*tch = 1.0 \ 0.0 \ -$   
 $lab^*nch = 0.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$   
 $lab^*tce = 1.0 \ 0.0 \ -$   
 $lab^*nce = 0.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 56.71 \ -0.24 \ 2.14$   
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.5 \ 0.0 \ 0.0$   
 $lab^*tch = 0.5 \ 0.0 \ -$   
 $lab^*nch = 0.5 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$   
 $lab^*tce = 0.5 \ 0.0 \ -$   
 $lab^*nce = 0.5 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$   
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 18.02 \ 0.5 \ -0.47$   
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.0 \ 0.0 \ 0.0$   
 $lab^*tch = 0.0 \ 0.0 \ -$   
 $lab^*nch = 1.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$   
 $lab^*tce = 0.0 \ 0.0 \ -$   
 $lab^*nce = 1.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 0.5 \ 0.5 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.5 \ 0.5 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.5 \ 0.5 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 71.67 \ 32.15 \ 28.41$   
 $LAB^*LABa = 71.67 \ 32.69 \ 25.25$   
 $LAB^*TCHa = 75.0 \ 41.31 \ 37.69$

**relative CIELAB lab\***  
 $lab^*lab = 0.693 \ 0.396 \ 0.306$   
 $lab^*tch = 0.75 \ 0.5 \ 0.105$   
 $lab^*nch = 0.0 \ 0.5 \ 0.105$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.693 \ 0.477 \ 0.15$   
 $lab^*tce = 0.75 \ 0.5 \ 0.048$   
 $lab^*nce = 0.0 \ 0.5 \ r19j$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.0 \ 0.0 \ (1.0)$   
 $cmyn3^* = 0.5 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.5 \ 0.5 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.5 \ 0.5 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 32.98 \ 32.9 \ 25.8$   
 $LAB^*LABa = 32.98 \ 32.69 \ 25.25$   
 $LAB^*TCHa = 25.01 \ 41.31 \ 37.69$

**relative CIELAB lab\***  
 $lab^*lab = 0.193 \ 0.396 \ 0.306$   
 $lab^*tch = 0.25 \ 0.5 \ 0.105$   
 $lab^*nch = 0.5 \ 0.5 \ 0.105$


**relative Natural Colour (NC)**  
 $lab^*lrj = 0.193 \ 0.477 \ 0.15$   
 $lab^*tce = 0.25 \ 0.5 \ 0.048$   
 $lab^*nce = 0.5 \ 0.5 \ r19j$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 0.0 \ 0.0 \ (1.0)$   
 $cmyn3^* = 0.0 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.0 \ 0.0 \ 1.0$   
 $cmyn4^* = 0.0 \ 1.0 \ 1.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 47.94 \ 65.3 \ 52.06$   
 $LAB^*LABa = 47.94 \ 65.37 \ 50.51$   
 $LAB^*TCHa = 50.0 \ 82.61 \ 37.69$

**relative CIELAB lab\***  
 $lab^*lab = 0.387 \ 0.791 \ 0.611$   
 $lab^*tch = 0.5 \ 1.0 \ 0.105$   
 $lab^*nch = 0.0 \ 1.0 \ 0.105$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.387 \ 0.954 \ 0.299$   
 $lab^*tce = 0.5 \ 1.0 \ 0.048$   
 $lab^*nce = 0.0 \ 1.0 \ r19j$



NE070-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

3 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input:  $olv^* setrgbcolor$   
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 1/10, Serie: 1/1, Page: 1 Page count: 1

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 90/360 = 0.25$   
 $lab^*tch$  and  $lab^*nch$

D65: hue Y  
 LCH\*Ma: 57 77 90  
 olv\*Ma: 1.0 1.0 0.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 96/360 = 0.268$   
 $lab^*tch$  and  $lab^*nch$

D65: hue Y  
 LCH\*Ma: 90 92 96  
 olv\*Ma: 1.0 1.0 0.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$   
 $cmym3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$   
 $cmym4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 95.41 \ -0.98 \ 4.75$   
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 1.0 \ 0.0 \ 0.0$   
 $lab^*tch = 1.0 \ 0.0 \ -$   
 $lab^*nch = 0.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$   
 $lab^*tce = 1.0 \ 0.0 \ -$   
 $lab^*nce = 0.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$   
 $cmym3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$   
 $cmym4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 56.71 \ -0.24 \ 2.14$   
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.5 \ 0.0 \ 0.0$   
 $lab^*tch = 0.5 \ 0.0 \ -$   
 $lab^*nch = 0.5 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$   
 $lab^*tce = 0.5 \ 0.0 \ -$   
 $lab^*nce = 0.5 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$   
 $cmym3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$   
 $cmym4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 18.02 \ 0.5 \ -0.47$   
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.0 \ 0.0 \ 0.0$   
 $lab^*tch = 0.0 \ 0.0 \ -$   
 $lab^*nch = 1.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$   
 $lab^*tce = 0.0 \ 0.0 \ -$   
 $lab^*nce = 1.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 0.5 \ (1.0)$   
 $cmym3^* = 0.0 \ 0.0 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 0.5 \ 1.0$   
 $cmym4^* = 0.0 \ 0.0 \ 0.5 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 92.88 \ -6.06 \ 50.46$   
 $LAB^*LABa = 92.88 \ -5.12 \ 45.87$   
 $LAB^*TCHa = 75.0 \ 46.15 \ 96.38$

**relative CIELAB lab\***  
 $lab^*lab = 0.967 \ -0.055 \ 0.497$   
 $lab^*tch = 0.75 \ 0.5 \ 0.268$   
 $lab^*nch = 0.0 \ 0.5 \ 0.268$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.967 \ -0.048 \ 0.497$   
 $lab^*tce = 0.75 \ 0.5 \ 0.266$   
 $lab^*nce = 0.0 \ 0.5 \ j06g$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 0.0 \ (1.0)$   
 $cmym3^* = 0.5 \ 0.5 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 0.5 \ 0.5$   
 $cmym4^* = 0.0 \ 0.0 \ 0.5 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 54.19 \ -5.32 \ 47.84$   
 $LAB^*LABa = 54.19 \ -5.12 \ 45.87$   
 $LAB^*TCHa = 25.01 \ 46.15 \ 96.38$

**relative CIELAB lab\***  
 $lab^*lab = 0.467 \ -0.055 \ 0.497$   
 $lab^*tch = 0.25 \ 0.5 \ 0.268$   
 $lab^*nch = 0.5 \ 0.5 \ 0.268$



**relative Natural Colour (NC)**  
 $lab^*lrj = 0.467 \ -0.048 \ 0.497$   
 $lab^*tce = 0.25 \ 0.5 \ 0.266$   
 $lab^*nce = 0.5 \ 0.5 \ j06g$

**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 0.0 \ (1.0)$   
 $cmym3^* = 0.0 \ 0.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 0.0 \ 1.0$   
 $cmym4^* = 0.0 \ 0.0 \ 1.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 90.36 \ -11.15 \ 96.15$   
 $LAB^*LABa = 90.36 \ -10.25 \ 91.73$   
 $LAB^*TCHa = 50.0 \ 92.3 \ 96.38$

**relative CIELAB lab\***  
 $lab^*lab = 0.935 \ -0.11 \ 0.994$   
 $lab^*tch = 0.5 \ 1.0 \ 0.268$   
 $lab^*nch = 0.0 \ 1.0 \ 0.268$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.935 \ -0.097 \ 0.995$   
 $lab^*tce = 0.5 \ 1.0 \ 0.266$   
 $lab^*nce = 0.0 \ 1.0 \ j06g$



NE070-7, 3 step scales for constant CIELAB hue 90/360 = 0.25 (left)

3 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input:  $olv^* setrgbcolor$   
 output: *no change compared to input*


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E01NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 2/10, Serie: 1/1, Page: 2 Page count: 2

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 150/360 = 0.417$   
 $lab^*tch$  and  $lab^*nch$

D65: hue L  
 LCH\*Ma: 57 77 150  
 olv\*Ma: 0.0 1.0 0.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 151/360 = 0.419$   
 $lab^*tch$  and  $lab^*nch$

D65: hue L  
 LCH\*Ma: 51 72 151  
 olv\*Ma: 0.0 1.0 0.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**

olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	95.41	-0.98	4.75
LAB*LABa	95.41	0.0	0.0
LAB*TCHa	99.99	0.01	-

**relative CIELAB lab\***

lab*lab	1.0	0.0	0.0
lab*tch	1.0	0.0	-
lab*nch	0.0	0.0	-

**relative Natural Colour (NC)**

lab*lrj	1.0	0.0	0.0
lab*tce	1.0	0.0	-
lab*nce	0.0	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.5	1.0	0.5	(1.0)
cmyn3*	0.5	0.0	0.5	(0.0)
olvi4*	0.5	1.0	0.5	1.0
cmyn4*	0.5	0.0	0.5	0.0

**standard and adapted CIELAB**

LAB*LAB	73.15	-31.96	20.73
LAB*LABa	73.15	-31.4	17.48
LAB*TCHa	75.0	35.95	150.91

**relative CIELAB lab\***

lab*lab	0.712	-0.436	0.243
lab*tch	0.75	0.5	0.419
lab*nch	0.0	0.5	0.419

**relative Natural Colour (NC)**

lab*lrj	0.712	-0.478	0.144
lab*tce	0.75	0.5	0.453
lab*nce	0.0	0.5	j81g

**relative Inform. Technology (IT)**

olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	0.5
cmyn4*	0.0	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	56.71	-0.24	2.14
LAB*LABa	56.71	0.0	0.0
LAB*TCHa	50.0	0.01	-

**relative CIELAB lab\***

lab*lab	0.5	0.0	0.0
lab*tch	0.5	0.0	-
lab*nch	0.5	0.0	-

**relative Natural Colour (NC)**

lab*lrj	0.5	0.0	0.0
lab*tce	0.5	0.0	-
lab*nce	0.5	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.0	0.5	0.0	(1.0)
cmyn3*	1.0	0.5	1.0	(0.0)
olvi4*	0.5	1.0	0.5	0.5
cmyn4*	0.5	0.0	0.5	0.5

**standard and adapted CIELAB**

LAB*LAB	34.46	-31.22	18.12
LAB*LABa	34.46	-31.4	17.48
LAB*TCHa	25.01	35.95	150.91

**relative CIELAB lab\***

lab*lab	0.213	-0.436	0.243
lab*tch	0.25	0.5	0.419
lab*nch	0.5	0.5	0.419

**relative Natural Colour (NC)**

lab*lrj	0.213	-0.478	0.144
lab*tce	0.25	0.5	0.453
lab*nce	0.5	0.5	j81g

**relative Inform. Technology (IT)**

olvi3*	0.0	1.0	0.0	(1.0)
cmyn3*	1.0	0.0	1.0	(0.0)
olvi4*	0.0	1.0	0.0	1.0
cmyn4*	1.0	0.0	1.0	0.0

**standard and adapted CIELAB**



LAB*LAB	50.9	-62.95	36.7
LAB*LABa	50.9	-62.81	34.95
LAB*TCHa	50.0	71.89	150.91

**relative CIELAB lab\***

lab*lab	0.425	-0.873	0.486
lab*tch	0.5	1.0	0.419
lab*nch	0.0	1.0	0.419

**relative Natural Colour (NC)**

lab*lrj	0.425	-0.956	0.289
lab*tce	0.5	1.0	0.453
lab*nce	0.0	1.0	j81g



NE070-7, 3 step scales for constant CIELAB hue 150/360 = 0.417 (left)

3 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E02NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form 3/10, Serie: 1/1, Page: 3 Page count: 3

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 210/360 = 0.583$   
 $lab^*tch$  and  $lab^*nch$

D65: hue C  
 LCH\*Ma: 57 77 210  
 olv\*Ma: 0.0 1.0 1.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 236/360 = 0.656$   
 $lab^*tch$  and  $lab^*nch$

D65: hue C  
 LCH\*Ma: 59 54 236  
 olv\*Ma: 0.0 1.0 1.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**

olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	95.41	-0.98	4.75
LAB*LABa	95.41	0.0	0.0
LAB*TCHa	99.99	0.01	-

**relative CIELAB lab\***

lab*lab	1.0	0.0	0.0
lab*tch	1.0	0.0	-
lab*nch	0.0	0.0	-

**relative Natural Colour (NC)**

lab*lrj	1.0	0.0	0.0
lab*tce	1.0	0.0	-
lab*nce	0.0	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.5	1.0	1.0	(1.0)
cmyn3*	0.5	0.0	0.0	(0.0)
olvi4*	0.5	1.0	1.0	1.0
cmyn4*	0.5	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	77.01	-15.8	-18.98
LAB*LABa	77.01	-15.16	-22.5
LAB*TCHa	75.0	27.14	236.02

**relative CIELAB lab\***

lab*lab	0.762	-0.278	-0.414
lab*tch	0.75	0.5	0.656
lab*nch	0.0	0.5	0.656

**relative Natural Colour (NC)**

lab*lrj	0.762	-0.247	-0.433
lab*tce	0.75	0.5	0.667
lab*nce	0.0	0.5	g66b

**relative Inform. Technology (IT)**

olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	0.5
cmyn4*	0.0	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	56.71	-0.24	2.14
LAB*LABa	56.71	0.0	0.0
LAB*TCHa	50.0	0.01	-

**relative CIELAB lab\***

lab*lab	0.5	0.0	0.0
lab*tch	0.5	0.0	-
lab*nch	0.5	0.0	-

**relative Natural Colour (NC)**

lab*lrj	0.5	0.0	0.0
lab*tce	0.5	0.0	-
lab*nce	0.5	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.0	0.5	0.5	(1.0)
cmyn3*	1.0	0.5	0.5	(0.0)
olvi4*	0.5	1.0	1.0	0.5
cmyn4*	0.5	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	38.32	-15.05	-21.6
LAB*LABa	38.32	-15.16	-22.5
LAB*TCHa	25.01	27.14	236.02

**relative CIELAB lab\***

lab*lab	0.262	-0.278	-0.414
lab*tch	0.25	0.5	0.656
lab*nch	0.5	0.5	0.656

**relative Natural Colour (NC)**

lab*lrj	0.262	-0.247	-0.433
lab*tce	0.25	0.5	0.667
lab*nce	0.5	0.5	g66b

**relative Inform. Technology (IT)**

olvi3*	0.0	1.0	1.0	(1.0)
cmyn3*	1.0	0.0	0.0	(0.0)
olvi4*	0.0	1.0	1.0	1.0
cmyn4*	1.0	0.0	0.0	0.0

**standard and adapted CIELAB**



LAB*LAB	58.62	-30.61	-42.73
LAB*LABa	58.62	-30.33	-45.01
LAB*TCHa	50.0	54.29	236.02

**relative CIELAB lab\***

lab*lab	0.525	-0.558	-0.828
lab*tch	0.5	1.0	0.656
lab*nch	0.0	1.0	0.656

**relative Natural Colour (NC)**

lab*lrj	0.525	-0.496	-0.867
lab*tce	0.5	1.0	0.667
lab*nce	0.0	1.0	g66b



NE070-7, 3 step scales for constant CIELAB hue 210/360 = 0.583 (left)

3 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E03NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 4/10, Serie: 1/1, Page: 4 Page count: 4

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 270/360 = 0.75$   
 $lab^*tch$  and  $lab^*nch$

D65: hue V  
 LCH\*Ma: 57 77 270  
 olv\*Ma: 0.0 0.0 1.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 305/360 = 0.847$   
 $lab^*tch$  and  $lab^*nch$



D65: hue V  
 LCH\*Ma: 26 54 305  
 olv\*Ma: 0.0 0.0 1.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$



**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 95.41 \ -0.98 \ 4.75$   
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 1.0 \ 0.0 \ 0.0$   
 $lab^*tch = 1.0 \ 0.0 \ -$   
 $lab^*nch = 0.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$   
 $lab^*tce = 1.0 \ 0.0 \ -$   
 $lab^*nce = 0.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 56.71 \ -0.24 \ 2.14$   
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.5 \ 0.0 \ 0.0$   
 $lab^*tch = 0.5 \ 0.0 \ -$   
 $lab^*nch = 0.5 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$   
 $lab^*tce = 0.5 \ 0.0 \ -$   
 $lab^*nce = 0.5 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$   
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 18.02 \ 0.5 \ -0.47$   
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

**relative CIELAB lab\***  
 $lab^*lab = 0.0 \ 0.0 \ 0.0$   
 $lab^*tch = 0.0 \ 0.0 \ -$   
 $lab^*nch = 1.0 \ 0.0 \ -$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$   
 $lab^*tce = 0.0 \ 0.0 \ -$   
 $lab^*nce = 1.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 1.0 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.5 \ 0.0 \ (0.0)$   
 $olvi4^* = 0.5 \ 0.5 \ 1.0 \ 1.0$   
 $cmyn4^* = 0.5 \ 0.5 \ 0.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 60.56 \ 15.23 \ -19.79$   
 $LAB^*LABa = 60.56 \ 15.55 \ -22.19$   
 $LAB^*TCHa = 75.0 \ 27.1 \ 305.0$

**relative CIELAB lab\***  
 $lab^*lab = 0.55 \ 0.287 \ -0.408$   
 $lab^*tch = 0.75 \ 0.5 \ 0.847$   
 $lab^*nch = 0.0 \ 0.5 \ 0.847$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.55 \ 0.225 \ -0.446$   
 $lab^*tce = 0.75 \ 0.5 \ 0.824$   
 $lab^*nce = 0.0 \ 0.5 \ b29r$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.0 \ 0.5 \ (1.0)$   
 $cmyn3^* = 1.0 \ 1.0 \ 0.5 \ (0.0)$   
 $olvi4^* = 0.5 \ 0.5 \ 1.0 \ 0.5$   
 $cmyn4^* = 0.5 \ 0.5 \ 0.0 \ 0.5$

**standard and adapted CIELAB**  
 $LAB^*LAB = 21.87 \ 15.97 \ -22.4$   
 $LAB^*LABa = 21.87 \ 15.55 \ -22.19$   
 $LAB^*TCHa = 25.01 \ 27.1 \ 305.0$

**relative CIELAB lab\***  
 $lab^*lab = 0.05 \ 0.287 \ -0.408$   
 $lab^*tch = 0.25 \ 0.5 \ 0.847$   
 $lab^*nch = 0.5 \ 0.5 \ 0.847$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.05 \ 0.225 \ -0.446$   
 $lab^*tce = 0.25 \ 0.5 \ 0.824$   
 $lab^*nce = 0.5 \ 0.5 \ b29r$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.0 \ 1.0 \ (1.0)$   
 $cmyn3^* = 1.0 \ 1.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 0.0 \ 0.0 \ 1.0 \ 1.0$   
 $cmyn4^* = 1.0 \ 1.0 \ 0.0 \ 0.0$

**standard and adapted CIELAB**  
 $LAB^*LAB = 25.73 \ 31.44 \ -44.34$   
 $LAB^*LABa = 25.73 \ 31.09 \ -44.39$   
 $LAB^*TCHa = 50.0 \ 54.21 \ 305.0$

**relative CIELAB lab\***  
 $lab^*lab = 0.1 \ 0.573 \ -0.818$   
 $lab^*tch = 0.5 \ 1.0 \ 0.847$   
 $lab^*nch = 0.0 \ 1.0 \ 0.847$

**relative Natural Colour (NC)**  
 $lab^*lrj = 0.1 \ 0.449 \ -0.892$   
 $lab^*tce = 0.5 \ 1.0 \ 0.824$   
 $lab^*nce = 0.0 \ 1.0 \ b29r$

See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E04NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form 5/10, Serie: 1/1, Page: 5 Page count: 5

NE070-7, 3 step scales for constant CIELAB hue 270/360 = 0.75 (left)

3 step scales for constant CIELAB hue 305/360 = 0.847 (right)


BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input:  $olv^* setrgbcolor$   
 output: no change compared to input

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 330/360 = 0.917$   
 $lab^*tch$  and  $lab^*nch$

D65: hue M  
 LCH\*Ma: 57 77 330  
 olv\*Ma: 1.0 0.0 1.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 354/360 = 0.982$   
 $lab^*tch$  and  $lab^*nch$

D65: hue M  
 LCH\*Ma: 48 76 354  
 olv\*Ma: 1.0 0.0 1.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**

olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	95.41	-0.98	4.75
LAB*LABa	95.41	0.0	0.0
LAB*TCHa	99.99	0.01	-

**relative CIELAB lab\***

lab*lab	1.0	0.0	0.0
lab*tch	1.0	0.0	-
lab*nch	0.0	0.0	-

**relative Natural Colour (NC)**

lab*lrj	1.0	0.0	0.0
lab*tce	1.0	0.0	-
lab*nce	0.0	0.0	-

**relative Inform. Technology (IT)**

olvi3*	1.0	0.5	1.0	(1.0)
cmyn3*	0.0	0.5	0.0	(0.0)
olvi4*	1.0	0.5	1.0	1.0
cmyn4*	0.0	0.5	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	71.77	37.1	-1.01
LAB*LABa	71.77	37.63	-4.17
LAB*TCHa	75.0	37.86	353.66

**relative CIELAB lab\***

lab*lab	0.695	0.497	-0.054
lab*tch	0.75	0.5	0.982
lab*nch	0.0	0.5	0.982

**relative Natural Colour (NC)**

lab*lrj	0.695	0.454	-0.208
lab*tce	0.75	0.5	0.932
lab*nce	0.0	0.5	b72r

**relative Inform. Technology (IT)**

olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	0.5
cmyn4*	0.0	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	56.71	-0.24	2.14
LAB*LABa	56.71	0.0	0.0
LAB*TCHa	50.0	0.01	-

**relative CIELAB lab\***

lab*lab	0.5	0.0	0.0
lab*tch	0.5	0.0	-
lab*nch	0.5	0.0	-

**relative Natural Colour (NC)**

lab*lrj	0.5	0.0	0.0
lab*tce	0.5	0.0	-
lab*nce	0.5	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.5	0.0	0.5	(1.0)
cmyn3*	0.5	1.0	0.5	(0.0)
olvi4*	1.0	0.5	1.0	0.5
cmyn4*	0.0	0.5	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	33.07	37.84	-3.62
LAB*LABa	33.07	37.63	-4.17
LAB*TCHa	25.01	37.86	353.66

**relative CIELAB lab\***

lab*lab	0.195	0.497	-0.054
lab*tch	0.25	0.5	0.982
lab*nch	0.5	0.5	0.982

**relative Natural Colour (NC)**

lab*lrj	0.195	0.454	-0.208
lab*tce	0.25	0.5	0.932
lab*nce	0.5	0.5	b72r

**relative Inform. Technology (IT)**

olvi3*	1.0	0.0	1.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olvi4*	1.0	0.0	1.0	1.0
cmyn4*	0.0	1.0	0.0	0.0

**standard and adapted CIELAB**


LAB*LAB	48.13	75.18	-6.79
LAB*LABa	48.13	75.26	-8.35
LAB*TCHa	50.0	75.73	353.66

**relative CIELAB lab\***

lab*lab	0.389	0.994	-0.109
lab*tch	0.5	1.0	0.982
lab*nch	0.0	1.0	0.982

**relative Natural Colour (NC)**

lab*lrj	0.389	0.909	-0.416
lab*tce	0.5	1.0	0.932
lab*nce	0.0	1.0	b72r



NE070-7, 3 step scales for constant CIELAB hue 330/360 = 0.917 (left)

3 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E05NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 6/10, Serie: 1/1, Page: 6 Page count: 6

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 25/360 = 0.071$   
 $lab^*tch$  and  $lab^*nch$

D65: hue R  
 LCH\*Ma: 57 74 25  
 olv\*Ma: 1.0 0.0 0.09  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 25/360 = 0.069$   
 $lab^*tch$  and  $lab^*nch$

D65: hue R  
 LCH\*Ma: 48 75 25  
 olv\*Ma: 1.0 0.0 0.32  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

relative Inform. Technology (IT)  
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB  
 $LAB^*LAB = 95.41 \ -0.98 \ 4.75$   
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab\*  
 $lab^*lab = 1.0 \ 0.0 \ 0.0$   
 $lab^*tch = 1.0 \ 0.0 \ -$   
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)  
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$   
 $lab^*tce = 1.0 \ 0.0 \ -$   
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)  
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB  
 $LAB^*LAB = 56.71 \ -0.24 \ 2.14$   
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab\*  
 $lab^*lab = 0.5 \ 0.0 \ 0.0$   
 $lab^*tch = 0.5 \ 0.0 \ -$   
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)  
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$   
 $lab^*tce = 0.5 \ 0.0 \ -$   
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)  
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$   
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB  
 $LAB^*LAB = 18.02 \ 0.5 \ -0.47$   
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab\*  
 $lab^*lab = 0.0 \ 0.0 \ 0.0$   
 $lab^*tch = 0.0 \ 0.0 \ -$   
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)  
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$   
 $lab^*tce = 0.0 \ 0.0 \ -$   
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)  
 $olvi3^* = 1.0 \ 0.5 \ 0.661 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.5 \ 0.339 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.5 \ 0.661 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.5 \ 0.339 \ 0.0$

standard and adapted CIELAB  
 $LAB^*LAB = 71.7 \ 33.75 \ 18.92$   
 $LAB^*LABa = 71.7 \ 34.28 \ 15.76$   
 $LAB^*TCHa = 75.0 \ 37.73 \ 24.7$

relative CIELAB lab\*  
 $lab^*lab = 0.694 \ 0.454 \ 0.209$   
 $lab^*tch = 0.75 \ 0.5 \ 0.069$   
 $lab^*nch = 0.0 \ 0.5 \ 0.069$

relative Natural Colour (NC)  
 $lab^*lrj = 0.694 \ 0.5 \ 0.0$   
 $lab^*tce = 0.75 \ 0.5 \ 1.0$   
 $lab^*nce = 0.0 \ 0.5 \ 0.99r$

relative Inform. Technology (IT)  
 $olvi3^* = 0.5 \ 0.0 \ 0.161 \ (1.0)$   
 $cmyn3^* = 0.5 \ 1.0 \ 0.839 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.5 \ 0.661 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.5 \ 0.339 \ 0.5$

standard and adapted CIELAB  
 $LAB^*LAB = 33.01 \ 34.49 \ 16.31$   
 $LAB^*LABa = 33.01 \ 34.28 \ 15.77$   
 $LAB^*TCHa = 25.01 \ 37.73 \ 24.7$

relative CIELAB lab\*  
 $lab^*lab = 0.194 \ 0.454 \ 0.209$   
 $lab^*tch = 0.25 \ 0.5 \ 0.069$   
 $lab^*nch = 0.5 \ 0.5 \ 0.069$



relative Natural Colour (NC)  
 $lab^*lrj = 0.194 \ 0.5 \ 0.0$   
 $lab^*tce = 0.25 \ 0.5 \ 0.0$   
 $lab^*nce = 0.5 \ 0.5 \ 0.00j$

relative Inform. Technology (IT)  
 $olvi3^* = 1.0 \ 0.0 \ 0.322 \ (1.0)$   
 $cmyn3^* = 0.0 \ 1.0 \ 0.678 \ (0.0)$   
 $olvi4^* = 1.0 \ 0.0 \ 0.322 \ 1.0$   
 $cmyn4^* = 0.0 \ 1.0 \ 0.678 \ 0.0$

standard and adapted CIELAB  
 $LAB^*LAB = 48.0 \ 68.48 \ 33.09$   
 $LAB^*LABa = 48.0 \ 68.56 \ 31.53$   
 $LAB^*TCHa = 50.0 \ 75.47 \ 24.7$

relative CIELAB lab\*  
 $lab^*lab = 0.388 \ 0.908 \ 0.418$   
 $lab^*tch = 0.5 \ 1.0 \ 0.069$   
 $lab^*nch = 0.0 \ 1.0 \ 0.069$

relative Natural Colour (NC)  
 $lab^*lrj = 0.388 \ 1.0 \ 0.0$   
 $lab^*tce = 0.5 \ 1.0 \ 0.0$   
 $lab^*nce = 0.0 \ 1.0 \ 0.00j$



NE070-7, 3 step scales for constant CIELAB hue 25/360 = 0.071 (left)

3 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input:  $olv^* setrgbcolor$   
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E06NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 7/10, Serie: 1/1, Page: 7 Page count: 7

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 92/360 = 0.256$   
 $lab^*tch$  and  $lab^*nch$

D65: hue J  
 LCH\*Ma: 57 76 92  
 olv\*Ma: 0.95 1.0 0.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$   
 $lab^*tch$  and  $lab^*nch$

D65: hue J  
 LCH\*Ma: 86 88 92  
 olv\*Ma: 1.0 0.9 0.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**

olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	95.41	-0.98	4.75
LAB*LABa	95.41	0.0	0.0
LAB*TCHa	99.99	0.01	-

**relative CIELAB lab\***

lab*lab	1.0	0.0	0.0
lab*tch	1.0	0.0	-
lab*nch	0.0	0.0	-

**relative Natural Colour (NC)**

lab*lrj	1.0	0.0	0.0
lab*tce	1.0	0.0	-
lab*nce	0.0	0.0	-

**relative Inform. Technology (IT)**

olvi3*	1.0	0.951	0.5	(1.0)
cmyn3*	0.0	0.049	0.5	(0.0)
olvi4*	1.0	0.951	0.5	1.0
cmyn4*	0.0	0.049	0.5	0.0

**standard and adapted CIELAB**

LAB*LAB	90.8	-2.3	48.29
LAB*LABa	90.8	-1.4	43.84
LAB*TCHa	75.0	43.86	91.85

**relative CIELAB lab\***

lab*lab	0.94	-0.015	0.5
lab*tch	0.75	0.5	0.255
lab*nch	0.0	0.5	0.255

**relative Natural Colour (NC)**

lab*lrj	0.94	0.0	0.5
lab*tce	0.75	0.5	0.25
lab*nce	0.0	0.5	j00g

**relative Inform. Technology (IT)**

olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	0.5
cmyn4*	0.0	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	56.71	-0.24	2.14
LAB*LABa	56.71	0.0	0.0
LAB*TCHa	50.0	0.01	-

**relative CIELAB lab\***

lab*lab	0.5	0.0	0.0
lab*tch	0.5	0.0	-
lab*nch	0.5	0.0	-

**relative Natural Colour (NC)**

lab*lrj	0.5	0.0	0.0
lab*tce	0.5	0.0	-
lab*nce	0.5	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.5	0.451	0.0	(1.0)
cmyn3*	0.5	0.549	1.0	(0.0)
olvi4*	1.0	0.951	0.5	0.5
cmyn4*	0.0	0.049	0.5	0.5

**standard and adapted CIELAB**

LAB*LAB	52.1	-1.55	45.67
LAB*LABa	52.1	-1.39	43.83
LAB*TCHa	25.01	43.86	91.84

**relative CIELAB lab\***

lab*lab	0.44	-0.015	0.5
lab*tch	0.25	0.5	0.255
lab*nch	0.5	0.5	0.255

**relative Natural Colour (NC)**

lab*lrj	0.44	0.0	0.5
lab*tce	0.25	0.5	0.25
lab*nce	0.5	0.5	j99j

**relative Inform. Technology (IT)**

olvi3*	1.0	0.901	1.0	(1.0)
cmyn3*	0.0	0.099	1.0	(0.0)
olvi4*	1.0	0.902	0.0	1.0
cmyn4*	0.0	0.098	1.0	0.0

**standard and adapted CIELAB**



LAB*LAB	86.19	-3.62	91.81
LAB*LABa	86.19	-2.81	87.67
LAB*TCHa	50.0	87.72	91.84

**relative CIELAB lab\***

lab*lab	0.881	-0.031	0.999
lab*tch	0.5	1.0	0.255
lab*nch	0.0	1.0	0.255

**relative Natural Colour (NC)**

lab*lrj	0.881	0.0	1.0
lab*tce	0.5	1.0	0.25
lab*nce	0.0	1.0	j00g



NE070-7, 3 step scales for constant CIELAB hue 92/360 = 0.256 (left)

3 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E07NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 8/10, Serie: 1/1, Page: 8 Page count: 8




Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 162/360 = 0.451$   
 $lab^*tch$  and  $lab^*nch$

D65: hue G  
 LCH\*Ma: 57 70 162  
 olv\*Ma: 0.0 1.0 0.22

triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 164/360 = 0.457$   
 $lab^*tch$  and  $lab^*nch$

D65: hue G  
 LCH\*Ma: 53 57 164  
 olv\*Ma: 0.0 1.0 0.25

triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$


**relative Inform. Technology (IT)**  
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$   
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB = 95.41 \ -0.98 \ 4.75$   
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 99.99 \ 0.01 \ -$   
**relative CIELAB lab\***  
 $lab^*lab = 1.0 \ 0.0 \ 0.0$   
 $lab^*tch = 1.0 \ 0.0 \ -$   
 $lab^*nch = 0.0 \ 0.0 \ -$   
**relative Natural Colour (NC)**  
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$   
 $lab^*tce = 1.0 \ 0.0 \ -$   
 $lab^*nce = 0.0 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 1.0 \ 0.623 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.0 \ 0.377 \ (0.0)$   
 $olvi4^* = 0.5 \ 1.0 \ 0.623 \ 1.0$   
 $cmyn4^* = 0.5 \ 0.0 \ 0.377 \ 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB = 74.1 \ -27.98 \ 10.94$   
 $LAB^*LABa = 74.1 \ -27.4 \ 7.62$   
 $LAB^*TCHa = 75.0 \ 28.45 \ 164.46$   
**relative CIELAB lab\***  
 $lab^*lab = 0.725 \ -0.481 \ 0.134$   
 $lab^*tch = 0.75 \ 0.5 \ 0.457$   
 $lab^*nch = 0.0 \ 0.5 \ 0.457$   
**relative Natural Colour (NC)**  
 $lab^*lrj = 0.725 \ -0.499 \ 0.0$   
 $lab^*tce = 0.75 \ 0.5 \ 0.5$   
 $lab^*nce = 0.0 \ 0.5 \ g00b$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$   
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$   
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$   
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$   
**standard and adapted CIELAB**  
 $LAB^*LAB = 56.71 \ -0.24 \ 2.14$   
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$   
 $LAB^*TCHa = 50.0 \ 0.01 \ -$   
**relative CIELAB lab\***  
 $lab^*lab = 0.5 \ 0.0 \ 0.0$   
 $lab^*tch = 0.5 \ 0.0 \ -$   
 $lab^*nch = 0.5 \ 0.0 \ -$   
**relative Natural Colour (NC)**  
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$   
 $lab^*tce = 0.5 \ 0.0 \ -$   
 $lab^*nce = 0.5 \ 0.0 \ -$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 0.5 \ 0.123 \ (1.0)$   
 $cmyn3^* = 1.0 \ 0.5 \ 0.877 \ (0.0)$   
 $olvi4^* = 0.5 \ 1.0 \ 0.623 \ 0.5$   
 $cmyn4^* = 0.5 \ 0.0 \ 0.377 \ 0.5$   
**standard and adapted CIELAB**  
 $LAB^*LAB = 35.41 \ -27.24 \ 8.34$   
 $LAB^*LABa = 35.41 \ -27.4 \ 7.63$   
 $LAB^*TCHa = 25.01 \ 28.46 \ 164.44$   
**relative CIELAB lab\***  
 $lab^*lab = 0.225 \ -0.481 \ 0.134$   
 $lab^*tch = 0.25 \ 0.5 \ 0.457$   
 $lab^*nch = 0.5 \ 0.5 \ 0.457$   
**relative Natural Colour (NC)**  
 $lab^*lrj = 0.225 \ -0.499 \ 0.0$   
 $lab^*tce = 0.25 \ 0.5 \ 0.5$   
 $lab^*nce = 0.5 \ 0.5 \ j99g$

**relative Inform. Technology (IT)**  
 $olvi3^* = 0.0 \ 1.0 \ 0.246 \ (1.0)$   
 $cmyn3^* = 1.0 \ 0.0 \ 0.754 \ (0.0)$   
 $olvi4^* = 0.0 \ 1.0 \ 0.246 \ 1.0$   
 $cmyn4^* = 1.0 \ 0.0 \ 0.754 \ 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB = 52.8 \ -54.98 \ 17.14$   
 $LAB^*LABa = 52.8 \ -54.81 \ 15.26$   
 $LAB^*TCHa = 50.0 \ 56.91 \ 164.45$   
**relative CIELAB lab\***  
 $lab^*lab = 0.45 \ -0.962 \ 0.268$   
 $lab^*tch = 0.5 \ 1.0 \ 0.457$   
 $lab^*nch = 0.0 \ 1.0 \ 0.457$   
**relative Natural Colour (NC)**  
 $lab^*lrj = 0.45 \ -0.999 \ 0.0$   
 $lab^*tce = 0.5 \ 1.0 \ 0.5$   
 $lab^*nce = 0.0 \ 1.0 \ j99g$



NE070-7, 3 step scales for constant CIELAB hue 162/360 = 0.451 (left)

3 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input:  $olv^* setrgbcolor$   
 output: *no change compared to input*


See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E08NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form 9/10, Serie: 1/1, Page: 9 Page count: 9

**Input: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 272/360 = 0.755$   
 $lab^*tch$  and  $lab^*nch$

D65: hue B  
 LCH\*Ma: 57 76 272  
 olv\*Ma: 0.03 0.0 1.0  
 triangle lightness  $t^*$



**SRS18; adapted (a) CIELAB data**


	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
MMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut  
 $u^*_{rel} = 100$   
 %Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 271/360 = 0.754$   
 $lab^*tch$  and  $lab^*nch$

D65: hue B  
 LCH\*Ma: 42 45 271  
 olv\*Ma: 0.0 0.49 1.0  
 triangle lightness  $t^*$



**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut  
 $u^*_{rel} = 93$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

**relative Inform. Technology (IT)**

olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	95.41	-0.98	4.75
LAB*LABa	95.41	0.0	0.0
LAB*TCHa	99.99	0.01	-

**relative CIELAB lab\***

lab*lab	1.0	0.0	0.0
lab*tch	1.0	0.0	-
lab*nch	0.0	0.0	-

**relative Natural Colour (NC)**

lab*lrj	1.0	0.0	0.0
lab*tce	1.0	0.0	-
lab*nce	0.0	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.5	0.744	1.0	(1.0)
cmyn3*	0.5	0.256	0.0	(0.0)
olvi4*	0.5	0.744	1.0	1.0
cmyn4*	0.5	0.256	0.0	0.0

**standard and adapted CIELAB**

LAB*LAB	68.6	0.07	-19.39
LAB*LABa	68.6	0.55	-22.34
LAB*TCHa	75.0	22.36	271.4

**relative CIELAB lab\***

lab*lab	0.654	0.012	-0.499
lab*tch	0.75	0.5	0.754
lab*nch	0.0	0.5	0.754

**relative Natural Colour (NC)**

lab*lrj	0.654	0.0	-0.499
lab*tce	0.75	0.5	0.75
lab*nce	0.0	0.5	g99b

**relative Inform. Technology (IT)**

olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	0.5
cmyn4*	0.0	0.0	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	56.71	-0.24	2.14
LAB*LABa	56.71	0.0	0.0
LAB*TCHa	50.0	0.01	-

**relative CIELAB lab\***

lab*lab	0.5	0.0	0.0
lab*tch	0.5	0.0	-
lab*nch	0.5	0.0	-

**relative Natural Colour (NC)**

lab*lrj	0.5	0.0	0.0
lab*tce	0.5	0.0	-
lab*nce	0.5	0.0	-

**relative Inform. Technology (IT)**

olvi3*	0.0	0.244	0.5	(1.0)
cmyn3*	1.0	0.756	0.5	(0.0)
olvi4*	0.5	0.744	1.0	0.5
cmyn4*	0.5	0.256	0.0	0.5

**standard and adapted CIELAB**

LAB*LAB	29.9	0.82	-22.01
LAB*LABa	29.9	0.55	-22.34
LAB*TCHa	25.01	22.36	271.42

**relative CIELAB lab\***

lab*lab	0.154	0.012	-0.499
lab*tch	0.25	0.5	0.754
lab*nch	0.5	0.5	0.754

**relative Natural Colour (NC)**

lab*lrj	0.154	0.0	-0.499
lab*tce	0.25	0.5	0.75
lab*nce	0.5	0.5	b00r

**relative Inform. Technology (IT)**

olvi3*	0.0	0.488	1.0	(1.0)
cmyn3*	1.0	0.512	0.0	(0.0)
olvi4*	0.0	0.488	1.0	1.0
cmyn4*	1.0	0.512	0.0	0.0

**standard and adapted CIELAB**



LAB*LAB	41.79	1.14	-43.55
LAB*LABa	41.79	1.1	-44.69
LAB*TCHa	50.0	44.71	271.41

**relative CIELAB lab\***

lab*lab	0.307	0.025	-0.998
lab*tch	0.5	1.0	0.754
lab*nch	0.0	1.0	0.754

**relative Natural Colour (NC)**

lab*lrj	0.307	0.0	-0.999
lab*tce	0.5	1.0	0.75
lab*nce	0.0	1.0	b00r



NE070-7, 3 step scales for constant CIELAB hue 272/360 = 0.755 (left)

3 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart NE07; Colorimetric systems SRS18 & ORS18  
 D65: 3 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/NE07/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1

BAM registration: 20060101-NE07/10L/L07E09NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems  
 /NE07/ Form: 10/10/Scene: 1/1, Page: 10 Page count: 10