www.ps.bam.de/NE20/10S/S20E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E00NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 1/10, Serie: 1/1, Page: 1 Page: count: 1

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0



%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 40/360 = 0.111**

LAB*LCH, LAB*NCH

D65: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0



%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**



NE200−7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

5 step scales for constant CIELAB hue 40/360 = 0.111 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E01NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 2/10, Serie: 1/1, Page: 2 Page: count: 2

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 96/360 = 0.268**
lab*tch* and *lab*nch

D65: hue Y
LCH*Ma: 90 92 96
olv*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 103/360 = 0.286**
LAB*LCH, LAB*NCH

D65: hue Y
LCH*Ma: 93 93 103
olv*Ma: 1.0 1.0 0.0



TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut
u^*_{rel} = 158
%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 96/360 = 0.268 (left)

5 step scales for constant CIELAB hue 103/360 = 0.286 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E02NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 3/10, Serie: 1/1, Page: 3 Page: count: 3

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**
lab*tch* and *lab*nch

D65: hue L
LCH*Ma: 51 72 151
olv*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 136/360 = 0.378**
LAB*LCH, LAB*NCH

D65: hue L
LCH*Ma: 84 115 136
olv*Ma: 0.0 1.0 0.0



TLS00; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut
u^*_{rel} = 158
%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 151/360 = 0.419 (left)

5 step scales for constant CIELAB hue 136/360 = 0.378 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E03NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 4/10, Serie: 1/1, Page: 4 Page: count: 4

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 196/360 = 0.545**

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0



TLS00; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 236/360 = 0.656 (left)

5 step scales for constant CIELAB hue 196/360 = 0.545 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E04NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 5/10, Serie: 1/1, Page: 5 Page: count: 5

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 306/360 = 0.851**

LAB*LCH, LAB*NCH

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0



TLS00; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 305/360 = 0.847 (left)

5 step scales for constant CIELAB hue 306/360 = 0.851 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E05NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 6/10, Serie: 1/1, Page: 6 Page: count: 6

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**
lab*tch* and *lab*nch

D65: hue M
LCH*Ma: 48 76 354
olv*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 328/360 = 0.912**
LAB*LCH, LAB*NCH

D65: hue M
LCH*Ma: 57 111 328
olv*Ma: 1.0 0.0 1.0



TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut
u^*_{rel} = 158
%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 354/360 = 0.982 (left)

5 step scales for constant CIELAB hue 328/360 = 0.912 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/NE20/10S/S20E06NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E06NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 7/10, Serie: 1/1, Page: 7 Page: count: 7

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	−2.16	67.76	67.79	92
G_m	52.23	−42.25	11.76	43.87	164
B_m	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 25/360 = 0.071**

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 52 89 25

olv*Ma: 1.0 0.0 0.21



TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	−2.88	71.56	71.62	92
G_m	52.23	−42.41	13.6	44.55	162
B_m	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-NE20/10S/S20E07NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 8/10, Serie: 1/1, Page: 8 Page: count: 8

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255**
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 86 88 92
olv*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	−2.16	67.76	67.79	92
G_m	52.23	−42.25	11.76	43.87	164
B_m	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 92/360 = 0.256**
LAB*LCH, LAB*NCH

D65: hue J
LCH*Ma: 85 86 92
olv*Ma: 1.0 0.82 0.0



TLS00; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	−2.88	71.56	71.62	92
G_m	52.23	−42.41	13.6	44.55	162
B_m	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut
u^*_{rel} = 158
%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	−2.16	67.76	67.79	92
G_m	52.23	−42.25	11.76	43.87	164
B_m	30.57	1.15	−46.84	46.86	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t**



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 162/360 = 0.451**

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65



TLS00; adapted (a) CIELAB data

	L=L*a*	*a*a*	*b*a*	*C*ab,a*	*h*ab,a*
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	−2.88	71.56	71.62	92
G_m	52.23	−42.41	13.6	44.55	162
B_m	30.57	1.41	−46.46	46.49	272

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37

CIELAB lightness *L**



NE200−7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20060101-NE20/10S/S20E08NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 9/10, Serie: 1/1, Page: 9 Page: count: 9

See for similar files: http://www.ps.bam.de/NE20/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

Input: Colorimetric Offset Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

olv*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	−10.26	91.75	92.32	96
L_m	50.9	−62.83	34.96	71.91	151
C_m	58.62	−30.34	−45.01	54.3	236
V_m	25.72	31.1	−44.4	54.22	305
M_m	48.13	75.28	−8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	−2.16	67.76	67.79	92
G_m	52.23	−42.25	11.76	43.87	164
B_m	30.57	1.15	−46.84	46.86	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h = *lab*h* = 272/360 = 0.755**

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 65 49 272

olv*Ma: 0.0 0.61 1.0



TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	−20.69	90.75	93.08	103
L_m	83.63	−82.75	79.9	115.04	136
C_m	86.88	−46.16	−13.55	48.12	196
V_m	30.39	76.06	−103.59	128.52	306
M_m	57.3	94.35	−58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	−2.88	71.56	71.62	92
G_m	52.23	−42.41	13.6	44.55	162
B_m	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L**

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



NE200−7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart NE20; Colorimetric systems ORS18 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20060101-NE20/10S/S20E09NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE20/ Form: 10/10Serie: 1/1, Page: 10 Page: count: 10