
**Input: Colorimetric Television Luminous System TLS00**for hue $h^* = lab^*h = 136/360 = 0.378$ lab^*tch and lab^*nch

D65: hue L


LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

triangle lightness

**TLS00; adapted (a) CIELAB data**

	$L^*=L^*_a$	a^*a	b^*a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

**%Regularity** $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

NE450-7, 5 step scales for constant CIELAB hue 136/360 = 0.378 (left)


5 step scales for constant CIELAB hue 151/360 = 0.419 (right)


BAM-test chart NE45; Colorimetric systems TLS00 & ORS18
D65: 5 step colour scales and coordinate data for 10 huesinput: $olv^* setrgbcolor$
output: no change compared to input


BAM registration: 20060101-NE45/10Q/Q45E02NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems


/NE45/ Form: 3/10, Serie: 1/1, Page: 3 Page: count: 3












Input: Colorimetric Television Luminous System TLS00
for hue $h^* = lab^*h = 272/360 = 0.755$
 lab^*tch and lab^*nch


D65: hue B
LCH*Ma: 65 49 272
olv*Ma: 0.0 0.61 1.0
triangle lightness



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Regularity
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$



NE450-7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)



BAM-test chart NE45; Colorimetric systems TLS00 & ORS18
D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 271/360 = 0.754$

lab^*tch and lab^*nch

D65: hue B
LCH*Ma: 42 45 271
olv*Ma: 0.0 0.49 1.0
triangle lightness



%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

input: $olv^* setrgbcolor$
output: no change compared to input

BAM registration: 20060101-NE45/10Q/Q45E09NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/NE45/ Form: 10/10 Serie: 1/1, Page: 10, Page: count: 10