

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 40/360 = 0.111$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 40/360 = 0.111 (left)



BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 40/360 = 0.111$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 40/360 = 0.111 (right)

input: $cmY0^* \cdot setcmykcolor$
output: $cmY0^* / 000n^* \cdot setcmykcolor$



Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 103/360 = 0.286$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 103/360 = 0.286 (left)



Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 103/360 = 0.286$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 103/360 = 0.286 (right)

input: $cmY0^* setcmykcolor$

output: $cmY0^* / 000n^* setcmykcolor$



Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 136/360 = 0.378$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 136/360 = 0.378 (left)



BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 136/360 = 0.378$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 136/360 = 0.378 (right)

input: $cmY0^* \cdot setcmykcolor$

output: $cmY0^* / 000n^* \cdot setcmykcolor$



Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 196/360 = 0.545$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 196/360 = 0.545 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 196/360 = 0.545$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 196/360 = 0.545 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cm y 0^* set cmykcolor$

output: $cm y 0^* / 000 n^* set cmykcolor$

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 306/360 = 0.851$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 306/360 = 0.851 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 306/360 = 0.851$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 306/360 = 0.851 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \cdot setcmykcolor$
output: $cmY0^* / 000n^* \cdot setcmykcolor$

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 328/360 = 0.912$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue M

LCH*Ma: 57 111 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 328/360 = 0.912$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue M

LCH*Ma: 57 111 328

olv*Ma: 1.0 0.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

triangle lightness t^*


%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



OE240-7, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)



5 step scales for constant CIELAB hue 328/360 = 0.912 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \cdot setcmykcolor$
output: $cmY0^* / 000n^* \cdot setcmykcolor$

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 89 25

olv*Ma: 1.0 0.0 0.21

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.071$


LAB^*LCH , LAB^*NCH

D65: hue R

LCH*Ma: 52 89 25

olv*Ma: 1.0 0.0 0.21

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$
output: $cmY0^* / 000n^* setcmykcolor$

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \cdot setcmYkcolor$

output: $cmY0^* / 000n^* \cdot setcmYkcolor$

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)



BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

input: $cmY0^* \cdot setcmYcolor$

output: $cmY0^* / 000n^* \cdot setcmYcolor$



Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 65 49 272

olv*Ma: 0.0 0.61 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE240-7, 5 step scales for constant CIE LAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue B

LCH*Ma: 65 49 272

olv*Ma: 0.0 0.61 1.0

CIE LAB lightness L^*



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	50.5	76.92	64.55	100.42	40
Y_m	92.66	-20.69	90.75	93.08	103
L_m	83.63	-82.75	79.9	115.04	136
C_m	86.88	-46.16	-13.55	48.12	196
V_m	30.39	76.06	-103.59	128.52	306
M_m	57.3	94.35	-58.41	110.97	328
N_m	0.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE LAB hue 272/360 = 0.755 (right)

BAM-test chart OE24; Colorimetric systems TLS00 & TLS00
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \cdot setcmYcolor$
output: $cmY0^* / 000n^* \cdot setcmYcolor$