

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 22/360 = 0.061$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue O

LCH*Ma: 76 28 22

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 22/360 = 0.061 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 22/360 = 0.061$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue O

LCH*Ma: 76 28 22

olv*Ma: 1.0 0.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 22/360 = 0.061 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \cdot setcmykcolor$

output: $cmY0^* / 000n^* \cdot setcmykcolor$

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 107/360 = 0.298$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue Y

LCH*Ma: 94 36 107

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 107/360 = 0.298 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 107/360 = 0.298$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue Y

LCH*Ma: 94 36 107

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 107/360 = 0.298 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ set } cmYkcolor$
output: $cmY0^* / 000n^* \text{ set } cmYkcolor$

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 142/360 = 0.395$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue L

LCH*Ma: 89 45 142

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 142/360 = 0.395 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 142/360 = 0.395$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue L

LCH*Ma: 89 45 142

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 142/360 = 0.395 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ setcmYcolor}$
output: $cmY0^* / 000n^* \text{ setcmYcolor}$

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 198/360 = 0.55$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue C

LCH*Ma: 91 23 198

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 198/360 = 0.55 (left)



BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 198/360 = 0.55$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue C

LCH*Ma: 91 23 198

olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 198/360 = 0.55 (right)

input: $cmY0^* \cdot setcmykcolor$
output: $cmY0^* / 000n^* \cdot setcmykcolor$



output: *cmy0* / 000n* setcmykcolor*

Input: Colorimetric Television Luminous System TLS70


for hue $h^* = lab^*h = 326/360 = 0.906$

*lab*tch* and *lab*nch*

D65: hue M


LCH*Ma: 79 45 326

olv*Ma: 1.0 0.0 1.0



triangle lightness t^*

%Gamut



OE290-7, 5 step scales for constant CIELAB hue 326/360 = 0.906 (left)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS70


for hue $h^* = lab^*h = 326/360 = 0.906$

*LAB*LCH, LAB*NCH*


D65: hue M

LCH*Ma: 79 45 326

olv*Ma: 1.0 0.0 1.0

CIELAB lightness L^*

%Gamut



5 step scales for constant CIELAB hue 326/360 = 0.906 (right)

```
input: cmy0* setcmykcolor
```

```
output: cmy0* / 000n* setcmykcolor
```

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 25/360 = 0.071$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 77 27 25

olv*Ma: 1.0 0.05 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 25/360 = 0.071$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue R

LCH*Ma: 77 27 25

olv*Ma: 1.0 0.05 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ set } cmykcolor$
output: $cmY0^* / 000n^* \text{ set } cmykcolor$

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 89 28 92

olv*Ma: 1.0 0.74 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$


$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIE hue 92/360 = 0.256 (left)



BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 89 28 92

olv*Ma: 1.0 0.74 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE hue 92/360 = 0.256 (right)

input: $cmY0^* \cdot setcmykcolor$
output: $cmY0^* / 000n^* \cdot setcmykcolor$



Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 90 30 162

olv*Ma: 0.0 1.0 0.53

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 90 30 162

olv*Ma: 0.0 1.0 0.53

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ set } cmYkcolor$
output: $cmY0^* / 000n^* \text{ set } cmYkcolor$

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 80 24 272

olv*Ma: 0.0 0.4 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



OE290-7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue B

LCH*Ma: 80 24 272

olv*Ma: 0.0 0.4 1.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	76.43	26.27	10.57	28.32	22
Y_m	93.93	-10.76	34.63	36.27	107
L_m	89.32	-35.8	27.64	45.24	142
C_m	90.93	-21.95	-7.07	23.07	198
V_m	72.1	15.76	-35.63	38.97	294
M_m	78.5	37.52	-25.23	45.22	326
N_m	69.7	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart OE29; Colorimetric systems TLS70 & TLS70
D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ set } cmykcolor$
output: $cmY0^* / 000n^* \text{ set } cmykcolor$