

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 103/360 = 0.286$

LAB*LCH, LAB*NCH

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 103/360 = 0.286 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 103/360 = 0.286$

LAB*LCH, LAB*NCH

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE LAB hue 103/360 = 0.286 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 136/360 = 0.378$

LAB*LCH, LAB*NCH

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 136/360 = 0.378 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 136/360 = 0.378$

LAB*LCH, LAB*NCH

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE LAB hue 136/360 = 0.378 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* \text{ set } cmykcolor$

output: Startup (S) data dependend

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 196/360 = 0.545$

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 87 48 196


olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIELAB hue 196/360 = 0.545 (left)



BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 196/360 = 0.545$

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 87 48 196



olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

5 step scales for constant CIELAB hue 196/360 = 0.545 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 306/360 = 0.851$

LAB*LCH, LAB*NCH

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0

CIELAB lightness L^*

%Gamut



 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIELAB hue 306/360 = 0.851 (left)

5 step scales for constant CIELAB hue 306/360 = 0.851 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 328/360 = 0.912$

LAB*LCH, LAB*NCH

D65: hue M

LCH*Ma: 57 111 328


olv*Ma: 1.0 0.0 1.0

CIELAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 328/360 = 0.912$

LAB*LCH, LAB*NCH

D65: hue M

LCH*Ma: 57 111 328


olv*Ma: 1.0 0.0 1.0

CIELAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 328/360 = 0.912 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data depend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.071$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 52 89 25


olv*Ma: 1.0 0.0 0.21

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 158$

% Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 25/360 = 0.071 (left)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.071$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 52 89 25



olv*Ma: 1.0 0.0 0.21

CIE LAB lightness L^*

% Gamut

 $u^*_{rel} = 158$

% Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

5 step scales for constant CIE LAB hue 25/360 = 0.071 (right)

input: $cmy0^*$ setcmykcolor

output: Startup (S) data dependend

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 92/360 = 0.256$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 92/360 = 0.256$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE LAB hue 92/360 = 0.256 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 162/360 = 0.451$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 162/360 = 0.451$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

CIE LAB lightness L^*

%Gamut


 $u^*_{rel} = 158$

%Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$

TLS00; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIE LAB hue 162/360 = 0.451 (right)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 272/360 = 0.755$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 65 49 272


olv*Ma: 0.0 0.61 1.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 158$

% Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

TLS00; adapted (a) CIE LAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



OE340-7, 5 step scales for constant CIE LAB hue 272/360 = 0.755 (left)

BAM-test chart OE34; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab \cdot h = 272/360 = 0.755$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 65 49 272



olv*Ma: 0.0 0.61 1.0

CIE LAB lightness L^*

% Gamut

 $u^*_{rel} = 158$

% Regularity

 $g^*_{H,rel} = 20$ $g^*_{C,rel} = 37$ 

5 step scales for constant CIE LAB hue 272/360 = 0.755 (right)

input: $cmY0^* setcmykcolor$

output: Startup (S) data dependend