

### Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab \cdot h = 38/360 = 0.105$

$lab \cdot tch$  and  $lab \cdot nch$

D65: hue O  
LCH\*Ma: 48 83 38  
olv\*Ma: 1.0 0.0 0.0

triangle lightness

1,00

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

0,25

0,50

0,75

1,00

chromaticness  $c^*$

$n^* = 1,0$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

OE420-7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

0,25

0,50

0,75

1,00

chromaticness  $c^*$

$n^* = 1,0$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

### Output: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab \cdot h = 30/360 = 0.083$

$lab \cdot tch$  and  $lab \cdot nch$

D65: hue O  
LCH\*Ma: 57 77 30  
olv\*Ma: 1.0 0.0 0.0

triangle lightness

1,00

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

0,25

0,50

0,75

1,00

chromaticness  $c^*$

$n^* = 1,0$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

| SRS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

0,25

0,50

0,75

1,00

chromaticness  $c^*$

$n^* = 1,0$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

| SRS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

0,25

0,50

0,75

1,00

chromaticness  $c^*$

$n^* = 1,0$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

BAM-test chart OE42; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^* \text{ set } cmykcolor$

output: Startup (S) data dependend

### Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab \cdot h = 96/360 = 0.268$

$lab \cdot tch$  and  $lab \cdot nch$

D65: hue Y  
LCH\*Ma: 90 92 96  
olv\*Ma: 1.0 1.0 0.0

triangle lightness

1,00

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

0,75

0,50

0,25

0,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

0,75

1,00

blackness  $n^*$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness  $c^*$

0,25

0,50

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab \cdot h = 151/360 = 0.419$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0

triangle lightness



| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

Output: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab \cdot h = 150/360 = 0.417$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue L

LCH\*Ma: 57 77 150

olv\*Ma: 0.0 1.0 0.0

triangle lightness




| SRS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57         | 1.41    | -46.46  | 46.49        | 272          |


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$



OE420-7, 5 step scales for constant CIELAB hue 151/360 = 0.419 (left)



5 step scales for constant CIELAB hue 150/360 = 0.417 (right)

BAM-test chart OE42; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmy0^* \text{ setcmykcolor}$

output: Startup (S) data dependend


Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*tch$  and  $lab^*nch$

D65: hue C  
LCH\*Ma: 59 54 236  
olv\*Ma: 0.0 1.0 1.0

triangle lightness



| ORS18; adapted (a) CIELAB data |             |         |         |              |              |
|--------------------------------|-------------|---------|---------|--------------|--------------|
|                                | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57       | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness  $c^*$

OE420-7, 5 step scales for constant CIELAB hue 236/360 = 0.656 (left)



BAM-test chart OE42; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 hues


Output: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 210/360 = 0.583$

$lab^*tch$  and  $lab^*nch$

D65: hue C  
LCH\*Ma: 57 77 210  
olv\*Ma: 0.0 1.0 1.0

triangle lightness



| SRS18; adapted (a) CIELAB data |             |         |         |              |              |
|--------------------------------|-------------|---------|---------|--------------|--------------|
|                                | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness  $c^*$

5 step scales for constant CIELAB hue 210/360 = 0.583 (right)

input:  $cmY0^* setcmykcolor$   
output: Startup (S) data dependend



Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 305/360 = 0.847$


**lab\*tch and lab\*nch**

D65: hue V

**LCH\*Ma: 26 54 305**

**olv\*Ma: 0.0 0.0 1.0**


triangle lightness



**%Gamut**  
 **$u^*_{rel} = 93$**

| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

### %Regularity

$$g^*_{H_{rel}} = 57$$
$$g^*_{C,rel} = 59$$


OE420-7, 5 step scales for constant CIELAB hue 305/360 = 0.847 (left)

BAM-test chart OE42; Colorimetric systems ORS18 &amp; ORS18

## D65: 5 step colour scales and coordinate data for 10 hues

**Output: Colorimetric Standard Reflective System SRS18**

```
for hue  $h^* = lab^*h = 270/360 = 0.75$ 
```


**lab\*tch and lab\*nch**

D65: hue V

**LCH\*Ma: 57 77 270**

**olv\*Ma: 0.0 0.0 1.0**


## triangle lightness



**%Gamut**  
 **$u^*_{rel} = 100$**

| SRS18; adapted (a) |            | CIELAB data |            |              |              |
|--------------------|------------|-------------|------------|--------------|--------------|
|                    | $L^*_{*a}$ | $a^*_{*a}$  | $b^*_{*a}$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>    | 56.71      | 67.03       | 38.7       | 77.4         | 30           |
| Y <sub>Ma</sub>    | 56.71      | 0.0         | 77.4       | 77.4         | 90           |
| L <sub>Ma</sub>    | 56.71      | -67.02      | 38.7       | 77.4         | 150          |
| C <sub>Ma</sub>    | 56.71      | -67.02      | -38.69     | 77.4         | 210          |
| V <sub>Ma</sub>    | 56.71      | 0.0         | -77.39     | 77.4         | 270          |
| M <sub>Ma</sub>    | 56.71      | 67.03       | -38.69     | 77.4         | 330          |
| N <sub>Ma</sub>    | 18.01      | 0.0         | 0.0        | 0.0          | 0            |
| W <sub>Ma</sub>    | 95.41      | 0.0         | 0.0        | 0.0          | 0            |
| R <sub>CIE</sub>   | 39.92      | 58.74       | 27.99      | 65.07        | 25           |
| J <sub>CIE</sub>   | 81.26      | -2.88       | 71.56      | 71.62        | 92           |
| G <sub>CIE</sub>   | 52.23      | -42.41      | 13.6       | 44.55        | 162          |
| B <sub>CIE</sub>   | 30.57      | 1.41        | -46.46     | 46.49        | 272          |

### %Regularity

$$g^*_{H_{rel}} = 100$$
$$g^*_{C,rel} = 100$$
5 step scales for constant CIELAB hue  $270/360 = 0.75$  (right)

input: *cmy0\** *setcmykcolor*

output:  $Startup(S)$  data dependend

**Input: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 354/360 = 0.982$


**lab\*tch and lab\*nch**

D65: hue M

**LCH\*Ma: 48 76 354**


**olv\*Ma: 1.0 0.0 1.0**

triangle lightness


$$\mathbf{u}_{\text{rel}}^* = 93$$

| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

### %Regularity

$$g^*_{H_{rel}} = 57$$
$$g^*_{C,rel} = 59$$


OE420-7, 5 step scales for constant CIELAB hue 354/360 = 0.982 (left)

BAM-test chart OE42: Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

**Output: Colorimetric Standard Reflective System SRS18**

for hue  $h^* = lab^*h = 330/360 = 0.917$


*lab\*tch* and *lab\*nch*

D65: hue M

LCH\*Ma: 57 77 330


olv\*Ma: 1.0 0.0 1.0

## triangle lightness


$$\mathbf{u}_{\text{rel}}^* = 100$$

| SRS18; adapted (a) |         | CIELAB data |         |              |              |
|--------------------|---------|-------------|---------|--------------|--------------|
|                    | $L^*_a$ | $a^*_a$     | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>    | 56.71   | 67.03       | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>    | 56.71   | 0.0         | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>    | 56.71   | -67.02      | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>    | 56.71   | -67.02      | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>    | 56.71   | 0.0         | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>    | 56.71   | 67.03       | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>    | 18.01   | 0.0         | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>    | 95.41   | 0.0         | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>   | 39.92   | 58.74       | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>   | 81.26   | -2.88       | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>   | 52.23   | -42.41      | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>   | 30.57   | 1.41        | -46.46  | 46.49        | 272          |

### %Regularity

$$g^*_{H\text{ rel}} = 100$$
$$g^*_{C,rel} = 100$$


5 step scales for constant CIELAB hue 330/360 = 0.917 (right)

```
input: cmv0* setcmvcolor
```

output: *Startup (S) data depend*

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab \cdot h = 25/360 = 0.069$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness



% Gamut  
 $u^*_{rel} = 93$

| ORS18; adapted (a) CIELAB data |             |         |         |              |              |
|--------------------------------|-------------|---------|---------|--------------|--------------|
|                                | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57       | 1.15    | -46.84  | 46.86        | 271          |

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

Output: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab \cdot h = 25/360 = 0.071$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue R

LCH\*Ma: 57 74 25

olv\*Ma: 1.0 0.0 0.09

triangle lightness




% Gamut  
 $u^*_{rel} = 100$

| SRS18; adapted (a) CIELAB data |             |         |         |              |              |
|--------------------------------|-------------|---------|---------|--------------|--------------|
|                                | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57       | 1.41    | -46.46  | 46.49        | 272          |


% Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$



OE420-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)



5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart OE42; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^* set cmykcolor$

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab \cdot h = 92/360 = 0.255$  $lab \cdot tch$  and  $lab \cdot nch$ 

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness



| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

Output: Colorimetric Standard Reflective System SRS18


for hue  $h^* = lab \cdot h = 92/360 = 0.256$  $lab \cdot tch$  and  $lab \cdot nch$ 

D65: hue J

LCH\*Ma: 57 76 92


olv\*Ma: 0.95 1.0 0.0

triangle lightness



| SRS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57         | 1.41    | -46.46  | 46.49        | 272          |


%Regularity

 $g^*_{H,rel} = 100$  $g^*_{C,rel} = 100$ 

OE420-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

BAM-test chart OE42; Colorimetric systems ORS18 &amp; ORS18

D65: 5 step colour scales and coordinate data for 10 hues



5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

input:  $cmy0^* \text{ setcmykcolor}$ 

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab \cdot h = 164/360 = 0.457$  $lab \cdot tch$  and  $lab \cdot nch$ 

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25

triangle lightness



ORS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

Output: Colorimetric Standard Reflective System SRS18


for hue  $h^* = lab \cdot h = 162/360 = 0.451$  $lab \cdot tch$  and  $lab \cdot nch$ 

D65: hue G

LCH\*Ma: 57 70 162

olv\*Ma: 0.0 1.0 0.22


triangle lightness



SRS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |


%Regularity

 $g^*_{H,rel} = 100$  $g^*_{C,rel} = 100$ 

OE420-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

BAM-test chart OE42; Colorimetric systems ORS18 &amp; ORS18

D65: 5 step colour scales and coordinate data for 10 hues



5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

input:  $cmv0^* \text{ setcmvcolor}$ 

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab \cdot h = 271/360 = 0.754$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0

triangle lightness



| ORS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>                | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>                | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>                | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>                | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>                | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub>               | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness  $c^*$

$n^* = 1,0$

OE420-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)



BAM-test chart OE42; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab \cdot h = 272/360 = 0.755$


$lab \cdot tch$  and  $lab \cdot nch$

D65: hue B

LCH\*Ma: 57 76 272

olv\*Ma: 0.03 0.0 1.0

triangle lightness



| SRS18; adapted (a) CIELAB data |               |         |         |              |              |
|--------------------------------|---------------|---------|---------|--------------|--------------|
|                                | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                | 56.71         | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>                | 56.71         | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>                | 56.71         | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>                | 56.71         | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>                | 56.71         | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>                | 56.71         | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>                | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>               | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>               | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>               | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>               | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness  $c^*$

$n^* = 1,0$

5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

input:  $cmY0^* \text{ set } cmykcolor$

output: Startup (S) data dependend