


Input: Colorimetric Television Luminous System TLS00


for hue  $h^* = lab^*h = 40/360 = 0.111$   
 $lab^*tch$  and  $lab^*nch$

D65: hue O  
 LCH\*Ma: 51 100 40  
 olv\*Ma: 1.0 0.0 0.0  
 triangle lightness



TLS00; adapted (a) CIELAB data

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| YMa  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| LMa  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| CMa  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| VMa  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| MMa  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| NMa  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| JCIE | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| GCIE | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| BCIE | 30.57         | 1.41    | -46.46  | 46.49        | 272          |




OE45-7, 5 step scales for constant CIELAB hue 40/360 = 0.111 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 38/360 = 0.105$   
 $lab^*tch$  and  $lab^*nch$

D65: hue O  
 LCH\*Ma: 48 83 38  
 olv\*Ma: 1.0 0.0 0.0  
 triangle lightness



ORS18; adapted (a) CIELAB data

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| YMa  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| LMa  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| CMa  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| VMa  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| MMa  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| NMa  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| JCIE | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| GCIE | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| BCIE | 30.57         | 1.15    | -46.84  | 46.86        | 271          |



5 step scales for constant CIELAB hue 38/360 = 0.105 (right)


BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY^*_{set}$  *setmycolor*  
 output: *no change compared to input*

**Input: Colorimetric Television Luminous System TLS00**

for hue  $h^* = lab^*h = 103/360 = 0.286$   
 $lab^*tch$  and  $lab^*nch$

D65: hue Y  
 LCH\*Ma: 93 93 103  
 olv\*Ma: 1.0 1.0 0.0  
 triangle lightness



**TLS00; adapted (a) CIELAB data**

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| YMa  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| LMa  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| CMa  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| VMa  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| MMa  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| NMa  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| JCIE | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| GCIE | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| BCIE | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity


$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 96/360 = 0.268$   
 $lab^*tch$  and  $lab^*nch$

D65: hue Y  
 LCH\*Ma: 90 92 96  
 olv\*Ma: 1.0 1.0 0.0  
 triangle lightness





**ORS18; adapted (a) CIELAB data**

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| YMa  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| LMa  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| CMa  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| VMa  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| MMa  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| NMa  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| JCIE | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| GCIE | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| BCIE | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



OE45-7, 5 step scales for constant CIELAB hue 103/360 = 0.286 (left)

5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY^*_0$  setcmYcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E01NP.PS/.PDF BAM material: code=rhadt4  
 application for evaluation and measurement of printer or monitor systems  
 /OE45/ Form 2/10, Serie: 1/1, Page: 2 Page count: 2

**Input: Colorimetric Television Luminous System TLS00**

for hue  $h^* = lab^*h = 136/360 = 0.378$   
 $lab^*tch$  and  $lab^*nch$

D65: hue L  
 LCH\*Ma: 84 115 136  
 olv\*Ma: 0.0 1.0 0.0  
 triangle lightness



**TLS00; adapted (a) CIELAB data**

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

1.00

0.75

0.50

0.25


0.00

$n^* = 1.0$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 151/360 = 0.419$   
 $lab^*tch$  and  $lab^*nch$

D65: hue L  
 LCH\*Ma: 51 72 151  
 olv\*Ma: 0.0 1.0 0.0  
 triangle lightness



**ORS18; adapted (a) CIELAB data**

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1.00



0.75

0.50

0.25

0.00

$n^* = 1.0$



OE45-7, 5 step scales for constant CIELAB hue 136/360 = 0.378 (left)

5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues


input:  $cmY0^* setcmykcolor$

output: *no change compared to input*

Input: Colorimetric Television Luminous System TLS00


for hue  $h^* = lab^*h = 196/360 = 0.545$   
 $lab^*tch$  and  $lab^*nch$

D65: hue C  
 LCH\*Ma: 87 48 196  
 olv\*Ma: 0.0 1.0 1.0  
 triangle lightness



TLS00; adapted (a) CIELAB data


|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$   
 $lab^*tch$  and  $lab^*nch$

D65: hue C  
 LCH\*Ma: 59 54 236  
 olv\*Ma: 0.0 1.0 1.0  
 triangle lightness



ORS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |



OE45-7, 5 step scales for constant CIELAB hue 196/360 = 0.545 (left)

5 step scales for constant CIELAB hue 236/360 = 0.656 (right)


BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^* setcmykcolor$   
 output: no change compared to input

Input: Colorimetric Television Luminous System TLS00

for hue  $h^* = lab^*h = 306/360 = 0.851$   
 $lab^*tch$  and  $lab^*nch$

D65: hue V  
 LCH\*Ma: 30 129 306  
 olv\*Ma: 0.0 0.0 1.0  
 triangle lightness




TLS00; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$




OE45-7, 5 step scales for constant CIELAB hue 306/360 = 0.851 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 305/360 = 0.847$   
 $lab^*tch$  and  $lab^*nch$

D65: hue V  
 LCH\*Ma: 26 54 305  
 olv\*Ma: 0.0 0.0 1.0  
 triangle lightness




ORS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues


input:  $cmY0^* setcmYcolor$

output: no change compared to input

Input: Colorimetric Television Luminous System TLS00

for hue  $h^* = lab^*h = 328/360 = 0.912$   
 $lab^*tch$  and  $lab^*nch$

D65: hue M  
 LCH\*Ma: 57 111 328  
 olv\*Ma: 1.0 0.0 1.0  
 triangle lightness



TLS00; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity


$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 354/360 = 0.982$   
 $lab^*tch$  and  $lab^*nch$

D65: hue M  
 LCH\*Ma: 48 76 354  
 olv\*Ma: 1.0 0.0 1.0  
 triangle lightness





ORS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



OE45-7, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)

5 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^*$  setcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E05NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems

Input: Colorimetric Television Luminous System TLS00

for hue  $h^* = lab^*h = 25/360 = 0.071$   
 $lab^*tch$  and  $lab^*nch$

D65: hue R  
 LCH\*Ma: 52 89 25  
 olv\*Ma: 1.0 0.0 0.21  
 triangle lightness




TLS00; adapted (a) CIELAB data

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| YMa  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| LMa  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| CMa  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| VMa  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| MMa  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| NMa  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| JCIE | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| GCIE | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| BCIE | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$




OE45-7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 25/360 = 0.069$   
 $lab^*tch$  and  $lab^*nch$

D65: hue R  
 LCH\*Ma: 48 75 25  
 olv\*Ma: 1.0 0.0 0.32  
 triangle lightness




ORS18; adapted (a) CIELAB data

|      | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------|---------------|---------|---------|--------------|--------------|
| OMa  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| YMa  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| LMa  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| CMa  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| VMa  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| MMa  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| NMa  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| WMa  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| RCIE | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| JCIE | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| GCIE | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| BCIE | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^*$  setcmYcolor  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E06NP.PS/.PDF BAM material: code=rhadt4  
 application for evaluation and measurement of printer or monitor systems  
 /OE45/ Form 7/10, Serie: 1/1, Page: 7 Page count: 7

**Input: Colorimetric Television Luminous System TLS00**

for hue  $h^* = lab^*h = 92/360 = 0.256$   
 $lab^*tch$  and  $lab^*nch$

D65: hue J  
 LCH\*Ma: 85 86 92  
 olv\*Ma: 1.0 0.82 0.0  
 triangle lightness



**TLS00; adapted (a) CIELAB data**

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

1.00

0.75

$n^* = 0.00$

0.25

$n^* = 0.25$

blackness  $n^*$


$n^* = 0.50$

chromaticness  $c^*$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 92/360 = 0.255$   
 $lab^*tch$  and  $lab^*nch$

D65: hue J  
 LCH\*Ma: 86 88 92  
 olv\*Ma: 1.0 0.9 0.0  
 triangle lightness



**ORS18; adapted (a) CIELAB data**

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.41         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1.00

0.75

$n^* = 0.00$

0.25

$n^* = 0.25$

blackness  $n^*$

$n^* = 0.50$

chromaticness  $c^*$

OE45-7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY^*_{set} cmykcolor$

output: no change compared to input


See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E07NP.PS/.PDF BAM material: code=rhadt4  
 application for evaluation and measurement of printer or monitor systems  
 /OE45/ Form 8/10, Serie: 1/1, Page: 8 Page count: 8

**Input: Colorimetric Television Luminous System TLS00**

for hue  $h^* = lab^*h = 162/360 = 0.451$   
 $lab^*tch$  and  $lab^*nch$

D65: hue G  
 LCH\*Ma: 86 62 162  
 olv\*Ma: 0.0 1.0 0.65  
 triangle lightness



**TLS00; adapted (a) CIELAB data**  
 $L^* = L^*_a$   $a^*_a$   $b^*_a$   $C^*_{ab,a}$   $h^*_{ab,a}$

|                  |       |        |         |        |     |
|------------------|-------|--------|---------|--------|-----|
| O <sub>Ma</sub>  | 50.5  | 76.92  | 64.55   | 100.42 | 40  |
| Y <sub>Ma</sub>  | 92.66 | -20.69 | 90.75   | 93.08  | 103 |
| L <sub>Ma</sub>  | 83.63 | -82.75 | 79.9    | 115.04 | 136 |
| C <sub>Ma</sub>  | 86.88 | -46.16 | -13.55  | 48.12  | 196 |
| V <sub>Ma</sub>  | 30.39 | 76.06  | -103.59 | 128.52 | 306 |
| M <sub>Ma</sub>  | 57.3  | 94.35  | -58.41  | 110.97 | 328 |
| N <sub>Ma</sub>  | 0.01  | 0.0    | 0.0     | 0.0    | 0   |
| W <sub>Ma</sub>  | 95.41 | 0.0    | 0.0     | 0.0    | 0   |
| R <sub>CIE</sub> | 39.92 | 58.74  | 27.99   | 65.07  | 25  |
| J <sub>CIE</sub> | 81.26 | -2.88  | 71.56   | 71.62  | 92  |
| G <sub>CIE</sub> | 52.23 | -42.41 | 13.6    | 44.55  | 162 |
| B <sub>CIE</sub> | 30.57 | 1.41   | -46.46  | 46.49  | 272 |

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

1.00

0.75

0.25


0.00

$n^* = 1.0$

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 164/360 = 0.457$   
 $lab^*tch$  and  $lab^*nch$

D65: hue G  
 LCH\*Ma: 53 57 164  
 olv\*Ma: 0.0 1.0 0.25  
 triangle lightness



**ORS18; adapted (a) CIELAB data**  
 $L^* = L^*_a$   $a^*_a$   $b^*_a$   $C^*_{ab,a}$   $h^*_{ab,a}$

|                  |       |        |        |       |     |
|------------------|-------|--------|--------|-------|-----|
| O <sub>Ma</sub>  | 47.94 | 65.39  | 50.52  | 82.63 | 38  |
| Y <sub>Ma</sub>  | 90.37 | -10.26 | 91.75  | 92.32 | 96  |
| L <sub>Ma</sub>  | 50.9  | -62.83 | 34.96  | 71.91 | 151 |
| C <sub>Ma</sub>  | 58.62 | -30.34 | -45.01 | 54.3  | 236 |
| V <sub>Ma</sub>  | 25.72 | 31.1   | -44.4  | 54.22 | 305 |
| M <sub>Ma</sub>  | 48.13 | 75.28  | -8.36  | 75.74 | 354 |
| N <sub>Ma</sub>  | 18.01 | 0.0    | 0.0    | 0.0   | 0   |
| W <sub>Ma</sub>  | 95.41 | 0.0    | 0.0    | 0.0   | 0   |
| R <sub>CIE</sub> | 39.92 | 58.66  | 26.98  | 64.57 | 25  |
| J <sub>CIE</sub> | 81.26 | -2.16  | 67.76  | 67.79 | 92  |
| G <sub>CIE</sub> | 52.23 | -42.25 | 11.76  | 43.87 | 164 |
| B <sub>CIE</sub> | 30.57 | 1.15   | -46.84 | 46.86 | 271 |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1.00

0.75

0.25

0.00

$n^* = 0.00$

0.25

0.50

0.75

1.00



**relative Inform. Technology (IT)**  
 $olvi3^* 1.0 1.0 1.0 (1.0)$   
 $cmyn3^* 0.0 0.0 0.0 (0.0)$   
 $olvi4^* 1.0 1.0 1.0 1.0$   
 $cmyn4^* 0.0 0.0 0.0 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB 95.41 -0.98 4.75$   
 $LAB^*LAb 95.41 0.0 0.0$   
 $LAB^*TCh 99.99 0.01 -$   
**relative CIELAB lab\***  
 $lab^*lab 1.0 0.0 0.0$   
 $lab^*tch 1.0 0.0 0.0$   
 $lab^*nch 0.0 0.0 -$   
**relative Natural Colour (NC)**  
 $lab^*trj 1.0 0.0 0.0$   
 $lab^*tce 1.0 0.0 -$   
 $lab^*nce 0.0 0.0 -$

**relative Inform. Technology (IT)**  
 $olvi3^* 0.75 1.0 0.812 (1.0)$   
 $cmyn3^* 0.25 0.0 0.188 (0.0)$   
 $olvi4^* 0.75 1.0 0.812 1.0$   
 $cmyn4^* 0.25 0.0 0.188 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB 84.75 -14.48 7.85$   
 $LAB^*LAb 84.75 -13.69 3.81$   
 $LAB^*TCh 87.5 14.22 164.46$   
**relative CIELAB lab\***  
 $lab^*lab 0.862 -0.24 0.067$   
 $lab^*tch 0.875 0.25 0.457$   
 $lab^*nch 0.0 0.25 0.457$   
**relative Natural Colour (NC)**  
 $lab^*trj 0.862 -0.249 0.0$   
 $lab^*tce 0.875 0.25 0.5$   
 $lab^*nce 0.0 0.25 0.906$

**relative Inform. Technology (IT)**  
 $olvi3^* 0.5 1.0 0.623 (1.0)$   
 $cmyn3^* 0.5 0.0 0.377 (0.0)$   
 $olvi4^* 0.5 1.0 0.623 1.0$   
 $cmyn4^* 0.5 0.0 0.377 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB 74.1 -27.98 10.94$   
 $LAB^*LAb 74.1 -27.4 7.62$   
 $LAB^*TCh 75.0 28.45 164.46$   
**relative CIELAB lab\***  
 $lab^*lab 0.725 -0.481 0.134$   
 $lab^*tch 0.75 0.5 0.457$   
 $lab^*nch 0.0 0.5 0.457$   
**relative Natural Colour (NC)**  
 $lab^*trj 0.725 -0.499 0.0$   
 $lab^*tce 0.75 0.5 0.5$   
 $lab^*nce 0.0 0.5 0.906$

**relative Inform. Technology (IT)**  
 $olvi3^* 0.25 0.75 0.435 (1.0)$   
 $cmyn3^* 0.75 0.0 0.565 (0.0)$   
 $olvi4^* 0.25 1.0 0.435 1.0$   
 $cmyn4^* 0.75 0.0 0.565 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB 63.45 -41.48 14.04$   
 $LAB^*LAb 63.45 -41.11 11.44$   
 $LAB^*TCh 62.5 42.68 164.45$   
**relative CIELAB lab\***  
 $lab^*lab 0.587 -0.721 0.201$   
 $lab^*tch 0.625 0.75 0.457$   
 $lab^*nch 0.0 1.0 0.457$   
**relative Natural Colour (NC)**  
 $lab^*trj 0.587 -0.749 0.0$   
 $lab^*tce 0.625 0.75 0.5$   
 $lab^*nce 0.0 1.0 0.906$

**relative Inform. Technology (IT)**  
 $olvi3^* 0.0 1.0 0.246 (1.0)$   
 $cmyn3^* 1.0 0.0 0.754 (0.0)$   
 $olvi4^* 0.0 1.0 0.246 1.0$   
 $cmyn4^* 1.0 0.0 0.754 0.0$   
**standard and adapted CIELAB**  
 $LAB^*LAB 52.8 -54.98 17.14$   
 $LAB^*LAb 52.8 -54.81 15.26$   
 $LAB^*TCh 50.0 56.91 164.43$   
**relative CIELAB lab\***  
 $lab^*lab 0.45 -0.962 0.268$   
 $lab^*tch 0.5 1.0 0.457$   
 $lab^*nch 0.0 1.0 0.457$   
**relative Natural Colour (NC)**  
 $lab^*trj 0.45 -0.999 0.0$   
 $lab^*tce 0.5 1.0 0.5$   
 $lab^*nce 0.0 1.0 0.906$



OE45-7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmyo^* setcmykcolor$   
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E08NP.PS/.PDF BAM material: code=rhadt4  
 application for evaluation and measurement of printer or monitor systems  
 /OE45/ Form 9/10, Serie: 1/1, Page: 9 Page count: 9

Input: Colorimetric Television Luminous System TLS00

for hue  $h^* = lab^*h = 272/360 = 0.755$   
 $lab^*tch$  and  $lab^*nch$

D65: hue B  
 LCH\*Ma: 65 49 272  
 olv\*Ma: 0.0 0.61 1.0  
 triangle lightness



TLS00; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5          | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66         | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63         | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88         | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39         | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3          | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01          | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57         | 1.41    | -46.46  | 46.49        | 272          |

%Regularity


$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 271/360 = 0.754$   
 $lab^*tch$  and  $lab^*nch$

D65: hue B  
 LCH\*Ma: 42 45 271  
 olv\*Ma: 0.0 0.49 1.0  
 triangle lightness





ORS18; adapted (a) CIELAB data

|                  | $L^* = L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|---------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94         | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37         | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9          | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62         | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72         | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13         | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01         | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41         | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92         | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26         | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23         | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57         | 1.15    | -46.84  | 46.86        | 271          |

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



OE45-7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart OE45; Colorimetric systems TLS00 & ORS18  
 D65: 5 step colour scales and coordinate data for 10 hues

input:  $cmY0^* setcmykcolor$   
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/OE45/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=0,0

BAM registration: 20060101-OE45/10Q/Q45E09NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadt4  
 /OE45/ Form 10/10/Scene: 1/1, Page: 10 Page count: 10