See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 1/10, Serie: 1/1, Page: 1 Page: count: 1

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 22/360 = 0.061$
lab*tch* and *lab*nch

D65: hue O
LCH*Ma: 76 28 22
olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 22/360 = 0.061$
lab*tch* and *lab*nch

D65: hue O
LCH*Ma: 76 28 22
olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51

OE590−7, 5 step scales for constant CIELAB hue 22/360 = 0.061 (left)

5 step scales for constant CIELAB hue 22/360 = 0.061 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E01NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 2/10, Serie: 1/1, Page: 2 Page: count: 2

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 107/360 = 0.298$
*lab*tch* and *lab*nch*

D65: hue Y
LCH*Ma: 94 36 107
olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 16$

TLS70; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 34$
$g^*_{C,rel} = 51$



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 107/360 = 0.298$
*lab*tch* and *lab*nch*

D65: hue Y
LCH*Ma: 94 36 107
olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 16$

TLS70; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 34$
$g^*_{C,rel} = 51$



OE590−7, 5 step scales for constant CIELAB hue 107/360 = 0.298 (left)

5 step scales for constant CIELAB hue 107/360 = 0.298 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E02NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 3/10, Serie: 1/1, Page: 3 Page: count: 3

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 142/360 = 0.395$
lab*tch* and *lab*nch

D65: hue L
LCH*Ma: 89 45 142
olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 142/360 = 0.395$
lab*tch* and *lab*nch

D65: hue L
LCH*Ma: 89 45 142
olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



OE590−7, 5 step scales for constant CIELAB hue 142/360 = 0.395 (left)

5 step scales for constant CIELAB hue 142/360 = 0.395 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E03NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 4/10, Serie: 1/1, Page: 4 Page: count: 4

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 198/360 = 0.55$
lab*tch* and *lab*nch

D65: hue C
LCH*Ma: 91 23 198
olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 198/360 = 0.55$
lab*tch* and *lab*nch

D65: hue C
LCH*Ma: 91 23 198
olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



OE590−7, 5 step scales for constant CIELAB hue 198/360 = 0.55 (left)

5 step scales for constant CIELAB hue 198/360 = 0.55 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E04NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 5/10, Serie: 1/1, Page: 5 Page: count: 5

Input: Colorimetric Television Luminous System TLS70

for hue *h = lab*h = 294/360 = 0.816**
lab*tch* and *lab*nch

D65: hue V
LCH*Ma: 72 39 294
olv*Ma: 0.0 0.0 1.0

triangle lightness *t**



%Gamut
u*rel = 16

TLS70; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
g*H,rel = 34
g*C,rel = 51



OE590−7, 5 step scales for constant CIELAB hue 294/360 = 0.816 (left)

Output: Colorimetric Television Luminous System TLS70

for hue *h = lab*h = 294/360 = 0.816**
lab*tch* and *lab*nch

D65: hue V
LCH*Ma: 72 39 294
olv*Ma: 0.0 0.0 1.0

triangle lightness *t**



%Gamut
u*rel = 16

TLS70; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
g*H,rel = 34
g*C,rel = 51



5 step scales for constant CIELAB hue 294/360 = 0.816 (right)

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E05NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 6/10, Serie: 1/1, Page: 6 Page: count: 6

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 326/360 = 0.906$
lab*tch* and *lab*nch

D65: hue M
LCH*Ma: 79 45 326
olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 326/360 = 0.906$
lab*tch* and *lab*nch

D65: hue M
LCH*Ma: 79 45 326
olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 51



OE590−7, 5 step scales for constant CIELAB hue 326/360 = 0.906 (left)

5 step scales for constant CIELAB hue 326/360 = 0.906 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E06NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 7/10, Serie: 1/1, Page: 7 Page: count: 7

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 25/360 = 0.071$
lab*tch* and *lab*nch

D65: hue R
LCH*Ma: 77 27 25
olv*Ma: 1.0 0.05 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 34
$g^*_{C,rel}$ = 51



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 25/360 = 0.071$
lab*tch* and *lab*nch

D65: hue R
LCH*Ma: 77 27 25
olv*Ma: 1.0 0.05 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 34
$g^*_{C,rel}$ = 51



OE590−7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E07NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 8/10, Serie: 1/1, Page: 8 Page: count: 8

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 92/360 = 0.256$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 89 28 92
olv*Ma: 1.0 0.74 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 34
$g^*_{C,rel}$ = 33



Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 92/360 = 0.256$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 89 28 92
olv*Ma: 1.0 0.74 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 34
$g^*_{C,rel}$ = 33



OE590−7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E08NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 9/10, Serie: 1/1, Page: 9 Page: count: 9

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 162/360 = 0.451$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 90 30 162
olv*Ma: 0.0 1.0 0.53

triangle lightness t^*



TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Gamut

$u^*_{rel} = 16$

%Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

1,00

0,75

0,25

0,00

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 162/360 = 0.451$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 90 30 162
olv*Ma: 0.0 1.0 0.53

triangle lightness t^*



TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Gamut

$u^*_{rel} = 16$

%Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

OE590−7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart OE59; Colorimetric systems TLS70 & TLS70
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/OE59/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-OE59/10S/S59E09NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/OE59/ Form: 10/10,Serie: 1/1, Page: 10 Page: count: 10

Input: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 272/360 = 0.755$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 80 24 272
olv*Ma: 0.0 0.4 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 34



OE590−7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS70

for hue $h^* = lab^*h = 272/360 = 0.755$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 80 24 272
olv*Ma: 0.0 0.4 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 16

TLS70; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	76.43	26.27	10.57	28.32	22
Y_{Ma}	93.93	−10.76	34.63	36.27	107
L_{Ma}	89.32	−35.8	27.64	45.24	142
C_{Ma}	90.93	−21.95	−7.07	23.07	198
V_{Ma}	72.1	15.76	−35.63	38.97	294
M_{Ma}	78.5	37.52	−25.23	45.22	326
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 34

$g^*_{C,rel}$ = 34



5 step scales for constant CIELAB hue 272/360 = 0.755 (right)