


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 30/360 = 0.083$ lab^*ich and lab^*nch

D65: hue O

LCH*Ma: 57 77 30

olv*Ma: 1.0 0.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 38/360 = 0.105$ lab^*ich and lab^*nch

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ blackness n^* $n^* = 0,00$ chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^* chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 90/360 = 0.25$ lab^*ich and lab^*nch

D65: hue Y

LCH*Ma: 57 77 90

olv*Ma: 1.0 1.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
NMa	56.71	67.03	-38.69	77.4	330
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 96/360 = 0.268$ lab^*ich and lab^*nch

D65: hue Y

LCH*Ma: 90 92 96

olv*Ma: 1.0 1.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
NMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$

0,25

 $n^* = 0,50$ chromaticness c^* $n^* = 0,00$ blackness n^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$

0,25

 $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^* chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 90/360 = 0.25 (left)

5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 150/360 = 0.417$ lab^*ich and lab^*nch

D65: hue L

LCH*Ma: 57 77 150

olv*Ma: 0.0 1.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.419$ lab^*ich and lab^*nch

D65: hue L

LCH*Ma: 51 72 151

olv*Ma: 0.0 1.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ blackness n^* $n^* = 0,00$

0,25 0,50 0,75 1,00

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 150/360 = 0.417 (left)

5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = \text{lab}^*h = 210/360 = 0.583$ lab^*ich and lab^*nch

D65: hue C

LCH*Ma: 57 77 210

olv*Ma: 0.0 1.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 100$

%Regularity

 $g^*_{H,\text{rel}} = 100$ $g^*_{C,\text{rel}} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = \text{lab}^*h = 236/360 = 0.656$ lab^*ich and lab^*nch

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 93$

%Regularity

 $g^*_{H,\text{rel}} = 57$ $g^*_{C,\text{rel}} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ blackness n^* chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^* chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 210/360 = 0.583 (left)

5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = \text{lab}^*h = 270/360 = 0.75$ lab^*ich and lab^*nch

D65: hue V

LCH*Ma: 57 77 270

olv*Ma: 0.0 0.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 100$

%Regularity

 $g^*_{H,\text{rel}} = 100$ $g^*_{C,\text{rel}} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = \text{lab}^*h = 305/360 = 0.847$ lab^*ich and lab^*nch

D65: hue V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 93$

%Regularity

 $g^*_{H,\text{rel}} = 57$ $g^*_{C,\text{rel}} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ blackness n^* $n^* = 0,00$ chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^* chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 270/360 = 0.75 (left)

5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 330/360 = 0.917$ lab^*ich and lab^*nch

D65: hue M

LCH*Ma: 57 77 330

olv*Ma: 1.0 0.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 354/360 = 0.982$ lab^*ich and lab^*nch

D65: hue M

LCH*Ma: 48 76 354

olv*Ma: 1.0 0.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ chromaticness c^* blackness n^* $n^* = 0,00$

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ chromaticness c^* blackness n^*

OE670-7, 3 step scales for constant CIELAB hue 330/360 = 0.917 (left)

5 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 25/360 = 0.071$ lab^*ich and lab^*nch

D65: hue R

LCH*Ma: 57 74 25

olv*Ma: 1.0 0.0 0.09

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 25/360 = 0.069$ lab^*ich and lab^*nch

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ chromaticness c^* blackness n^* $n^* = 0,00$

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ chromaticness c^* blackness n^*

OE670-7, 3 step scales for constant CIELAB hue 25/360 = 0.071 (left)

5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 92/360 = 0.256$ lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 57 76 92

olv*Ma: 0.95 1.0 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$ lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 86 88 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$

0,25

 $n^* = 0,50$ chromaticness c^* blackness n^* $n^* = 0,00$

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$

0,25

 $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ chromaticness c^* blackness n^*

OE670-7, 3 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 162/360 = 0.451$ lab^*ich and lab^*nch

D65: hue G

LCH*Ma: 57 70 162

olv*Ma: 0.0 1.0 0.22

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 100$

%Regularity

 $g^*_{H,rel} = 100$ $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 164/360 = 0.457$ lab^*ich and lab^*nch

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25

triangle lightness t^* 

%Gamut

 $u^*_{rel} = 93$

%Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ $n^* = 0,00$ blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 162/360 = 0.451 (left)

5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*


Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = \text{lab}^*h = 272/360 = 0.755$ lab^*ich and lab^*nch

D65: hue B

LCH*Ma: 57 76 272

olv*Ma: 0.03 0.0 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 100$

%Regularity

 $g^*_{H,\text{rel}} = 100$ $g^*_{C,\text{rel}} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = \text{lab}^*h = 271/360 = 0.754$ lab^*ich and lab^*nch

D65: hue B

LCH*Ma: 42 45 271

olv*Ma: 0.0 0.49 1.0

triangle lightness t^* 

%Gamut

 $u^*_{\text{rel}} = 93$

%Regularity

 $g^*_{H,\text{rel}} = 57$ $g^*_{C,\text{rel}} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,50$ $n^* = 0,00$ blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

 $n^* = 1,00$ $n^* = 0,75$ $n^* = 0,50$ $n^* = 0,25$ $n^* = 0,00$ blackness n^*

0,25 0,50 0,75 1,00

chromaticness c^*

OE670-7, 3 step scales for constant CIELAB hue 272/360 = 0.755 (left)

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart OE67; Colorimetric systems ORS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*