


### Input: Colorimetric Standard Reflective System SRS18


for hue  $h^* = lab^*h = 30/360 = 0.083$   
 $lab^*ich$  and  $lab^*nch$

D65: hue O  
LCH\*Ma: 57 77 30  
olv\*Ma: 1.0 0.0 0.0  
triangle lightness  $t^*$



| SRS18; adapted (a) CIELAB data |         |         |              |              |  |
|--------------------------------|---------|---------|--------------|--------------|--|
| $L^*=L^*_a$                    | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |  |
| O <sub>Ma</sub> 56.71          | 67.03   | 38.7    | 77.4         | 30           |  |
| Y <sub>Ma</sub> 56.71          | 0.0     | 77.4    | 77.4         | 90           |  |
| L <sub>Ma</sub> 56.71          | -67.02  | 38.7    | 77.4         | 150          |  |
| C <sub>Ma</sub> 56.71          | -67.02  | -38.69  | 77.4         | 210          |  |
| V <sub>Ma</sub> 56.71          | 0.0     | -77.39  | 77.4         | 270          |  |
| M <sub>Ma</sub> 56.71          | 67.03   | -38.69  | 77.4         | 330          |  |
| N <sub>Ma</sub> 18.01          | 0.0     | 0.0     | 0.0          | 0            |  |
| W <sub>Ma</sub> 95.41          | 0.0     | 0.0     | 0.0          | 0            |  |
| R <sub>CIE</sub> 39.92         | 58.74   | 27.99   | 65.07        | 25           |  |
| J <sub>CIE</sub> 81.26         | -2.88   | 71.56   | 71.62        | 92           |  |
| G <sub>CIE</sub> 52.23         | -42.41  | 13.6    | 44.55        | 162          |  |
| B <sub>CIE</sub> 30.57         | 1.41    | -46.46  | 46.49        | 272          |  |


%Gamut  
 $u^*_{rel} = 100$   
%Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$



### Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 38/360 = 0.105$   
 $lab^*ich$  and  $lab^*nch$

D65: hue O  
LCH\*Ma: 48 83 38  
olv\*Ma: 1.0 0.0 0.0  
triangle lightness  $t^*$



| ORS18; adapted (a) CIELAB data |         |         |              |              |  |
|--------------------------------|---------|---------|--------------|--------------|--|
| $L^*=L^*_a$                    | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |  |
| O <sub>Ma</sub> 47.94          | 65.39   | 50.52   | 82.63        | 38           |  |
| Y <sub>Ma</sub> 90.37          | -10.26  | 91.75   | 92.32        | 96           |  |
| L <sub>Ma</sub> 50.9           | -62.83  | 34.96   | 71.91        | 151          |  |
| C <sub>Ma</sub> 58.62          | -30.34  | -45.01  | 54.3         | 236          |  |
| V <sub>Ma</sub> 25.72          | 31.1    | -44.4   | 54.22        | 305          |  |
| M <sub>Ma</sub> 48.13          | 75.28   | -8.36   | 75.74        | 354          |  |
| N <sub>Ma</sub> 18.01          | 0.0     | 0.0     | 0.0          | 0            |  |
| W <sub>Ma</sub> 95.41          | 0.0     | 0.0     | 0.0          | 0            |  |
| R <sub>CIE</sub> 39.92         | 58.66   | 26.98   | 64.57        | 25           |  |
| J <sub>CIE</sub> 81.26         | -2.16   | 67.76   | 67.79        | 92           |  |
| G <sub>CIE</sub> 52.23         | -42.25  | 11.76   | 43.87        | 164          |  |
| B <sub>CIE</sub> 30.57         | 1.15    | -46.84  | 46.86        | 271          |  |

%Gamut  
 $u^*_{rel} = 93$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$




OE870-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18  
D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor  
output: no change compared to input



Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 90/360 = 0.25$


$lab^*ich$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 57 77 90

olv\*Ma: 1.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*ich$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 90/360 = 0.25 (left)

5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

### Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 150/360 = 0.417$


$lab^*ich$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 57 77 150

olv\*Ma: 0.0 1.0 0.0

triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 100$   
%Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

### SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

### Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 151/360 = 0.419$


$lab^*ich$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0



triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 93$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

### ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIE LAB hue 150/360 = 0.417 (left)

5 step scales for constant CIE LAB hue 151/360 = 0.419 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 210/360 = 0.583$


$lab^*ich$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 57 77 210

olv\*Ma: 0.0 1.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE870-7, 3 step scales for constant CIELAB hue 210/360 = 0.583 (left)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 236/360 = 0.656$


$lab^*ich$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

input:  $cmY0^*$  set  $cmYkcolor$

output: no change compared to input

### Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 270/360 = 0.75$


$lab^*ich$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 57 77 270

olv\*Ma: 0.0 0.0 1.0

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

### SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

### Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 305/360 = 0.847$


$lab^*ich$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

### ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 270/360 = 0.75 (left)

5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 330/360 = 0.917$


$lab^*ich$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 57 77 330

olv\*Ma: 1.0 0.0 1.0


triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 100$   
%Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 354/360 = 0.982$


$lab^*ich$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0


triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 93$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 330/360 = 0.917 (left)

5 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

### Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 57 74 25

olv\*Ma: 1.0 0.0 0.09

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

### SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

### Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

### ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 25/360 = 0.071 (left)

5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  set  $cmYkcolor$

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 92/360 = 0.256$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 57 76 92

olv\*Ma: 0.95 1.0 0.0

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

### Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 162/360 = 0.451$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 57 70 162

olv\*Ma: 0.0 1.0 0.22

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

### SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

### Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 164/360 = 0.457$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

### ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 162/360 = 0.451 (left)

5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^*$  setcmykcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue  $h^* = lab^*h = 272/360 = 0.755$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 57 76 272

olv\*Ma: 0.03 0.0 1.0

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 100$   
% Regularity  
 $g^*_{H,rel} = 100$   
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 56.71       | 67.03   | 38.7    | 77.4         | 30           |
| Y <sub>Ma</sub>  | 56.71       | 0.0     | 77.4    | 77.4         | 90           |
| L <sub>Ma</sub>  | 56.71       | -67.02  | 38.7    | 77.4         | 150          |
| C <sub>Ma</sub>  | 56.71       | -67.02  | -38.69  | 77.4         | 210          |
| V <sub>Ma</sub>  | 56.71       | 0.0     | -77.39  | 77.4         | 270          |
| M <sub>Ma</sub>  | 56.71       | 67.03   | -38.69  | 77.4         | 330          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 271/360 = 0.754$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 93$   
% Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



OE870-7, 3 step scales for constant CIELAB hue 272/360 = 0.755 (left)

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart OE87; Colorimetric systems SRS18 & ORS18

D65: 3 and 5 step colour scales for 10 hues

input:  $cmY0^* setcmykcolor$

output: no change compared to input