

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 30/360 = 0.083$


lab^*ch and lab^*nh

D65: hue O

LCH*Ma: 57 77 30

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	56.71	67.03	38.7	77.4	30
Y_{Ma}	56.71	0.0	77.4	77.4	90
L_{Ma}	56.71	-67.02	38.7	77.4	150
C_{Ma}	56.71	-67.02	-38.69	77.4	210
V_{Ma}	56.71	0.0	-77.39	77.4	270
M_{Ma}	56.71	67.03	-38.69	77.4	330
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 38/360 = 0.105$


lab^*ch and lab^*nh

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	-10.26	91.75	92.32	96
L_{Ma}	50.9	-62.83	34.96	71.91	151
C_{Ma}	58.62	-30.34	-45.01	54.3	236
V_{Ma}	25.72	31.1	-44.4	54.22	305
M_{Ma}	48.13	75.28	-8.36	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



OE970-7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart OE97; Colorimetric systems SRS18 & ORS18

D65: 9 and 16 step colour scales for 10 hues

input: cmy0* setcmycolor

output: no change compared to input