

Eingabe: Farbmetrisches Fernseh-Licht-System TLS70

für Buntton $h^* = lab \cdot h = 22/360 = 0.061$


$lab \cdot tch$ und $lab \cdot nch$

D65: Buntton O

LCH*Ma: 76 28 22

olv*Ma: 1.0 0.0 0.0

Dreiecks-Helligkeit t^*



relative Inform. Technology (IT)

olv3* 1.0 1.0 1.0 (1.0)

olv4* 1.0 1.0 1.0 (1.0)

olv5* 1.0 1.0 1.0 (1.0)

olv6* 1.0 1.0 1.0 (1.0)

olv7* 1.0 1.0 1.0 (1.0)

olv8* 1.0 1.0 1.0 (1.0)

olv9* 1.0 1.0 1.0 (1.0)

standard and adapted CIELAB

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

TLS70; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

%Regularität

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

relative Inform. Technology (IT)

olv3* 1.0 0.5 0.5 (1.0)

olv4* 1.0 0.5 0.5 (1.0)

olv5* 1.0 0.5 0.5 (1.0)

olv6* 1.0 0.5 0.5 (1.0)

olv7* 1.0 0.5 0.5 (1.0)

olv8* 1.0 0.5 0.5 (1.0)

olv9* 1.0 0.5 0.5 (1.0)

standard and adapted CIELAB

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

relative Inform. Technology (IT)

olv3* 1.0 0.5 0.5 (1.0)

olv4* 1.0 0.5 0.5 (1.0)

olv5* 1.0 0.5 0.5 (1.0)

olv6* 1.0 0.5 0.5 (1.0)

olv7* 1.0 0.5 0.5 (1.0)

olv8* 1.0 0.5 0.5 (1.0)

olv9* 1.0 0.5 0.5 (1.0)

standard and adapted CIELAB

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

LAB*Lab 81.17 19.7 7.93

relative Inform. Technology (IT)

olv3* 1.0 0.5 0.5 (1.0)

olv4* 1.0 0.5 0.5 (1.0)

olv5* 1.0 0.5 0.5 (1.0)

olv6* 1.0 0.5 0.5 (1.0)

olv7* 1.0 0.5 0.5 (1.0)

olv8* 1.0 0.5 0.5 (1.0)

olv9* 1.0 0.5 0.5 (1.0)

standard and adapted CIELAB

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

LAB*Lab 75.0 0.0 0.0

relative Inform. Technology (IT)

olv3* 1.0 0.5 0.5 (1.0)

olv4* 1.0 0.5 0.5 (1.0)

olv5* 1.0 0.5 0.5 (1.0)

olv6* 1.0 0.5 0.5 (1.0)

olv7* 1.0 0.5 0.5 (1.0)

olv8* 1.0 0.5 0.5 (1.0)

olv9* 1.0 0.5 0.5 (1.0)

standard and adapted CIELAB

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

LAB*Lab 71.57 0.0 0.0

Ausgabe: Farbmetrisches Fernseh-Licht-System TLS00

für Buntton $h^* = lab \cdot h = 40/360 = 0.111$


$lab \cdot tch$ und $lab \cdot nch$

D65: Buntton O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0

Dreiecks-Helligkeit t^*



relative Inform. Technology (IT)

olv3* 1.0 1.0 1.0 (1.0)

olv4* 1.0 1.0 1.0 (1.0)

olv5* 1.0 1.0 1.0 (1.0)

olv6* 1.0 1.0 1.0 (1.0)

olv7* 1.0 1.0 1.0 (1.0)

olv8* 1.0 1.0 1.0 (1.0)

olv9* 1.0 1.0 1.0 (1.0)

standard and adapted CIELAB

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

LAB*Lab 95.41 0.0 0.0

relative Inform. Technology (IT)

olv3* 1.0 0.5 0.5 (1.0)

olv4* 1.0 0.5 0.5 (1.0)

olv5* 1.0 0.5 0.5 (1.0)

olv6* 1.0 0.5 0.5 (1.0)

olv7* 1.0 0.5 0.5 (1.0)

olv8* 1.0 0.5 0.5 (1.0)

olv9* 1.0 0.5 0.5 (1.0)

standard and adapted CIELAB

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13 5.28

LAB*Lab 85.92 13.13


Eingabe: Farbmetrisches Fernseh-Licht-System TLS70

für Buntton $h^* = lab^*h = 107/360 = 0.298$

lab^*ch und lab^*nch

D65: Buntton Y
LCH*Ma: 94 36 107
olv*Ma: 1.0 1.0 0.0

Dreiecks-Helligkeit t^*



$u^*_{rel} = 16$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
cmv3*	0.0	0.0	0.0	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	95.41	0.0	0.0	
LAB*Lab	95.41	0.0	0.0	
LAB*Lab	95.41	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	95.41	0.0	0.0	
LAB*Lab	95.41	0.0	0.0	
LAB*Lab	95.41	0.0	0.0	

relative CIELAB lab*

lab*lab	1.0	0.0	0.0	
lab*lab	1.0	0.0	0.0	
lab*lab	1.0	0.0	0.0	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	88.98	0.0	0.0	
LAB*Lab	88.98	0.0	0.0	
LAB*Lab	88.98	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	88.98	0.0	0.0	
LAB*Lab	88.98	0.0	0.0	
LAB*Lab	88.98	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	82.56	0.0	0.0	
LAB*Lab	82.56	0.0	0.0	
LAB*Lab	82.56	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	82.56	0.0	0.0	
LAB*Lab	82.56	0.0	0.0	
LAB*Lab	82.56	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	75.00	0.0	0.0	
LAB*Lab	75.00	0.0	0.0	
LAB*Lab	75.00	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	75.00	0.0	0.0	
LAB*Lab	75.00	0.0	0.0	
LAB*Lab	75.00	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	62.50	0.0	0.0	
LAB*Lab	62.50	0.0	0.0	
LAB*Lab	62.50	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	62.50	0.0	0.0	
LAB*Lab	62.50	0.0	0.0	
LAB*Lab	62.50	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	50.00	0.0	0.0	
LAB*Lab	50.00	0.0	0.0	
LAB*Lab	50.00	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	50.00	0.0	0.0	
LAB*Lab	50.00	0.0	0.0	
LAB*Lab	50.00	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	37.50	0.0	0.0	
LAB*Lab	37.50	0.0	0.0	
LAB*Lab	37.50	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	37.50	0.0	0.0	
LAB*Lab	37.50	0.0	0.0	
LAB*Lab	37.50	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	25.00	0.0	0.0	
LAB*Lab	25.00	0.0	0.0	
LAB*Lab	25.00	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	25.00	0.0	0.0	
LAB*Lab	25.00	0.0	0.0	
LAB*Lab	25.00	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	12.50	0.0	0.0	
LAB*Lab	12.50	0.0	0.0	
LAB*Lab	12.50	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	12.50	0.0	0.0	
LAB*Lab	12.50	0.0	0.0	
LAB*Lab	12.50	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	6.25	0.0	0.0	
LAB*Lab	6.25	0.0	0.0	
LAB*Lab	6.25	0.0	0.0	

standard and adapted CIELAB

LAB*Lab	6.25	0.0	0.0	
LAB*Lab	6.25	0.0	0.0	
LAB*Lab	6.25	0.0	0.0	

relative CIELAB lab*

lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)
lab*lab	0.75	0.75	0.75	(1.0)

TLS70; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

%Regularität

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
cmv3*	0.0	0.0	0.0	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	94.67	-5.37	17.31	
LAB*Lab	94.67	-5.37	17.31	
LAB*Lab	94.67	-5.37	17.31	

standard and adapted CIELAB

LAB*Lab	94.67	-5.37	17.31	
LAB*Lab	94.67	-5.37	17.31	
LAB*Lab	94.67	-5.37	17.31	

relative CIELAB lab*

lab*lab	0.971	-0.147	0.477	
lab*lab	0.971	-0.147	0.477	
lab*lab	0.971	-0.147	0.477	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	88.24	-5.38	17.32	
LAB*Lab	88.24	-5.38	17.32	
LAB*Lab	88.24	-5.38	17.32	

standard and adapted CIELAB

LAB*Lab	88.24	-5.38	17.32	
LAB*Lab	88.24	-5.38	17.32	
LAB*Lab	88.24	-5.38	17.32	

relative CIELAB lab*

lab*lab	0.957	-0.246	0.708	
lab*lab	0.957	-0.246	0.708	
lab*lab	0.957	-0.246	0.708	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	82.56	-5.38	17.32	
LAB*Lab	82.56	-5.38	17.32	
LAB*Lab	82.56	-5.38	17.32	

standard and adapted CIELAB

LAB*Lab	82.56	-5.38	17.32	
LAB*Lab	82.56	-5.38	17.32	
LAB*Lab	82.56	-5.38	17.32	

relative CIELAB lab*

lab*lab	0.942	-0.296	0.955	
lab*lab	0.942	-0.296	0.955	
lab*lab	0.942	-0.296	0.955	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	76.43	-10.76	34.63	
LAB*Lab	76.43	-10.76	34.63	
LAB*Lab	76.43	-10.76	34.63	

standard and adapted CIELAB

LAB*Lab	76.43	-10.76	34.63	
LAB*Lab	76.43	-10.76	34.63	
LAB*Lab	76.43	-10.76	34.63	

relative CIELAB lab*

lab*lab	0.971	-0.147	0.477	
lab*lab	0.971	-0.147	0.477	
lab*lab	0.971	-0.147	0.477	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmv4*	0.0	0.0	0.0	(0.0)
LAB*Lab	62.50	-10.76	34.63	
LAB*Lab	62.50	-10.76	34.63	
LAB*Lab	62.50	-10.76	34.63	

standard and adapted CIELAB

LAB*Lab	62.50	-10.76	34.63	
LAB*Lab	62.50	-10.76	34.63	
LAB*Lab	62.50	-10.76	34.63	

relative CIELAB lab*

lab*lab	0.957	-0.246	0.708	
lab*lab	0.957	-0.246	0.708	
lab*lab	0.957	-0.246	0.708	

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0			

L	V
---	---


Eingabe: Farbmetrisches Fernseh-Licht-System TLS70

für Buntton $h^* = lab^*h = 326/360 = 0.906$

lab^*ch und lab^*nch

D65: Buntton M
LCH*Ma: 79 45 326
olv*Ma: 1.0 0.0 1.0

Dreiecks-Helligkeit t^*



%Umfang

$u^*_{rel} = 16$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	95.41	0.0	0.0
LAB*LABa	95.41	0.0	0.0
LAB*LABb	95.41	0.0	0.0

relative Inform. Technology (IT)

olv3*	1.0	0.75	1.0	(1.0)
cmyn3*	0.0	0.25	0.0	(0.0)
olv4*	1.0	0.75	1.0	(1.0)
cmyn4*	0.0	0.25	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	91.18	9.38	-6.3
LAB*LABa	91.18	9.38	-6.3
LAB*LABb	91.18	9.38	-6.3

relative Inform. Technology (IT)

olv3*	1.0	0.5	1.0	(1.0)
cmyn3*	0.0	0.5	0.0	(0.0)
olv4*	1.0	0.5	1.0	(1.0)
cmyn4*	0.0	0.5	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	86.95	18.76	-12.61
LAB*LABa	86.95	18.76	-12.61
LAB*LABb	86.95	18.76	-12.61

relative Inform. Technology (IT)

olv3*	1.0	0.25	1.0	(1.0)
cmyn3*	0.0	0.75	0.0	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	82.73	28.14	-18.92
LAB*LABa	82.73	28.14	-18.92
LAB*LABb	82.73	28.14	-18.92

relative Inform. Technology (IT)

olv3*	1.0	0.0	1.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	1.0	(1.0)
cmyn4*	0.0	1.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	75.00	0.00	0.00
LAB*LABa	75.00	0.00	0.00
LAB*LABb	75.00	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmyn3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	88.98	0.00	0.00
LAB*LABa	88.98	0.00	0.00
LAB*LABb	88.98	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.75	0.5	0.75	(1.0)
cmyn3*	0.25	0.5	0.25	(0.0)
olv4*	1.0	0.75	1.0	(1.0)
cmyn4*	0.0	0.5	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	84.76	9.38	-6.3
LAB*LABa	84.76	9.38	-6.3
LAB*LABb	84.76	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.75	0.25	0.75	(1.0)
cmyn3*	0.25	0.75	0.25	(0.0)
olv4*	1.0	0.5	1.0	(1.0)
cmyn4*	0.0	0.25	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	80.53	18.76	-12.61
LAB*LABa	80.53	18.76	-12.61
LAB*LABb	80.53	18.76	-12.61

relative Inform. Technology (IT)

olv3*	0.75	0.0	0.75	(1.0)
cmyn3*	0.25	1.0	0.25	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	75.00	0.00	0.00
LAB*LABa	75.00	0.00	0.00
LAB*LABb	75.00	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	82.73	28.14	-18.92
LAB*LABa	82.73	28.14	-18.92
LAB*LABb	82.73	28.14	-18.92

relative Inform. Technology (IT)

olv3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	82.56	0.00	0.00
LAB*LABa	82.56	0.00	0.00
LAB*LABb	82.56	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.5	0.25	0.5	(1.0)
cmyn3*	0.25	0.75	0.25	(0.0)
olv4*	1.0	0.5	1.0	(1.0)
cmyn4*	0.0	0.25	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	78.33	9.38	-6.3
LAB*LABa	78.33	9.38	-6.3
LAB*LABb	78.33	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.5	0.0	0.5	(1.0)
cmyn3*	0.25	1.0	0.25	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	75.00	0.00	0.00
LAB*LABa	75.00	0.00	0.00
LAB*LABb	75.00	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.25	0.25	0.25	(1.0)
cmyn3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	75.00	0.00	0.00
LAB*LABa	75.00	0.00	0.00
LAB*LABb	75.00	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.25	0.0	0.25	(1.0)
cmyn3*	0.25	1.0	0.25	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	75.00	0.00	0.00
LAB*LABa	75.00	0.00	0.00
LAB*LABb	75.00	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.25	0.25	0.25	(1.0)
cmyn3*	0.75	0.75	0.75	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	76.13	0.00	0.00
LAB*LABa	76.13	0.00	0.00
LAB*LABb	76.13	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.25	0.0	0.25	(1.0)
cmyn3*	0.25	1.0	0.25	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	71.9	9.38	-6.3
LAB*LABa	71.9	9.38	-6.3
LAB*LABb	71.9	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.25	0.0	0.0	(1.0)
cmyn3*	0.25	1.0	0.0	(0.0)
olv4*	1.0	0.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	71.9	9.38	-6.3
LAB*LABa	71.9	9.38	-6.3
LAB*LABb	71.9	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	71.9	9.38	-6.3
LAB*LABa	71.9	9.38	-6.3
LAB*LABb	71.9	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	71.9	9.38	-6.3
LAB*LABa	71.9	9.38	-6.3
LAB*LABb	71.9	9.38	-6.3

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	69.7	0.00	0.00
LAB*LABa	69.7	0.00	0.00
LAB*LABb	69.7	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	69.7	0.00	0.00
LAB*LABa	69.7	0.00	0.00
LAB*LABb	69.7	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	69.7	0.00	0.00
LAB*LABa	69.7	0.00	0.00
LAB*LABb	69.7	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	69.7	0.00	0.00
LAB*LABa	69.7	0.00	0.00
LAB*LABb	69.7	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.0	0.0	0.0	(1.0)
cmyn3*	0.0	1.0	0.0	(0.0)
olv4*	1.0	0.0	0.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	69.7	0.00	0.00
LAB*LABa	69.7	0.00	0.00
LAB*LABb	69.7	0.00	0.00

OG580-7, 5 stufige Reihen für konstanten CIELAB Buntton 326/360 = 0.906 (links)

BAM-Prüfvorlage OG58; Farbmetrik-Systeme TLS70 & TLS00 input: cmy0* setcmycolor

D65: 2 Koordinatendaten von 5stufigen Farbreihen für 10 Bunttöne output: cmy0* / 000n* setcmycolor


Ausgabe: Farbmetrisches Fernseh-Licht-System TLS00

für Buntton $h^* = lab^*h = 328/360 = 0.912$

lab^*ch und lab^*nch

D65: Buntton M
LCH*Ma: 57 111 328
olv*Ma: 1.0 0.0 1.0

Dreiecks-Helligkeit t^*



%Umfang

$u^*_{rel} = 158$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	95.41	0.0	0.0
LAB*LABa	95.41	0.0	0.0
LAB*LABb	95.41	0.0	0.0

relative Inform. Technology (IT)

olv3*	1.0	0.75	1.0	(1.0)
cmyn3*	0.0	0.25	0.0	(0.0)
olv4*	1.0	0.75	1.0	(1.0)
cmyn4*	0.0	0.25	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	91.18	9.38	-6.3
LAB*LABa	91.18	9.38	-6.3
LAB*LABb	91.18	9.38	-6.3

relative Inform. Technology (IT)

olv3*	1.0	0.5	1.0	(1.0)
cmyn3*	0.0	0.5	0.0	(0.0)
olv4*	1.0	0.5	1.0	(1.0)
cmyn4*	0.0	0.5	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	86.95	18.76	-12.61
LAB*LABa	86.95	18.76	-12.61
LAB*LABb	86.95	18.76	-12.61

relative Inform. Technology (IT)

olv3*	1.0	0.25	1.0	(1.0)
cmyn3*	0.0	0.75	0.0	(0.0)
olv4*	1.0	0.25	1.0	(1.0)
cmyn4*	0.0	0.75	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	82.73	28.14	-18.92
LAB*LABa	82.73	28.14	-18.92
LAB*LABb	82.73	28.14	-18.92

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
cmyn3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	88.98	0.00	0.00
LAB*LABa	88.98	0.00	0.00
LAB*LABb	88.98	0.00	0.00

relative Inform. Technology (IT)

olv3*	0.75	0.5	0.75	(1.0)
cmyn3*	0.25	0.5	0.25	(0.0)
olv4*	1.0	0.75	1.0	(1.0)
cmyn4*	0.0	0.5	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	84.76	9.38	-6.3
LAB*LABa	84.76	9.38	-6.3
LAB*LABb	84.76	9.38	-6.3



0	L	V
---	---	---

Eingabe: Farbmetrisches Fernseh-Licht-System TLS70

für Buntton $h^* = lab^*h = 92/360 = 0.256$


lab^*ch und lab^*nch

D65: Buntton J

LCH*Ma: 89 28 92

olv*Ma: 1.0 0.74 0.0

Dreiecks-Helligkeit t^*



%Umfang

$u^*_{rel} = 16$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
olv3*	0.0	0.0	0.0	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	95.41	0.0	0.0
LAB*Lab	95.41	0.0	0.0
LAB*Lab	95.41	0.0	0.0

relative Inform. Technology (IT)

olv3*	1.0	0.935	0.75	(1.0)
olv3*	0.0	0.065	0.25	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	93.9	-0.28	7.09
LAB*Lab	93.9	-0.28	7.09
LAB*Lab	93.9	-0.28	7.09

relative Inform. Technology (IT)

olv3*	1.0	0.875	0.5	(1.0)
olv3*	0.0	0.125	0.5	(0.0)
olv4*	1.0	0.875	0.5	(1.0)
olv4*	0.0	0.125	0.5	(0.0)
olv5*	1.0	0.875	0.5	(1.0)
olv5*	0.0	0.125	0.5	(0.0)

standard and adapted CIELAB

LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19

relative Inform. Technology (IT)

olv3*	1.0	0.805	0.25	(1.0)
olv3*	0.0	0.195	0.75	(0.0)
olv4*	1.0	0.805	0.25	(1.0)
olv4*	0.0	0.195	0.75	(0.0)
olv5*	1.0	0.805	0.25	(1.0)
olv5*	0.0	0.195	0.75	(0.0)

standard and adapted CIELAB

LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19

relative Inform. Technology (IT)

olv3*	1.0	0.805	0.25	(1.0)
olv3*	0.0	0.195	0.75	(0.0)
olv4*	1.0	0.805	0.25	(1.0)
olv4*	0.0	0.195	0.75	(0.0)
olv5*	1.0	0.805	0.25	(1.0)
olv5*	0.0	0.195	0.75	(0.0)

standard and adapted CIELAB

LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19
LAB*Lab	92.4	-0.57	14.19

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv3*	0.25	0.25	0.25	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	88.98	0.0	0.0
LAB*Lab	88.98	0.0	0.0
LAB*Lab	88.98	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.685	0.5	(1.0)
olv3*	0.25	0.315	0.5	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	87.48	-0.28	7.09
LAB*Lab	87.48	-0.28	7.09
LAB*Lab	87.48	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.75	0.625	0.25	(1.0)
olv3*	0.25	0.375	0.75	(0.0)
olv4*	1.0	0.875	0.5	(1.0)
olv4*	0.0	0.125	0.5	(0.0)
olv5*	1.0	0.875	0.5	(1.0)
olv5*	0.0	0.125	0.5	(0.0)

standard and adapted CIELAB

LAB*Lab	85.97	-0.56	14.19
LAB*Lab	85.97	-0.56	14.19
LAB*Lab	85.97	-0.56	14.19

relative Inform. Technology (IT)

olv3*	0.75	0.555	0.0	(1.0)
olv3*	0.25	0.445	1.0	(0.0)
olv4*	1.0	0.805	0.25	(1.0)
olv4*	0.0	0.195	0.75	(0.0)
olv5*	1.0	0.805	0.25	(1.0)
olv5*	0.0	0.195	0.75	(0.0)

standard and adapted CIELAB

LAB*Lab	84.46	-0.85	21.28
LAB*Lab	84.46	-0.85	21.28
LAB*Lab	84.46	-0.85	21.28

relative Inform. Technology (IT)

olv3*	0.75	0.555	0.0	(1.0)
olv3*	0.25	0.445	1.0	(0.0)
olv4*	1.0	0.805	0.25	(1.0)
olv4*	0.0	0.195	0.75	(0.0)
olv5*	1.0	0.805	0.25	(1.0)
olv5*	0.0	0.195	0.75	(0.0)

standard and adapted CIELAB

LAB*Lab	84.46	-0.85	21.28
LAB*Lab	84.46	-0.85	21.28
LAB*Lab	84.46	-0.85	21.28

relative Inform. Technology (IT)

olv3*	0.5	0.5	0.5	(1.0)
olv3*	0.5	0.5	0.5	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	82.56	0.0	0.0
LAB*Lab	82.56	0.0	0.0
LAB*Lab	82.56	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.5	0.435	0.25	(1.0)
olv3*	0.5	0.565	0.75	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	81.05	-0.28	7.09
LAB*Lab	81.05	-0.28	7.09
LAB*Lab	81.05	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.5	0.37	0.0	(1.0)
olv3*	0.5	0.63	1.0	(0.0)
olv4*	1.0	0.875	0.5	(1.0)
olv4*	0.0	0.125	0.5	(0.0)
olv5*	1.0	0.875	0.5	(1.0)
olv5*	0.0	0.125	0.5	(0.0)

standard and adapted CIELAB

LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19

relative Inform. Technology (IT)

olv3*	0.5	0.37	0.0	(1.0)
olv3*	0.5	0.63	1.0	(0.0)
olv4*	1.0	0.875	0.5	(1.0)
olv4*	0.0	0.125	0.5	(0.0)
olv5*	1.0	0.875	0.5	(1.0)
olv5*	0.0	0.125	0.5	(0.0)

standard and adapted CIELAB

LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19

relative Inform. Technology (IT)

olv3*	0.5	0.37	0.0	(1.0)
olv3*	0.5	0.63	1.0	(0.0)
olv4*	1.0	0.875	0.5	(1.0)
olv4*	0.0	0.125	0.5	(0.0)
olv5*	1.0	0.875	0.5	(1.0)
olv5*	0.0	0.125	0.5	(0.0)

standard and adapted CIELAB

LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19
LAB*Lab	79.54	-0.56	14.19

relative Inform. Technology (IT)

olv3*	0.25	0.25	0.25	(1.0)
olv3*	0.75	0.75	0.75	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	76.13	0.0	0.0
LAB*Lab	76.13	0.0	0.0
LAB*Lab	76.13	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09
LAB*Lab	74.62	-0.28	7.09

relative Inform. Technology (IT)

olv3*	0.25	0.25	0.25	(1.0)
olv3*	0.75	0.75	0.75	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.185	0.0	(1.0)
olv3*	0.75	0.815	1.0	(0.0)
olv4*	1.0	0.935	0.75	(1.0)
olv4*	0.0	0.065	0.25	(0.0)
olv5*	1.0	0.935	0.75	(1.0)
olv5*	0.0	0.065	0.25	(0.0)

standard and adapted CIELAB

LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0
LAB*Lab	72.50	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.25	0.25	0.25	(1.0)
olv3*	0.75	0.75	0.75	(0.0)
olv4*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	1.0	1.0	1.0	(1.0)
olv5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*Lab	70.00	0.0	0.0
LAB*Lab	70.00	0.0	0.0
LAB*Lab	70.00	0.0	0.0


Eingabe: Farbmetrisches Fernseh-Licht-System TLS70

für Buntton $h^* = lab \cdot h = 162/360 = 0.451$

$lab \cdot tch$ und $lab \cdot nch$

D65: Buntton G
LCH*Ma: 90 30 162
olv*Ma: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*



%Umfang

$u_{rel} = 16$

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0
LAB*Lab	88.98	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0
LAB*Lab	82.56	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	0.5	0.0	0.0	0.0
lab*lab	0.5	0.0	0.0	0.0
lab*lab	0.5	0.0	0.0	0.0
lab*lab	0.5	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0
LAB*Lab	76.13	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	0.25	0.0	0.0	0.0
lab*lab	0.25	0.0	0.0	0.0
lab*lab	0.25	0.0	0.0	0.0
lab*lab	0.25	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0
LAB*Lab	69.7	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0
LAB*Lab	63.1	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0
lab*lab	0.0	0.0	0.0	0.0

TLS70; adaptierte CIELAB-Daten

L*	a*	b*	C* _{ab,a}	h* _{ab,a}
O _{Ma} 76.43	26.27	10.57	28.32	22
Y _{Ma} 93.93	-10.76	34.63	36.27	107
L _{Ma} 89.32	-35.8	27.64	45.24	142
C _{Ma} 90.93	-21.95	-7.07	23.07	198
V _{Ma} 72.1	15.76	-35.63	38.97	294
M _{Ma} 78.5	37.52	-25.23	45.22	326
N _{Ma} 69.7	0.0	0.0	0.0	0
W _{Ma} 95.41	0.0	0.0	0.0	0
R _{CIE} 39.92	58.74	27.99	65.07	25
J _{CIE} 81.26	-2.88	71.56	71.62	92
G _{CIE} 52.23	-42.41	13.6	44.55	162
B _{CIE} 30.57	1.41	-46.46	46.49	272

%Regularität

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0

standard and adapted CIELAB

LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0
LAB*Lab	92.79	-14.2	4.55	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0

standard and adapted CIELAB

LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0
LAB*Lab	91.48	-21.3	6.83	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0

standard and adapted CIELAB

LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0

relative Inform. Technology (IT)

olv3*	0.75	0.75	0.75	(1.0)
olv4*	0.25	0.25	0.25	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0

standard and adapted CIELAB

LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0
LAB*Lab	86.37	-14.2	4.56	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0
lab*lab	0.75	0.0	0.0	0.0


Ausgabe: Farbmetrisches Fernseh-Licht-System TLS00

für Buntton $h^* = lab \cdot h = 162/360 = 0.451$

$lab \cdot tch$ und $lab \cdot nch$

D65: Buntton G
LCH*Ma: 86 62 162
olv*Ma: 0.0 1.0 0.65

Dreiecks-Helligkeit t^*



%Umfang

$u_{rel} = 158$

relative Inform. Technology (IT)

olv3*	1.0	1.0	1.0	(1.0)
olv4*	0.0	0.0	0.0	(0.0)
olv5*	0.0	0.0	0.0	0.0
cmyn3*	0.0	0.0	0.0	0.0
cmyn4*	0.0	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0

standard and adapted CIELAB

LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0
LAB*Lab	95.41	0.0	0.0	0.0

relative CIELAB lab*

lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0
lab*lab	1.0	0.0	0.0	0.0

LAB*1Chd	75.0	0.01	-
relative CIELAB lab*			
lab*lab	0.75	0.0	0.0
lab*tch	0.75	0.0	-
lab*ncb	0.25	0.0	-
relative Natural Colour (NC)			
lab*lrj	0.75	0.0	0.0
lab*tce	0.75	0.0	-
lab*nce	0.25	0.0	-

