


Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 38/360 = 0.106$

lab^*tch and lab^*nch

A: hue O
LCH*Ma: 48 82 38
olv*Ma: 1.0 0.0 0.0

triangle lightness




ORS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$



SE400-7, 5 step scales for constant CIELAB hue 38/360 = 0.106 (left)


Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 35/360 = 0.097$

lab^*tch and lab^*nch

A: hue O
LCH*Ma: 66 90 35
olv*Ma: 1.0 0.0 0.0

triangle lightness




TLS00; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



5 step scales for constant CIELAB hue 35/360 = 0.097 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

See for similar files: http://www.ps.bam.de/SE40/

Technical information: http://www.ps.bam.de

Version 2.1, io=0,0?

BAM registration: 20060101-SE40/10S/S40E00SP.PS/.PDF application for evaluation and measurement of printer or monitor systems

BAM material: code=rhadt4

SE400 Form: 1/10, Serie: 1/1, Page: 1 Page count: 1


Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 88/360 = 0.246$

lab^*tch and lab^*nch

A: hue Y
LCH*Ma: 93 86 88
olv*Ma: 1.0 1.0 0.0

triangle lightness




ORS18; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$




Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 94/360 = 0.261$

lab^*tch and lab^*nch

A: hue Y
LCH*Ma: 95 52 94
olv*Ma: 1.0 1.0 0.0

triangle lightness




TLS00; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



SE400-7, 5 step scales for constant CIELAB hue 88/360 = 0.246 (left)

5 step scales for constant CIELAB hue 94/360 = 0.261 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues


input: cmY^*_{set} mykcolor

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.42$
 lab^*tch and lab^*nch

A: hue L
LCH*Ma: 51 73 151
olv*Ma: 0.0 1.0 0.0
triangle lightness




ORS18; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	64.42	50.58	81.9	38
Y _{Ma}	92.62	2.41	86.36	86.39	88
L _{Ma}	50.9	-63.82	35.02	72.81	151
C _{Ma}	51.25	-53.68	-57.69	78.82	227
V _{Ma}	25.72	30.34	-44.37	53.76	304
M _{Ma}	56.25	70.59	7.57	70.99	6
N _{Ma}	18.11	0.0	0.0	0.0	0
W _{Ma}	95.6	0.0	0.0	0.0	0
R _{CIE}	47.79	60.85	41.08	73.41	34
J _{CIE}	83.82	6.52	66.9	67.22	84
G _{CIE}	49.0	-36.83	2.78	36.95	176
B _{CIE}	25.14	-18.35	-56.22	59.15	252

%Regularity

$g^*_{H,rel} = -385$


$g^*_{C,rel} = 62$



Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 159/360 = 0.441$
 lab^*tch and lab^*nch

A: hue L
LCH*Ma: 77 100 159
olv*Ma: 0.0 1.0 0.0
triangle lightness




TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.56	73.34	51.39	89.55	35
Y _{Ma}	94.78	-3.49	52.24	52.36	94
L _{Ma}	77.48	-92.97	36.0	99.71	159
C _{Ma}	78.36	-82.69	-22.74	85.77	195
V _{Ma}	12.55	38.81	-114.81	121.2	289
M _{Ma}	66.71	76.08	-29.8	81.71	339
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	47.79	61.74	42.56	74.99	35
J _{CIE}	83.82	7.06	70.78	71.13	84
G _{CIE}	49.0	-35.95	4.34	36.22	173
B _{CIE}	25.14	-17.24	-56.24	58.84	253

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



SE400-7, 5 step scales for constant CIELAB hue 151/360 = 0.42 (left)

5 step scales for constant CIELAB hue 159/360 = 0.441 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues


input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 227/360 = 0.631$
 lab^*tch and lab^*nch

A: hue C
LCH*Ma: 51 79 227
olv*Ma: 0.0 1.0 1.0
triangle lightness




ORS18; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	64.42	50.58	81.9	38
Y _{Ma}	92.62	2.41	86.36	86.39	88
L _{Ma}	50.9	-63.82	35.02	72.81	151
C _{Ma}	51.25	-53.68	-57.69	78.82	227
V _{Ma}	25.72	30.34	-44.37	53.76	304
M _{Ma}	56.25	70.59	7.57	70.99	6
N _{Ma}	18.11	0.0	0.0	0.0	0
W _{Ma}	95.6	0.0	0.0	0.0	0
R _{CIE}	47.79	60.85	41.08	73.41	34
J _{CIE}	83.82	6.52	66.9	67.22	84
G _{CIE}	49.0	-36.83	2.78	36.95	176
B _{CIE}	25.14	-18.35	-56.22	59.15	252

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$




SE400-7, 5 step scales for constant CIELAB hue 227/360 = 0.631 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 195/360 = 0.543$
 lab^*tch and lab^*nch

A: hue C
LCH*Ma: 78 86 195
olv*Ma: 0.0 1.0 1.0
triangle lightness




TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.56	73.34	51.39	89.55	35
Y _{Ma}	94.78	-3.49	52.24	52.36	94
L _{Ma}	74.48	-92.97	36.0	99.71	159
C _{Ma}	78.36	-82.69	-22.74	85.77	195
V _{Ma}	12.55	38.81	-114.81	121.2	289
M _{Ma}	66.71	76.08	-29.8	81.71	339
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	47.79	61.74	42.56	74.99	35
J _{CIE}	83.82	7.06	70.78	71.13	84
G _{CIE}	49.0	-35.95	4.34	36.22	173
B _{CIE}	25.14	-17.24	-56.24	58.84	253

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



5 step scales for constant CIELAB hue 195/360 = 0.543 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step color scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependent



Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 304/360 = 0.845$

lab^*tch and lab^*nch

A: hue V
LCH*Ma: 26 54 304
olv*Ma: 0.0 0.0 1.0

triangle lightness



ORS18; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	64.42	50.58	81.9	38
Y _{Ma}	92.62	2.41	86.36	86.39	88
L _{Ma}	50.9	-63.82	35.02	72.81	151
C _{Ma}	51.25	-53.68	-57.69	78.82	227
V _{Ma}	25.72	30.34	-44.37	53.76	304
M _{Ma}	56.25	70.59	7.57	70.99	6
N _{Ma}	18.11	0.0	0.0	0.0	0
W _{Ma}	95.6	0.0	0.0	0.0	0
R _{CIE}	47.79	60.85	41.08	73.41	34
J _{CIE}	83.82	6.52	66.9	67.22	84
G _{CIE}	49.0	-36.83	2.78	36.95	176
B _{CIE}	25.14	-18.35	-56.22	59.15	252

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$



Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 289/360 = 0.802$

lab^*tch and lab^*nch

A: hue V
LCH*Ma: 13 121 289
olv*Ma: 0.0 0.0 1.0

triangle lightness



TLS00; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.56	73.34	51.39	89.55	35
Y _{Ma}	94.78	-3.49	52.24	52.36	94
L _{Ma}	77.48	-92.97	36.0	99.71	159
C _{Ma}	78.36	-82.69	-22.74	85.77	195
V _{Ma}	12.55	38.81	-114.81	121.2	289
M _{Ma}	66.71	76.08	-29.8	81.71	339
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	47.79	61.74	42.56	74.99	35
J _{CIE}	83.82	7.06	70.78	71.13	84
G _{CIE}	49.0	-35.95	4.34	36.22	173
B _{CIE}	25.14	-17.24	-56.24	58.84	253

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$

SE400-7, 5 step scales for constant CIELAB hue 304/360 = 0.845 (left)

5 step scales for constant CIELAB hue 289/360 = 0.802 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor


output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 6/360 = 0.017$

lab^*tch and lab^*nch

A: hue M
LCH*Ma: 56 71 6
olv*Ma: 1.0 0.0 1.0
triangle lightness




ORS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$




Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 339/360 = 0.941$

lab^*tch and lab^*nch

A: hue M
LCH*Ma: 67 82 339
olv*Ma: 1.0 0.0 1.0
triangle lightness




TLS00; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



SE400-7, 5 step scales for constant CIELAB hue 6/360 = 0.017 (left)

5 step scales for constant CIELAB hue 339/360 = 0.941 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 34/360 = 0.095$


lab^*tch and lab^*nch

A: hue R

LCH*Ma: 49 79 34

olv*Ma: 1.0 0.0 0.15

triangle lightness




ORS18; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$



Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 35/360 = 0.096$


lab^*tch and lab^*nch

A: hue R

LCH*Ma: 66 89 35

olv*Ma: 1.0 0.0 0.01

triangle lightness




TLS00; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



SE400-7, 5 step scales for constant CIELAB hue 34/360 = 0.095 (left)

5 step scales for constant CIELAB hue 35/360 = 0.096 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

See for similar files: http://www.ps.bam.de/SE40/ Technical information: http://www.ps.bam.de Version 2.1, io=0,0?

BAM registration: 20060101-SE40/10S/S40E06SP.PS/.PDF application for evaluation and measurement of printer or monitor systems BAM material: code=rhadt4

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 84/360 = 0.235$


lab^*tch and lab^*nch

A: hue J

LCH*Ma: 89 83 84


olv*Ma: 1.0 0.91 0.0

triangle lightness



% Gamut

$u^*_{rel} = 96$



SE400-7, 5 step scales for constant CIELAB hue 84/360 = 0.235 (left)

ORS18; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*ab,a, h*ab,a. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 84/360 = 0.234$


lab^*tch and lab^*nch

A: hue J

LCH*Ma: 91 52 84


olv*Ma: 1.0 0.89 0.0

triangle lightness



% Gamut

$u^*_{rel} = 141$



5 step scales for constant CIELAB hue 84/360 = 0.234 (right)


TLS00; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*ab,a, h*ab,a. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



5 step scales for constant CIELAB hue 84/360 = 0.234 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor


output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 176/360 = 0.488$

lab^*tch and lab^*nch

A: hue G
LCH*Ma: 51 61 176
olv*Ma: 0.0 1.0 0.33
triangle lightness




ORS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$




Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 173/360 = 0.481$

lab^*tch and lab^*nch

A: hue G
LCH*Ma: 78 89 173
olv*Ma: 0.0 1.0 0.43
triangle lightness




TLS00; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



SE400-7, 5 step scales for constant CIELAB hue 176/360 = 0.488 (left)

5 step scales for constant CIELAB hue 173/360 = 0.481 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor


output: Startup (S) data dependend

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 252/360 = 0.7$

lab^*tch and lab^*nch

A: hue B
LCH*Ma: 40 55 252
olv*Ma: 0.0 0.56 1.0
triangle lightness




ORS18; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = -385$

$g^*_{C,rel} = 62$




SE400-7, 5 step scales for constant CIELAB hue 252/360 = 0.7 (left)

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 253/360 = 0.703$

lab^*tch and lab^*nch

A: hue B
LCH*Ma: 45 72 253
olv*Ma: 0.0 0.49 1.0
triangle lightness




TLS00; adapted (a) CIELAB data

Table with 5 columns: L*, a*, b*, C*, h*. Rows include OMa, YMa, LMa, CMa, VMa, MMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 39$

$g^*_{C,rel} = 43$



5 step scales for constant CIELAB hue 253/360 = 0.703 (right)

BAM-test chart SE40; Colorimetric systems ORS18 & ORS18

A: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

See for similar files: http://www.ps.bam.de/SE40/ Technical information: http://www.ps.bam.de Version 2.1, io=0,0?

BAM registration: 20060101-SE40/10S/S40E09SP.PS/.PDF application for evaluation and measurement of printer or monitor systems BAM material: code=rhadtA