

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0

triangle lightness



1,00

%Gamut

$u^*_{rel} = 91$

MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

relative Inform. Technology (IT)					
olvi3*	1.0	1.0	1.0	1.0	1.0
olvi4*	0.0	0.0	0.0	0.0	0.0
olvi5*	0.0	0.0	0.0	0.0	0.0
olvi6*	0.0	0.0	0.0	0.0	0.0
olvi7*	0.0	0.0	0.0	0.0	0.0
olvi8*	0.0	0.0	0.0	0.0	0.0
olvi9*	0.0	0.0	0.0	0.0	0.0
olvi10*	0.0	0.0	0.0	0.0	0.0
olvi11*	0.0	0.0	0.0	0.0	0.0
olvi12*	0.0	0.0	0.0	0.0	0.0
olvi13*	0.0	0.0	0.0	0.0	0.0
olvi14*	0.0	0.0	0.0	0.0	0.0
olvi15*	0.0	0.0	0.0	0.0	0.0
olvi16*	0.0	0.0	0.0	0.0	0.0
olvi17*	0.0	0.0	0.0	0.0	0.0
olvi18*	0.0	0.0	0.0	0.0	0.0
olvi19*	0.0	0.0	0.0	0.0	0.0
olvi20*	0.0	0.0	0.0	0.0	0.0
olvi21*	0.0	0.0	0.0	0.0	0.0
olvi22*	0.0	0.0	0.0	0.0	0.0
olvi23*	0.0	0.0	0.0	0.0	0.0
olvi24*	0.0	0.0	0.0	0.0	0.0
olvi25*	0.0	0.0	0.0	0.0	0.0
olvi26*	0.0	0.0	0.0	0.0	0.0
olvi27*	0.0	0.0	0.0	0.0	0.0
olvi28*	0.0	0.0	0.0	0.0	0.0
olvi29*	0.0	0.0	0.0	0.0	0.0
olvi30*	0.0	0.0	0.0	0.0	0.0
olvi31*	0.0	0.0	0.0	0.0	0.0
olvi32*	0.0	0.0	0.0	0.0	0.0
olvi33*	0.0	0.0	0.0	0.0	0.0
olvi34*	0.0	0.0	0.0	0.0	0.0
olvi35*	0.0	0.0	0.0	0.0	0.0
olvi36*	0.0	0.0	0.0	0.0	0.0
olvi37*	0.0	0.0	0.0	0.0	0.0
olvi38*	0.0	0.0	0.0	0.0	0.0
olvi39*	0.0	0.0	0.0	0.0	0.0
olvi40*	0.0	0.0	0.0	0.0	0.0
olvi41*	0.0	0.0	0.0	0.0	0.0
olvi42*	0.0	0.0	0.0	0.0	0.0
olvi43*	0.0	0.0	0.0	0.0	0.0
olvi44*	0.0	0.0	0.0	0.0	0.0
olvi45*	0.0	0.0	0.0	0.0	0.0
olvi46*	0.0	0.0	0.0	0.0	0.0
olvi47*	0.0	0.0	0.0	0.0	0.0
olvi48*	0.0	0.0	0.0	0.0	0.0
olvi49*	0.0	0.0	0.0	0.0	0.0
olvi50*	0.0	0.0	0.0	0.0	0.0
olvi51*	0.0	0.0	0.0	0.0	0.0
olvi52*	0.0	0.0	0.0	0.0	0.0
olvi53*	0.0	0.0	0.0	0.0	0.0
olvi54*	0.0	0.0	0.0	0.0	0.0
olvi55*	0.0	0.0	0.0	0.0	0.0
olvi56*	0.0	0.0	0.0	0.0	0.0
olvi57*	0.0	0.0	0.0	0.0	0.0
olvi58*	0.0	0.0	0.0	0.0	0.0
olvi59*	0.0	0.0	0.0	0.0	0.0
olvi60*	0.0	0.0	0.0	0.0	0.0
olvi61*	0.0	0.0	0.0	0.0	0.0
olvi62*	0.0	0.0	0.0	0.0	0.0
olvi63*	0.0	0.0	0.0	0.0	0.0
olvi64*	0.0	0.0	0.0	0.0	0.0
olvi65*	0.0	0.0	0.0	0.0	0.0
olvi66*	0.0	0.0	0.0	0.0	0.0
olvi67*	0.0	0.0	0.0	0.0	0.0
olvi68*	0.0	0.0	0.0	0.0	0.0
olvi69*	0.0	0.0	0.0	0.0	0.0
olvi70*	0.0	0.0	0.0	0.0	0.0
olvi71*	0.0	0.0	0.0	0.0	0.0
olvi72*	0.0	0.0	0.0	0.0	0.0
olvi73*	0.0	0.0	0.0	0.0	0.0
olvi74*	0.0	0.0	0.0	0.0	0.0
olvi75*	0.0	0.0	0.0	0.0	0.0
olvi76*	0.0	0.0	0.0	0.0	0.0
olvi77*	0.0	0.0	0.0	0.0	0.0
olvi78*	0.0	0.0	0.0	0.0	0.0
olvi79*	0.0	0.0	0.0	0.0	0.0
olvi80*	0.0	0.0	0.0	0.0	0.0
olvi81*	0.0	0.0	0.0	0.0	0.0
olvi82*	0.0	0.0	0.0	0.0	0.0
olvi83*	0.0	0.0	0.0	0.0	0.0
olvi84*	0.0	0.0	0.0	0.0	0.0
olvi85*	0.0	0.0	0.0	0.0	0.0
olvi86*	0.0	0.0	0.0	0.0	0.0
olvi87*	0.0	0.0	0.0	0.0	0.0
olvi88*	0.0	0.0	0.0	0.0	0.0
olvi89*	0.0	0.0	0.0	0.0	0.0
olvi90*	0.0	0.0	0.0	0.0	0.0
olvi91*	0.0	0.0	0.0	0.0	0.0
olvi92*	0.0	0.0	0.0	0.0	0.0
olvi93*	0.0	0.0	0.0	0.0	0.0
olvi94*	0.0	0.0	0.0	0.0	0.0
olvi95*	0.0	0.0	0.0	0.0	0.0
olvi96*	0.0	0.0	0.0	0.0	0.0
olvi97*	0.0	0.0	0.0	0.0	0.0
olvi98*	0.0	0.0	0.0	0.0	0.0
olvi99*	0.0	0.0	0.0	0.0	0.0
olvi100*	0.0	0.0	0.0	0.0	0.0

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0

triangle lightness



%Gamut

$u^*_{rel} = 91$

MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

relative Inform. Technology (IT)				
olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0
standard and adapted CIELAB				
LAB*LAB	95.41	-0.97	4.75	
LAB*LABa	95.41	0.0	0.0	

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 94/360 = 0.261$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 94/360 = 0.261 (left)



BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 94/360 = 0.261$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness c^*

5 step scales for constant CIELAB hue 94/360 = 0.261 (right)

input: $olv^* \cdot setrgbcolor$


output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 172/360 = 0.479$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



TE44-7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)




BAM-test chart TE44; Colorimetric systems MRS18 & MRS18
D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 172/360 = 0.479$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



5 step scales for constant CIELAB hue 172/360 = 0.479 (right)

input: $olv^* \cdot setrgbcolor$
output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 218/360 = 0.605$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G50B
LCH*Ma: 45 46 218
rgb*Ma: 0.0 1.0 1.0

triangle lightness

1,00

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00


$n^* = 1,0$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues



MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00

$n^* = 1,0$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 218/360 = 0.605$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G50B
LCH*Ma: 45 46 218
rgb*Ma: 0.0 1.0 1.0

triangle lightness

1,00

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00


$n^* = 1,0$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues



MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00

$n^* = 1,0$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 290/360 = 0.806$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0

triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



TE440-7, 5 step scales for constant CIELAB hue 290/360 = 0.806 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 290/360 = 0.806$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0

triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



5 step scales for constant CIELAB hue 290/360 = 0.806 (right)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $olv^* \cdot setrgbcolor$


output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 322/360 = 0.895$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



TE440-7, 5 step scales for constant CIELAB hue 322/360 = 0.895 (left)




BAM-test chart TE44; Colorimetric systems MRS18 & MRS18
D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 322/360 = 0.895$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



5 step scales for constant CIELAB hue 322/360 = 0.895 (right)

input: $olv^* \cdot setrgbcolor$


output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



TE440-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & MRS18


D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness




MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

input: $olv^* \cdot setrgbcolor$

output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

TE44-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)



BAM-test chart TE44; Colorimetric systems MRS18 & MRS18
D65: 5 step colour scales and coordinate data for 10 hues

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)




input: $olv^* \cdot setrgbcolor$
output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0
triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00

$n^* = 1,0$

chromaticness c^*

TE44-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)




BAM-test chart TE44; Colorimetric systems MRS18 & MRS18
D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0
triangle lightness



MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00

$n^* = 1,0$

chromaticness c^*

5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

input: $olv^* \cdot setrgbcolor$
output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$


lab*tch and lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0

triangle lightness




%Gamut

$$u_{n-1}^* = 91$$

MRS18; adapted (a) CIELAB data					
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$$\mathbf{g}_{\text{H rel}}^* = 41$$
$$g^*_{C,rel} = 52$$


TE440-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

BAM-test chart TE44; Colorimetric systems MRS18 & M

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System MRS18

```
for hue  $h^* = lab^*h = 271/360 = 0.754$ 
```


lab*tch and lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0

triangle lightness




% Gamut

$$u^*_{\dots} = 91$$

MRS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

%Regularity

$$g^*_{H\text{ rel}} = 41$$
$$g^*_{C,rel} = 52$$


5 step scales for constant CIELAB hue $271/360 = 0.754$ (right)

input: *olv** *setrgbcolor*

output: $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$