



Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 24/360 = 0.066$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 47 92 24

rgb\*Ma: 1.0 0.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 24/360 = 0.066$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 47 92 24

rgb\*Ma: 1.0 0.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 24/360 = 0.066 (left)

5 step scales for constant CIELAB hue 24/360 = 0.066 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input





Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 91/360 = 0.252$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 91 125 91

rgb\*Ma: 1.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 91/360 = 0.252$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 91 125 91

rgb\*Ma: 1.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIE hue 91/360 = 0.252 (left)

5 step scales for constant CIE hue 91/360 = 0.252 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input



Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 167/360 = 0.465$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 63 117 167

rgb\*Ma: 0.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 167/360 = 0.465$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 63 117 167

rgb\*Ma: 0.0 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 167/360 = 0.465 (left)

5 step scales for constant CIELAB hue 167/360 = 0.465 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input

Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 203/360 = 0.563$


$lab^*ich$  and  $lab^*nch$

D65: hue G50B

LCH\*Ma: 59 87 203

rgb\*Ma: 0.0 1.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 203/360 = 0.563$


$lab^*ich$  and  $lab^*nch$

D65: hue G50B

LCH\*Ma: 59 87 203

rgb\*Ma: 0.0 1.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 203/360 = 0.563 (left)

5 step scales for constant CIELAB hue 203/360 = 0.563 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input

Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 273/360 = 0.757$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 49 81 273

rgb\*Ma: 0.0 0.0 1.0


triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 149$   
%Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 273/360 = 0.757$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 49 81 273

rgb\*Ma: 0.0 0.0 1.0


triangle lightness  $t^*$



%Gamut  
 $u^*_{rel} = 149$   
%Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 273/360 = 0.757 (left)

5 step scales for constant CIELAB hue 273/360 = 0.757 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input

Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 325/360 = 0.903$


$lab^*ich$  and  $lab^*nch$

D65: hue B50R

LCH\*Ma: 44 129 325

rgb\*Ma: 1.0 0.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 325/360 = 0.903$


$lab^*ich$  and  $lab^*nch$

D65: hue B50R

LCH\*Ma: 44 129 325

rgb\*Ma: 1.0 0.0 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 325/360 = 0.903 (left)

5 step scales for constant CIELAB hue 325/360 = 0.903 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input

Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 91 25

rgb\*Ma: 1.0 0.02 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*ich$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 91 25

rgb\*Ma: 1.0 0.02 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 25/360 = 0.071 (left)

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input



Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 92/360 = 0.256$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 90 122 92

rgb\*Ma: 0.97 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 92/360 = 0.256$


$lab^*ich$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 90 122 92

rgb\*Ma: 0.97 1.0 0.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input



Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 162/360 = 0.451$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 65 110 162

rgb\*Ma: 0.08 1.0 0.0

triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |

Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 162/360 = 0.451$


$lab^*ich$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 65 110 162

rgb\*Ma: 0.08 1.0 0.0



triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 162/360 = 0.451 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input

Input: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 272/360 = 0.755$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 49 80 272

rgb\*Ma: 0.0 0.02 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



Output: Colorimetric Reflective System NCS11

for hue  $h^* = lab^*h = 272/360 = 0.755$


$lab^*ich$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 49 80 272

rgb\*Ma: 0.0 0.02 1.0


triangle lightness  $t^*$



% Gamut  
 $u^*_{rel} = 149$   
% Regularity  
 $g^*_{H,rel} = 46$   
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

|        | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------|-------------|---------|---------|--------------|--------------|
| RMa    | 47.15       | 84.64   | 37.25   | 92.48        | 24           |
| JMa    | 91.37       | -1.27   | 125.03  | 125.03       | 91           |
| GMa    | 63.07       | -114.28 | 25.35   | 117.06       | 167          |
| G50BMa | 59.47       | -80.6   | -33.45  | 87.28        | 203          |
| BMa    | 49.01       | 3.65    | -81.19  | 81.28        | 273          |
| B50RMa | 44.06       | 106.09  | -73.93  | 129.32       | 325          |
| NMa    | 10.99       | 0.0     | 0.0     | 0.0          | 0            |
| WMa    | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| RCIE   | 39.92       | 58.69   | 27.98   | 65.01        | 25           |
| JCIE   | 81.26       | -2.9    | 71.56   | 71.62        | 92           |
| GCIE   | 52.23       | -42.45  | 13.59   | 44.59        | 162          |
| BCIE   | 30.57       | 1.35    | -46.48  | 46.51        | 272          |



TE890-7, 3 step scales for constant CIELAB hue 272/360 = 0.755 (left)

5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart TE89; Colorimetric systems NCS11a & NCS11a input:  $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: no change compared to input