




Eingabe: Farbmétrisches Reflexions-System ORS18
für Bunton $h^* = lab^*h = 305/360 = 0.847$
 lab^*tch und lab^*nch

D65: Bunton V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0

Dreiecks-Helligkeit t^*



relative Inform. Technology (IT)
 olv^3* 1.0 1.0 1.0 (1.0)
 cmy^3* 0.0 0.0 0.0 (0.0)
 olv^4* 1.0 1.0 1.0 1.0
 cmy^4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB
 LAB^*LAB 95.41 -0.97 4.75
 LAB^*LABa 95.41 0.0 0.0
 LAB^*TChA 99.99 0.01 -

relative CIELAB lab*
 lab^*lab 1.0 0.0 0.0
 lab^*tch 1.0 0.0 -
 lab^*nch 0.0 0.0 -

relative Natural Colour (NC)
 lab^*lrij 1.0 0.0 0.0
 lab^*tce 1.0 0.0 -
 lab^*ncE 0.0 0.0 -

relative Inform. Technology (IT)
 olv^3* 0.5 0.5 0.5 (1.0)
 cmy^3* 0.5 0.5 0.5 (0.0)
 olv^4* 1.0 1.0 1.0 0.5
 cmy^4* 0.0 0.0 0.0 0.5

standard and adapted CIELAB
 LAB^*LAB 56.71 -0.23 2.14
 LAB^*LABa 56.71 0.0 0.0
 LAB^*TChA 50.0 0.01 -

relative CIELAB lab*
 lab^*lab 0.5 0.0 0.0
 lab^*tch 0.5 0.0 -
 lab^*nch 0.5 0.0 -

relative Natural Colour (NC)
 lab^*lrij 0.5 0.0 0.0
 lab^*tce 0.5 0.0 -
 lab^*ncE 0.5 0.0 -

relative Inform. Technology (IT)
 olv^3* 0.0 0.0 0.0 (1.0)
 cmy^3* 1.0 1.0 1.0 (0.0)
 olv^4* 1.0 1.0 1.0 0.0
 cmy^4* 0.0 0.0 0.0 1.0

standard and adapted CIELAB
 LAB^*LAB 18.02 0.5 -0.46
 LAB^*LABa 18.02 0.0 0.0
 LAB^*TChA 0.01 0.01 -

relative CIELAB lab*
 lab^*lab 0.0 0.0 0.0
 lab^*tch 0.0 0.0 -
 lab^*nch 1.0 0.0 -

relative Natural Colour (NC)
 lab^*lrij 0.0 0.0 0.0
 lab^*tce 0.0 0.0 -
 lab^*ncE 1.0 0.0 -

$n^* = 1,0$

ORS18; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Umfang

$u^*_{rel} = 93$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

Ausgabe: Farbmétrisches Reflexions-System MRS18

für Bunton $h^* = lab^*h = 290/360 = 0.806$


lab*tch und lab*nch

D65: Bunton B

LCH*Ma: 37 67 290

olv*Ma: 0.0 0.0 1.0

Dreiecks-Helligkeit t^*



%Umfang

$u^*_{rel} = 91$

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

$n^* = 0,00$

Schwarzheit n^*

relative Buntheit c^*

$n^* = 1,0$

$n^* = 1,0$

3 stufige Reihen für konstanten CIELAB Bunton 305/360 = 0.847 (links)

BAM-Prüfvorlage TG10; Farbmétrik-Systeme ORS18 & MRS18 input: $olv^* setrgbcolor$

D65: 2 Koordinatendaten; 3 stufige Farbreihen für 10 Bunttöne output: no change compared to input

