

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 30/360 = 0.083 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 94/360 = 0.261$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 94/360 = 0.261 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 94/360 = 0.261$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 94/360 = 0.261 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 172/360 = 0.479$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 172/360 = 0.479$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 172/360 = 0.479 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 218/360 = 0.605$



$lab \cdot tch$ and $lab \cdot nch$

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0

triangle lightness t^*



UE240-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 218/360 = 0.605$



$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0

CIELAB lightness L^*



5 step scales for constant CIELAB hue 218/360 = 0.605 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 322/360 = 0.895$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 322/360 = 0.895 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 322/360 = 0.895$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 322/360 = 0.895 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
WCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
WCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$


%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 91$


%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



UE240-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0

CIELAB lightness L^*



% Gamut

$u^*_{rel} = 91$


% Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart UE24; Colorimetric systems MRS18 & MRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $cmY0^* setcmykcolor$

output: no change compared to input