

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 50 77 30

olv*Ma: 1.0 0.0 0.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 91$

% Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$

MRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	-6.36	88.75	88.98	94
G_{Ma}	52.11	-69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	-36.57	-28.47	46.36	218
B_{Ma}	36.65	23.19	-63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	-44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	-2.17	67.76	67.79	92
G_{CIE}	52.23	-42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIE LAB hue 30/360 = 0.083 (left)

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 24/360 = 0.066$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 47 92 24

olv*Ma: 1.0 0.0 0.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 149$

% Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$

NCS11; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	-1.27	125.03	125.03	91
G_{Ma}	63.07	-114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	-80.6	-33.45	87.28	203
B_{Ma}	49.01	3.65	-81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	-73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	-2.9	71.56	71.62	92
G_{CIE}	52.23	-42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	-46.48	46.51	272



5 step scales for constant CIE LAB hue 24/360 = 0.066 (right)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 94/360 = 0.261$

LAB*LCH, LAB*NCH


D65: hue J

LCH*Ma: 91 89 94

olv*Ma: 1.0 1.0 0.0

MRS18; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 91$

%Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$ 

UE330-7, 5 step scales for constant CIELAB hue 94/360 = 0.261 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 91/360 = 0.252$

LAB*LCH, LAB*NCH


D65: hue J

LCH*Ma: 91 125 91

olv*Ma: 1.0 1.0 0.0

NCS11; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 149$

%Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

5 step scales for constant CIELAB hue 91/360 = 0.252 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 172/360 = 0.479$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 52 70 172

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*

%Gamut



 $u^*_{rel} = 91$

%Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 167/360 = 0.465$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 63 117 167



olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 149$

%Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

5 step scales for constant CIELAB hue 167/360 = 0.465 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 218/360 = 0.605$

LAB*LCH, LAB*NCH


D65: hue G50B

LCH*Ma: 45 46 218

olv*Ma: 0.0 1.0 1.0

MRS18; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 91$

%Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$ 

UE330-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 203/360 = 0.563$

LAB*LCH, LAB*NCH


D65: hue G50B

LCH*Ma: 59 87 203

olv*Ma: 0.0 1.0 1.0

NCS11; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 149$

%Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

5 step scales for constant CIELAB hue 203/360 = 0.563 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 290/360 = 0.806$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 37 67 290


olv*Ma: 0.0 0.0 1.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 91$

% Regularity


 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$ 

MRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIE LAB hue 290/360 = 0.806 (left)



BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 273/360 = 0.757$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 49 81 273


olv*Ma: 0.0 0.0 1.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 149$

% Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

NCS11; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272



5 step scales for constant CIE LAB hue 273/360 = 0.757 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$

LAB*LCH, LAB*NCH


D65: hue R

LCH*Ma: 48 73 25

olv*Ma: 1.0 0.0 0.1

MRS18; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 91$

%Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$ 

UE330-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 25/360 = 0.071$

LAB*LCH, LAB*NCH


D65: hue R

LCH*Ma: 48 91 25

olv*Ma: 1.0 0.02 0.0

NCS11; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272

CIELAB lightness L^*

%Gamut

 $u^*_{rel} = 149$

%Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

input: $cmY0^* \text{ set } cmYcolor$

output: Startup (S) data dependend

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 89 86 92

olv*Ma: 1.0 0.95 0.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 91$

% Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$

MRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIE LAB hue 92/360 = 0.255 (left)

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 92/360 = 0.256$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 90 122 92

olv*Ma: 0.97 1.0 0.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 149$

% Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$

NCS11; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272



5 step scales for constant CIE LAB hue 92/360 = 0.256 (right)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: *cmY0* setcmykcolor*output: *Startup (S) data depend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 56 66 164

olv*Ma: 0.1 1.0 0.0

CIE LAB lightness L^*

% Gamut



 $u^*_{rel} = 91$

% Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$

MRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIE LAB hue 164/360 = 0.457 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 162/360 = 0.451$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 65 110 162

olv*Ma: 0.08 1.0 0.0

CIE LAB lightness L^*

% Gamut



 $u^*_{rel} = 149$

% Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$

NCS11; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272



5 step scales for constant CIE LAB hue 162/360 = 0.451 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 40 50 271


olv*Ma: 0.0 0.37 1.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 91$

% Regularity

 $g^*_{H,rel} = 41$ $g^*_{C,rel} = 52$ 

MRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.96	38.37	77.18	30
J _{Ma}	90.7	-6.36	88.75	88.98	94
G _{Ma}	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



UE330-7, 5 step scales for constant CIE LAB hue 271/360 = 0.754 (left)

BAM-test chart UE33; Colorimetric systems ORS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab \cdot h = 272/360 = 0.755$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 49 80 272


olv*Ma: 0.0 0.02 1.0

CIE LAB lightness L^*

% Gamut


 $u^*_{rel} = 149$

% Regularity

 $g^*_{H,rel} = 46$ $g^*_{C,rel} = 65$ 

NCS11; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	47.15	84.64	37.25	92.48	24
J _{Ma}	91.37	-1.27	125.03	125.03	91
G _{Ma}	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.69	27.98	65.01	25
J _{CIE}	81.26	-2.9	71.56	71.62	92
G _{CIE}	52.23	-42.45	13.59	44.59	162
B _{CIE}	30.57	1.35	-46.48	46.51	272



5 step scales for constant CIE LAB hue 272/360 = 0.755 (right)

input: *cmY0* setcmykcolor*output: *Startup (S) data dependend*