See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E00NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 1/10, Serie: 1/1, Page: 1 Page: count: 1

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$
*lab*tch* and *lab*nch*

D65: hue R
LCH*Ma: 50 77 30
rgb*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 91$

MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel} = 41$
$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 38/360 = 0.105$
*lab*tch* and *lab*nch*

D65: hue O
LCH*Ma: 48 83 38
rgb*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 93$

ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel} = 57$
$g^*_{C,rel} = 59$



UE550−7, 5 step scales for constant CIELAB hue 30/360 = 0.083 (left)

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E01NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 2/10, Serie: 1/1, Page: 2 Page: count: 2

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 91 89 94
rgb*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 96/360 = 0.268$
lab*tch* and *lab*nch

D65: hue Y
LCH*Ma: 90 92 96
rgb*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE550−7, 5 step scales for constant CIELAB hue 94/360 = 0.261 (left)

5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E02NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/UE55/ Form: 3/10, Serie: 1/1, Page: 3 Page: count: 3

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 172/360 = 0.479*
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0

triangle lightness *t**



%Gamut
u*rel = 91

MRS18; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	−6.36	88.75	88.98	94
GMa	52.11	−69.73	9.44	70.37	172
G50BMa	45.03	−36.57	−28.47	46.36	218
BMa	36.65	23.19	−63.05	67.18	290
B50RMa	34.94	57.17	−44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	−2.17	67.76	67.79	92
GCIE	52.23	−42.26	11.75	43.87	164
BCIE	30.57	1.15	−46.84	46.87	271

%Regularity
g*H,rel = 41
g*C,rel = 52



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 151/360 = 0.419*
lab*tch* and *lab*nch

D65: hue L
LCH*Ma: 51 72 151
rgb*Ma: 0.0 1.0 0.0

triangle lightness *t**



%Gamut
u*rel = 93

ORS18; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	−10.27	91.77	92.34	96
LMa	50.9	−62.79	34.95	71.87	151
CMa	58.62	−30.35	−45.01	54.3	236
VMa	25.71	31.11	−44.42	54.24	305
MMa	48.13	75.27	−8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	−2.17	67.76	67.79	92
GCIE	52.23	−42.26	11.75	43.87	164
BCIE	30.57	1.15	−46.84	46.87	271

%Regularity
g*H,rel = 57
g*C,rel = 59



UE550−7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)

5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

www.ps.bam.de/UE55/10Q/Q55E03NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E03NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/UE55/ Form: 4/10, Serie: 1/1, Page: 4 Page: count: 4

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$
lab*tch* and *lab*nch

D65: hue G50B
LCH*Ma: 45 46 218
rgb*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 41
$g^*_{C,rel}$ = 52

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 236/360 = 0.656$
lab*tch* and *lab*nch

D65: hue C
LCH*Ma: 59 54 236
rgb*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59

1,00

0,75

0,25

0,00

0,25 0,50 0,75 1,00

chromaticness c^*

blackness n^*

n^* = 1,0 n^* = 0,50 n^* = 0,25 n^* = 0,00

UE550−7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E04NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 5/10, Serie: 1/1, Page: 5 Page: count: 5

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 290/360 = 0.806$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 37 67 290
rgb*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE550−7, 5 step scales for constant CIELAB hue 290/360 = 0.806 (left)

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 305/360 = 0.847$
lab*tch* and *lab*nch

D65: hue V
LCH*Ma: 26 54 305
rgb*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18 input: *cmy0* setcmykcolor*
D65: 2 coordinate data of 5 step colour scales for 10 hues output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E05NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 6/10, Serie: 1/1, Page: 6 Page: count: 6

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$
lab*tch* and *lab*nch

D65: hue B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE550−7, 5 step scales for constant CIELAB hue 322/360 = 0.895 (left)

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 354/360 = 0.982$
lab*tch* and *lab*nch

D65: hue M
LCH*Ma: 48 76 354
rgb*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



5 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18 input: *cmy0* setcmykcolor*
D65: 2 coordinate data of 5 step colour scales for 10 hues output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E06NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 7/10, Serie: 1/1, Page: 7 Page: count: 7

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 25/360 = 0.069$
lab*tch* and *lab*nch

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1

triangle lightness t^*



%Gamut

u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 25/360 = 0.069$
lab*tch* and *lab*nch

D65: hue R
LCH*Ma: 48 75 25
rgb*Ma: 1.0 0.0 0.32

triangle lightness t^*



%Gamut

u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE550−7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E07NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/UE55/ Form: 8/10, Serie: 1/1, Page: 8 Page: count: 8

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 89 86 92
rgb*Ma: 1.0 0.95 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 86 88 92
rgb*Ma: 1.0 0.9 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE550−7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E08NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 9/10, Serie: 1/1, Page: 9 Page: count: 9

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 41
$g^*_{C,rel}$ = 52

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 164/360 = 0.457$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 53 57 164
rgb*Ma: 0.0 1.0 0.25

triangle lightness t^*



%Gamut
u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



UE550−7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/UE55/
Technical information: http://www.ps.bam.de Version 2.1, io=0,0

BAM registration: 20060101-UE55/10Q/Q55E09NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems
/UE55/ Form: 10/10,Serie: 1/1, Page: 10 Page: count: 10

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 40 50 271
rgb*Ma: 0.0 0.37 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 91

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 41
$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 271/360 = 0.754$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 42 45 271
rgb*Ma: 0.0 0.49 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 93

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



UE550−7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart UE55; Colorimetric systems MRS18 & ORS18
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *no change compared to input*