



Inter-Reflective System IRS60


for hue $h^* = lab^*h = 312/360 = 0.867$

*lab*tch* and *lab*nch*

D65: hue V

LCH*Ma: 10 82 312

olv*Ma: 0.0 0.0
triangle lightness




FRS06; adapted (a) CIELAB data					
	$L^* = L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

%Regularity

$$g^*_{\text{H,rel}} = 28$$

$g^*_C = 38$



VE240-7 5 step scales for constant CIELAB hue 312/360 = 0.867 (left)

BAM-test chart VE24; Colorimetric systems FRS06 & FRS06D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 312/360 = 0.867$


*lah*tch* and *lah*nch*

Das von und das Non-

D65: hue V

LCH*Ma: 10 82 3

olv*Ma: 0.0 0.0




FRS06; adapted (a) CIELAB data					
	$L^* = L^*_a$	$a^* = a^*_a$	$b^* = b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

%Regularity

$$g^*_{\text{H,rel}} = 28$$

$g^*_{\text{C,rel}} = 38$



5 step scales for constant CIELAB hue 312/360 = 0.867 (right)

FRS06 input: *olv** *setrgbcolor*
 FRS06 output: *olv**'(*TRI9*) *setrgbcolor*

BAM registration: 20060101-VE24/10L/L24E04FP.PS/PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ
/VE24 Form: 5/10 Serie: 1/1 Page: 5 Page: count: 1



BAM-test chart VE24; Colorimetric systems FRSS D65: 5 step colour scales and coordinate data for

Input: Colorimetric Printer Reflective System FRS06


for hue $h^* = lab^*h = 337/360 = 0.937$

D65: hue M

B65: hac M
LCH*Ma: 35 88 337

olv*Ma: 1.0 0.0 1.0

triangle lightness




FRS06; adapted (a) CIELAB data					
	$L^* = L^*_a$	$a^* = a^*_{\text{a}}$	$b^* = b^*_{\text{a}}$	$C^*_{\text{ab,a}}$	$h^*_{\text{ab,a}}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

%Regularity

$g^*_{H,\text{rel}} = 28$

$g^*_C, \text{rel} = 38$



VE240-7 5 step scales for constant CIELAB hue 337/360 = 0.937 (left)

Output: Colorimetric Printer Reflective System FRS06


for hue $h^* = lab^*h = 337/360 = 0.937$

D65·hue M

LCH*Ma: 35 88 337

poly*Ma: 1.0 0.0 1.

triangle lightness




FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

%Regularity


$g^*_{H,\text{rel}} = 28$


$g^*_C,rel = 38$





5 step scales for constant CIELAB hue 337/360 = 0.937 (right)

input: olv^* *setrgbcolor*
 output: olv^* '(*TRI9*) *setrgbcolor*











BAM-test chart VE24: Color

BAM-test chart VE24; Colorimetric systems FRS06 & FRS06D65: 5 step colour scales and coordinate data for 10 hues

5 step scales for constant CIELAB hue 273/360 = 0.76 (right)


6 input: *olv** *setrgbcolor*
output: *olv**' (*TRI9*) *setrgbcolor*

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 273/360 = 0.76$
 lab^*tch and lab^*nch

D65: hue B
LCH*Ma: 34 44 273
elv*Ma: 0.0 0.64 1.0

triangle lightness




FRS06; adapted (a) CIELAB data					
	$L^* = L_a^*$	$a^* = a_a^*$	$b^* = b_a^*$	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

%Regularity

g*_{H,rel} = 28

$g^*_C,rel = 38$




Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 273/360 = 0.76$
 lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 34 44 273
oly*Ma: 0 0 0 64 1 0

triangle lightness




FRS06; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	h^*_{ab}
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

% Regularity

$$g^*_{H,\text{rel}} = 28$$

$g^*_{C,\text{rel}} = 38$



BAM registration: 20060101-VE24/10L/L24E09FP.PS/PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems, Y1=2.5, XYZ
/NE24/ Form 10/10 Serie: 1/1, Page: 10 Page count: 1

