www.ps.bam.de/VE55/10L/L55E00NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/VE55/ Form: 1/10, Serie: 1/1, Page: 1 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 25/360 = 0.069$
*lab*tch* and *lab*nch*

D65: hue R
LCH*Ma: 57 77 25
olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 100$

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 59$
$g^*_{C,rel} = 100$

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.069$
*lab*tch* and *lab*nch*

D65: hue O
LCH*Ma: 52 89 25
olv*Ma: 1.0 0.0 0.22

triangle lightness t^*



%Gamut
$u^*_{rel} = 158$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 20$
$g^*_{C,rel} = 37$



VE550−7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)
5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 92/360 = 0.256$
lab*tch* and *lab*nch

D65: hue J
LCH*Ma: 57 77 92
olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 59

$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 92/360 = 0.256$
lab*tch* and *lab*nch

D65: hue Y
LCH*Ma: 85 86 92
olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



%Gamut

u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E01NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems

BAM material: code=rha4ta

/VE55/ Form: 2/10, Serie: 1/1, Page: 2 Page: count: 1

www.ps.bam.de/VE55/10L/L55E02NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 162/360 = 0.45$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 57 77 162
olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 162/360 = 0.45$
lab*tch* and *lab*nch

D65: hue L
LCH*Ma: 86 62 162
olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 162/360 = 0.45 (left)

5 step scales for constant CIELAB hue 162/360 = 0.45 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E02NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems

BAM material: code=rha4ta

/VE55/ Form: 3/10, Serie: 1/1, Page: 3 Page: count: 1

www.ps.bam.de/VE55/10L/L55E03NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E03NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/VE55/ Form: 4/10, Serie: 1/1, Page: 4 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 203/360 = 0.564$
*lab*tch* and *lab*nch*

D65: hue G50B
LCH*Ma: 57 77 203
olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 203/360 = 0.564$
*lab*tch* and *lab*nch*

D65: hue C
LCH*Ma: 84 45 203
olv*Ma: 0.0 0.96 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 203/360 = 0.564 (left)
5 step scales for constant CIELAB hue 203/360 = 0.564 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/VE55/10L/L55E04NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E04NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/VE55/ Form: 5/10, Serie: 1/1, Page: 5 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 272/360 = 0.756$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 57 77 272
olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 272/360 = 0.756$
lab*tch* and *lab*nch

D65: hue V
LCH*Ma: 65 49 272
olv*Ma: 0.0 0.61 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 272/360 = 0.756 (left)
5 step scales for constant CIELAB hue 272/360 = 0.756 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/VE55/10L/L55E05NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E05NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/VE55/ Form: 6/10, Serie: 1/1, Page: 6 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 325/360 = 0.903$
*lab*tch* and *lab*nch*

D65: hue B50R
LCH*Ma: 57 77 325
olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 325/360 = 0.903$
*lab*tch* and *lab*nch*

D65: hue M
LCH*Ma: 54 112 325
olv*Ma: 0.87 0.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 325/360 = 0.903 (left)
5 step scales for constant CIELAB hue 325/360 = 0.903 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/VE55/10L/L55E06NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E06NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/VE55/ Form: 7/10, Serie: 1/1, Page: 7 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 25/360 = 0.071$
*lab*tch* and *lab*nch*

D65: hue R
LCH*Ma: 57 77 25
olv*Ma: 1.0 0.01 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 100$

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 59$
$g^*_{C,rel} = 100$

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 25/360 = 0.071$
*lab*tch* and *lab*nch*

D65: hue R
LCH*Ma: 52 89 25
olv*Ma: 1.0 0.0 0.21

triangle lightness t^*



%Gamut
$u^*_{rel} = 158$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 20$
$g^*_{C,rel} = 37$



VE550−7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)
5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 92/360 = 0.256$
*lab*tch* and *lab*nch*

D65: hue J
LCH*Ma: 57 77 92
olv*Ma: 0.99 1.0 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 100$

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 59$
$g^*_{C,rel} = 100$

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 92/360 = 0.256$
*lab*tch* and *lab*nch*

D65: hue J
LCH*Ma: 85 86 92
olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



%Gamut
$u^*_{rel} = 158$

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel} = 20$
$g^*_{C,rel} = 37$



VE550−7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)
5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E07NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/VE55/ Form: 8/10, Serie: 1/1, Page: 8 Page: count: 1

www.ps.bam.de/VE55/10L/L55E08NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E08NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/VE55/ Form: 9/10, Serie: 1/1, Page: 9 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 162/360 = 0.451$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 57 77 162
olv*Ma: 0.0 1.0 0.01

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 162/360 = 0.451$
lab*tch* and *lab*nch

D65: hue G
LCH*Ma: 86 62 162
olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)
5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/VE55/10L/L55E09NP.PS/.PDF; olv* device (left) and rgb* start (right) output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/VE55/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20060101-VE55/10L/L55E09NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta
/VE55/ Form: 10/10,Serie: 1/1, Page: 10 Page: count: 1

Input: Colorimetric Natural Reflective System CNS18

for hue $h^* = lab^*h = 272/360 = 0.755$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 57 77 272
olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 100

CNS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.15	32.71	77.4	25
J_{Ma}	56.7	−2.69	77.35	77.4	92
G_{Ma}	56.7	−73.6	23.92	77.4	162
$G50B_{Ma}$	56.7	−71.24	−30.23	77.4	203
B_{Ma}	56.7	2.7	−77.34	77.4	272
$B50R_{Ma}$	56.7	63.4	−44.38	77.4	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 59
$g^*_{C,rel}$ = 100

Output: Colorimetric Television Luminous System TLS00

for hue $h^* = lab^*h = 272/360 = 0.755$
lab*tch* and *lab*nch

D65: hue B
LCH*Ma: 65 49 272
olv*Ma: 0.0 0.61 1.0

triangle lightness t^*



%Gamut
u^*_{rel} = 158

TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

%Regularity
$g^*_{H,rel}$ = 20
$g^*_{C,rel}$ = 37



VE550−7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)
5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart VE55; Colorimetric systems CNS18 & TLS00
D65: 2 coordinate data of 5 step colour scales for 10 hues

input: *olv* setrgbcolor*
output: *no change compared to input*