



F: Output Linearization (OL) data WE30/10L/L30E00FP.DAT in File (F)


logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o - 0.05$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.12$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 575$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.03$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.03$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 555$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.16$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.09$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 525$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.24$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.18$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 505$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o - 0.05$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.12$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 575$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.03$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.03$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 555$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.16$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.09$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 525$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.24$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.18$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 505$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o - 0.05$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.12$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 575$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.03$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.03$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 555$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.16$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.09$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 525$




logarithmic U_a -sensitivity $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.24$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.18$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 505$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o - 0.05$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.12$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 575$




logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.03$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o + 0.03$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 555$



logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.16$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.09$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 525$



logarithmic U_a -saturation $\log U_a = \log U_o$
 $U_a = (\textcolor{red}{L}_a \cdot M_a)^{0.5}$ $\log L_a = \log L_o + 0.24$
 $\log U_a = (\log L_a + \log M_a) / 2$ $\log M_a = \log M_o - 0.18$
 $\log [U_a, L_a, M_a]$ Adaptation: $\lambda_{LM} = 505$



BAM-test chart no. WE30; colour vision and adaptttion
Logarithmic cone sensitivity and ratios or differences

input: cmy0* setcmykcolor
output: olv* setrgbcolor / w* setgray

