



logarithmische U_1 -Empfindlichkeit $U_1 = \log U_0$
 $U_1 = (L_1 \cdot M_1)^{0.5}$ $\log L_1 = \log L_0 + 0.05$
 $\log U_1 = (\log L_1 + \log M_1) / 2$ $\log M_1 = \log M_0 + 0.12$
 $\log [U_1, L_1, M_1]$ Adaptation: $\lambda_{10} = 575$




WG300-1, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_2 -Empfindlichkeit $U_2 = \log U_0$
 $U_2 = (L_2 \cdot M_2)^{0.5}$ $\log L_2 = \log L_0 + 0.03$
 $\log U_2 = (\log L_2 + \log M_2) / 2$ $\log M_2 = \log M_0 + 0.03$
 $\log [U_2, L_2, M_2]$ Adaptation: $\lambda_{10} = 555$




WG300-2, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_3 -Empfindlichkeit $U_3 = \log U_0$
 $U_3 = (L_3 \cdot M_3)^{0.5}$ $\log L_3 = \log L_0 + 0.16$
 $\log U_3 = (\log L_3 + \log M_3) / 2$ $\log M_3 = \log M_0 - 0.09$
 $\log [U_3, L_3, M_3]$ Adaptation: $\lambda_{10} = 525$




WG300-3, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_4 -Empfindlichkeit $U_4 = \log U_0$
 $U_4 = (L_4 \cdot M_4)^{0.5}$ $\log L_4 = \log L_0 + 0.24$
 $\log U_4 = (\log L_4 + \log M_4) / 2$ $\log M_4 = \log M_0 - 0.18$
 $\log [U_4, L_4, M_4]$ Adaptation: $\lambda_{10} = 505$




WG300-4, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_5 -Sättigung $\log U_5 = \log U_0$
 $U_5 = (L_5 \cdot M_5)^{0.5}$ $\log L_5 = \log L_0 + 0.05$
 $\log U_5 = (\log L_5 + \log M_5) / 2$ $\log M_5 = \log M_0 + 0.12$
 $\log [U_5, L_5, M_5, U_5]$ Adaptation: $\lambda_{10} = 575$




WG300-5, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_6 -Sättigung $\log U_6 = \log U_0$
 $U_6 = (L_6 \cdot M_6)^{0.5}$ $\log L_6 = \log L_0 + 0.03$
 $\log U_6 = (\log L_6 + \log M_6) / 2$ $\log M_6 = \log M_0 + 0.03$
 $\log [U_6, L_6, M_6, U_6]$ Adaptation: $\lambda_{10} = 555$




WG300-6, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_7 -Sättigung $\log U_7 = \log U_0$
 $U_7 = (L_7 \cdot M_7)^{0.5}$ $\log L_7 = \log L_0 + 0.16$
 $\log U_7 = (\log L_7 + \log M_7) / 2$ $\log M_7 = \log M_0 - 0.09$
 $\log [U_7, L_7, M_7, U_7]$ Adaptation: $\lambda_{10} = 525$




WG300-7, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_8 -Sättigung $\log U_8 = \log U_0$
 $U_8 = (L_8 \cdot M_8)^{0.5}$ $\log L_8 = \log L_0 + 0.24$
 $\log U_8 = (\log L_8 + \log M_8) / 2$ $\log M_8 = \log M_0 - 0.18$
 $\log [U_8, L_8, M_8, U_8]$ Adaptation: $\lambda_{10} = 505$




WG300-8, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_1 -Empfindlichkeit $U_1 = \log U_0$
 $U_1 = (L_1 \cdot M_1)^{0.5}$ $\log L_1 = \log L_0 + 0.05$
 $\log U_1 = (\log L_1 + \log M_1) / 2$ $\log M_1 = \log M_0 + 0.12$
 $\log [U_1, L_1, M_1]$ Adaptation: $\lambda_{10} = 575$




WG301-1, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_2 -Empfindlichkeit $U_2 = \log U_0$
 $U_2 = (L_2 \cdot M_2)^{0.5}$ $\log L_2 = \log L_0 + 0.03$
 $\log U_2 = (\log L_2 + \log M_2) / 2$ $\log M_2 = \log M_0 + 0.03$
 $\log [U_2, L_2, M_2]$ Adaptation: $\lambda_{10} = 555$




WG301-2, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_3 -Empfindlichkeit $U_3 = \log U_0$
 $U_3 = (L_3 \cdot M_3)^{0.5}$ $\log L_3 = \log L_0 + 0.16$
 $\log U_3 = (\log L_3 + \log M_3) / 2$ $\log M_3 = \log M_0 - 0.09$
 $\log [U_3, L_3, M_3]$ Adaptation: $\lambda_{10} = 525$




WG301-3, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_4 -Empfindlichkeit $U_4 = \log U_0$
 $U_4 = (L_4 \cdot M_4)^{0.5}$ $\log L_4 = \log L_0 + 0.24$
 $\log U_4 = (\log L_4 + \log M_4) / 2$ $\log M_4 = \log M_0 - 0.18$
 $\log [U_4, L_4, M_4]$ Adaptation: $\lambda_{10} = 505$




WG301-4, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_5 -Sättigung $\log U_5 = \log U_0$
 $U_5 = (L_5 \cdot M_5)^{0.5}$ $\log L_5 = \log L_0 + 0.05$
 $\log U_5 = (\log L_5 + \log M_5) / 2$ $\log M_5 = \log M_0 + 0.12$
 $\log [U_5, L_5, M_5, U_5]$ Adaptation: $\lambda_{10} = 575$




WG301-5, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_6 -Sättigung $\log U_6 = \log U_0$
 $U_6 = (L_6 \cdot M_6)^{0.5}$ $\log L_6 = \log L_0 + 0.03$
 $\log U_6 = (\log L_6 + \log M_6) / 2$ $\log M_6 = \log M_0 + 0.03$
 $\log [U_6, L_6, M_6, U_6]$ Adaptation: $\lambda_{10} = 555$




WG301-6, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_7 -Sättigung $\log U_7 = \log U_0$
 $U_7 = (L_7 \cdot M_7)^{0.5}$ $\log L_7 = \log L_0 + 0.16$
 $\log U_7 = (\log L_7 + \log M_7) / 2$ $\log M_7 = \log M_0 - 0.09$
 $\log [U_7, L_7, M_7, U_7]$ Adaptation: $\lambda_{10} = 525$



WG301-7, Änderung von LMS beim Farbsehen; RG-Prozess

logarithmische U_8 -Sättigung $\log U_8 = \log U_0$
 $U_8 = (L_8 \cdot M_8)^{0.5}$ $\log L_8 = \log L_0 + 0.24$
 $\log U_8 = (\log L_8 + \log M_8) / 2$ $\log M_8 = \log M_0 - 0.18$
 $\log [U_8, L_8, M_8, U_8]$ Adaptation: $\lambda_{10} = 505$



WG301-8, Änderung von LMS beim Farbsehen; RG-Prozess