



See for similar files: <http://www.ps.bam.de/XE89/>; www.ps.bam.de/XE89/10L/L89E00NP.PS/.PDF
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20080401-XE89/10L/L89E00NP.PS/.PDF BAM material: code=rh4ta
 application for evaluation and measurement of printer or monitor systems
 /XE89/ Form: 1/10, Serie: 1/1, Page: 1 Page count: 1




%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	50.5	76.92	64.55	100.42	40
Y _M	92.66	-20.69	90.75	93.08	103
L _M	83.63	-82.75	79.9	115.04	136
C _M	86.88	-46.16	-13.55	48.12	196
V _M	30.39	76.06	-103.59	128.52	306
M _M	57.3	94.35	-58.41	110.97	328
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00a; adapted CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

XE890-7, Colour Management Workflow: Device Colour Input Data of the Natural Colour Connection Space → Device Colour Output Data of Output Space

BAM-test chart XE89; Colorimetric workflow TLS00→ORS18 input: *olv* setrgbcolor*
 D65: 3x3x3 *olv** colours; Device and sample data (4 pages) output: no change compared to input

n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
0	1	TLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.01	0.0	0.0	0.0	0.0
	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	18.01	0.0	0.0	0.0	0.0
	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	18.01	0.0	0.0	0.0	0.0
	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	18.01	0.0	0.0	0.0	0.0
1	1	TLS00	0.0	0.0	0.5	0.826	0.25	0.5	0.851	0.296	-0.402	0.5	0.0	0.159	15.2	64.26	306.29	38.03	-51.79
	5	NRS18	0.304	0.0	0.5	0.826	0.25	0.5	0.851	0.296	-0.402	0.5	0.0	0.134	28.35	38.7	306.29	22.9	-31.18
	5	NRS18	0.304	0.0	0.5	0.826	0.25	0.5	0.851	0.296	-0.402	0.5	0.0	0.134	28.35	38.7	306.29	22.9	-31.18
	0	ORS18	0.013	0.0	0.5	0.826	0.25	0.5	0.851	0.296	-0.402	0.5	0.0	-0.062	13.16	27.39	306.29	16.21	-22.07
2	1	TLS00	0.0	0.0	1.0	0.826	0.5	1.0	0.851	0.592	-0.805	0.0	0.0	0.318	30.39	128.52	306.29	76.06	-103.59
	5	NRS18	0.607	0.0	1.0	0.826	0.5	1.0	0.851	0.592	-0.805	0.0	0.0	0.5	56.71	77.39	306.29	45.8	-62.37
	5	NRS18	0.607	0.0	1.0	0.826	0.5	1.0	0.851	0.592	-0.805	0.0	0.0	0.5	56.71	77.39	306.29	45.8	-62.37
	0	ORS18	0.026	0.0	1.0	0.826	0.5	1.0	0.851	0.592	-0.805	0.0	0.0	0.107	26.31	54.78	306.29	32.42	-44.15
3	1	TLS00	0.0	0.5	0.0	0.406	0.25	0.5	0.378	-0.359	0.347	0.5	0.0	0.438	41.82	57.52	136.01	-41.37	39.95
	5	NRS18	0.187	0.5	0.0	0.406	0.25	0.5	0.378	-0.359	0.347	0.5	0.0	0.134	28.35	38.7	136.01	-27.83	26.88
	5	NRS18	0.187	0.5	0.0	0.406	0.25	0.5	0.378	-0.359	0.347	0.5	0.0	0.134	28.35	38.7	136.01	-27.83	26.88
	0	ORS18	0.137	0.5	0.0	0.406	0.25	0.5	0.378	-0.359	0.347	0.5	0.0	0.166	30.84	38.74	136.01	-27.86	26.91
4	1	TLS00	0.0	0.5	0.5	0.578	0.25	0.5	0.545	-0.479	-0.14	0.5	0.0	0.455	43.44	24.06	196.37	-23.08	-6.77
	5	NRS18	0.0	0.5	0.312	0.578	0.25	0.5	0.545	-0.479	-0.14	0.5	0.0	0.134	28.35	38.69	196.37	-37.11	-10.89
	5	NRS18	0.0	0.5	0.312	0.578	0.25	0.5	0.545	-0.479	-0.14	0.5	0.0	0.134	28.35	38.69	196.37	-37.11	-10.89
	0	ORS18	0.0	0.5	0.267	0.578	0.25	0.5	0.545	-0.479	-0.14	0.5	0.0	0.123	27.51	31.25	196.37	-29.97	-8.8
5	1	TLS00	0.0	0.5	1.0	0.704	0.5	1.0	0.698	-0.319	-0.946	0.0	0.0	0.615	58.64	88.32	251.33	-28.27	-83.66
	5	NRS18	0.0	0.373	1.0	0.704	0.5	1.0	0.698	-0.319	-0.946	0.0	0.0	0.5	56.71	77.39	251.33	-24.77	-73.3
	5	NRS18	0.0	0.373	1.0	0.704	0.5	1.0	0.698	-0.319	-0.946	0.0	0.0	0.5	56.71	77.39	251.33	-24.77	-73.3
	0	ORS18	0.0	0.778	1.0	0.704	0.5	1.0	0.698	-0.319	-0.946	0.0	0.0	0.43	51.32	54.28	251.33	-17.37	-51.41
6	1	TLS00	0.0	1.0	0.0	0.406	0.5	1.0	0.378	-0.718	0.695	0.0	0.0	0.877	83.63	115.04	136.01	-82.75	79.9
	5	NRS18	0.375	1.0	0.0	0.406	0.5	1.0	0.378	-0.718	0.695	0.0	0.0	0.5	56.71	77.39	136.01	-55.67	53.75
	5	NRS18	0.375	1.0	0.0	0.406	0.5	1.0	0.378	-0.718	0.695	0.0	0.0	0.5	56.71	77.39	136.01	-55.67	53.75
	0	ORS18	0.273	1.0	0.0	0.406	0.5	1.0	0.378	-0.718	0.695	0.0	0.0	0.564	61.69	77.49	136.01	-55.74	53.82
7	1	TLS00	0.0	1.0	0.5	0.509	0.5	1.0	0.462	-0.97	0.239	0.0	0.0	0.894	85.25	81.58	166.19	-79.21	19.48
	5	NRS18	0.0	1.0	0.072	0.509	0.5	1.0	0.462	-0.97	0.239	0.0	0.0	0.5	56.71	77.39	166.19	-75.14	18.48
	5	NRS18	0.0	1.0	0.072	0.509	0.5	1.0	0.462	-0.97	0.239	0.0	0.0	0.5	56.71	77.39	166.19	-75.14	18.48
	0	ORS18	0.0	1.0	0.179	0.509	0.5	1.0	0.462	-0.97	0.239	0.0	0.0	0.443	52.29	68.75	166.19	-66.75	16.41
8	1	TLS00	0.0	1.0	1.0	0.578	0.5	1.0	0.545	-0.958	-0.281	0.0	0.0	0.911	86.88	48.12	196.37	-46.16	-13.55
	5	NRS18	0.0	1.0	0.624	0.578	0.5	1.0	0.545	-0.958	-0.281	0.0	0.0	0.5	56.71	77.39	196.37	-74.24	-21.8
	5	NRS18	0.0	1.0	0.624	0.578	0.5	1.0	0.545	-0.958	-0.281	0.0	0.0	0.5	56.71	77.39	196.37	-74.24	-21.8
	0	ORS18	0.0	1.0	0.534	0.578	0.5	1.0	0.545	-0.958	-0.281	0.0	0.0	0.478	55.02	62.5	196.37	-59.96	-17.6

See for similar files: <http://www.ps.bam.de/XE89/>; www.ps.bam.de/XE89/10L/L89E01NP.PS/.PDF
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20080401-XE89/10L/L89E01NP.PS/.PDF BAM material: code=rh4ta
 application for evaluation and measurement of printer or monitor systems
 /XE89/ Form: 2/10, Serie: 1/1, Page: 2 Page count: 1

n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
9	1	TLS00	0.5	0.0	0.0	0.055	0.25	0.5	0.111	0.383	0.321	0.5	0.0	0.265	25.25	50.21	40.0	38.46	32.28
5	NRS18	0.5	0.109	0.0	0.055	0.25	0.5	0.111	0.383	0.321	0.5	0.0	0.134	28.35	38.7	40.0	29.64	24.88	
5	NRS18	0.5	0.109	0.0	0.055	0.25	0.5	0.111	0.383	0.321	0.5	0.0	0.134	28.35	38.7	40.0	29.64	24.88	
0	ORS18	0.5	0.02	0.0	0.055	0.25	0.5	0.111	0.383	0.321	0.5	0.0	0.088	24.81	41.51	40.0	31.79	26.68	
10	1	TLS00	0.5	0.0	0.5	0.874	0.25	0.5	0.912	0.425	-0.262	0.5	0.0	0.3	28.65	55.49	328.24	47.18	-29.2
5	NRS18	0.497	0.0	0.5	0.874	0.25	0.5	0.912	0.425	-0.262	0.5	0.0	0.134	28.35	38.7	328.24	32.9	-20.36	
5	NRS18	0.497	0.0	0.5	0.874	0.25	0.5	0.912	0.425	-0.262	0.5	0.0	0.134	28.35	38.7	328.24	32.9	-20.36	
0	ORS18	0.239	0.0	0.5	0.874	0.25	0.5	0.912	0.425	-0.262	0.5	0.0	0.003	18.21	32.25	328.24	27.42	-16.97	
11	1	TLS00	0.5	0.0	1.0	0.85	0.5	1.0	0.881	0.734	-0.678	0.0	0.0	0.459	43.84	119.75	317.26	87.95	-81.26
5	NRS18	0.8	0.0	1.0	0.85	0.5	1.0	0.881	0.734	-0.678	0.0	0.0	0.5	56.71	77.39	317.26	56.84	-52.52	
5	NRS18	0.8	0.0	1.0	0.85	0.5	1.0	0.881	0.734	-0.678	0.0	0.0	0.5	56.71	77.39	317.26	56.84	-52.52	
0	ORS18	0.252	0.0	1.0	0.85	0.5	1.0	0.881	0.734	-0.678	0.0	0.0	0.173	31.37	59.64	317.26	43.8	-40.47	
12	1	TLS00	0.5	0.5	0.0	0.287	0.25	0.5	0.286	-0.11	0.487	0.5	0.0	0.486	46.33	46.54	102.85	-10.34	45.38
5	NRS18	0.425	0.5	0.0	0.287	0.25	0.5	0.286	-0.11	0.487	0.5	0.0	0.134	28.35	38.7	102.85	-8.6	37.73	
5	NRS18	0.425	0.5	0.0	0.287	0.25	0.5	0.286	-0.11	0.487	0.5	0.0	0.134	28.35	38.7	102.85	-8.6	37.73	
0	ORS18	0.441	0.5	0.0	0.287	0.25	0.5	0.286	-0.11	0.487	0.5	0.0	0.321	42.85	44.95	102.85	-9.99	43.83	
13	1	TLS00	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.5	47.71	0.0	0.0	0.0	0.0
5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	56.71	0.0	0.0	0.0	0.0
5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	56.71	0.0	0.0	0.0	0.0
0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	56.71	0.0	0.0	0.0	0.0
14	1	TLS00	0.5	0.5	1.0	0.826	0.75	0.5	0.851	0.296	-0.402	0.0	0.5	0.659	62.9	64.26	306.29	38.03	-51.79
5	NRS18	0.804	0.5	1.0	0.826	0.75	0.5	0.851	0.296	-0.402	0.0	0.5	0.75	76.06	38.7	306.29	22.9	-31.18	
5	NRS18	0.804	0.5	1.0	0.826	0.75	0.5	0.851	0.296	-0.402	0.0	0.5	0.75	76.06	38.7	306.29	22.9	-31.18	
0	ORS18	0.513	0.5	1.0	0.826	0.75	0.5	0.851	0.296	-0.402	0.0	0.5	0.554	60.86	27.39	306.29	16.21	-22.07	
15	1	TLS00	0.5	1.0	0.0	0.346	0.5	1.0	0.332	-0.49	0.871	0.0	0.0	0.924	88.15	104.06	119.43	-51.12	90.63
5	NRS18	0.612	1.0	0.0	0.346	0.5	1.0	0.332	-0.49	0.871	0.0	0.0	0.5	56.71	77.4	119.43	-38.02	67.41	
5	NRS18	0.612	1.0	0.0	0.346	0.5	1.0	0.332	-0.49	0.871	0.0	0.0	0.5	56.71	77.4	119.43	-38.02	67.41	
0	ORS18	0.577	1.0	0.0	0.346	0.5	1.0	0.332	-0.49	0.871	0.0	0.0	0.719	73.69	83.7	119.43	-41.11	72.9	
16	1	TLS00	0.5	1.0	0.5	0.406	0.75	0.5	0.378	-0.359	0.347	0.0	0.5	0.938	89.52	57.52	136.01	-41.37	39.95
5	NRS18	0.687	1.0	0.5	0.406	0.75	0.5	0.378	-0.359	0.347	0.0	0.5	0.75	76.06	38.7	136.01	-27.83	26.88	
5	NRS18	0.687	1.0	0.5	0.406	0.75	0.5	0.378	-0.359	0.347	0.0	0.5	0.75	76.06	38.7	136.01	-27.83	26.88	
0	ORS18	0.637	1.0	0.5	0.406	0.75	0.5	0.378	-0.359	0.347	0.0	0.5	0.782	78.55	38.74	136.01	-27.86	26.91	
17	1	TLS00	0.5	1.0	1.0	0.578	0.75	0.5	0.545	-0.479	-0.14	0.0	0.5	0.955	91.14	24.06	196.37	-23.08	-6.77
5	NRS18	0.5	1.0	0.812	0.578	0.75	0.5	0.545	-0.479	-0.14	0.0	0.5	0.75	76.06	38.69	196.37	-37.11	-10.89	
5	NRS18	0.5	1.0	0.812	0.578	0.75	0.5	0.545	-0.479	-0.14	0.0	0.5	0.75	76.06	38.69	196.37	-37.11	-10.89	
0	ORS18	0.5	1.0	0.767	0.578	0.75	0.5	0.545	-0.479	-0.14	0.0	0.5	0.739	75.22	31.25	196.37	-29.97	-8.8	

See for similar files: http://www.ps.bam.de/XE89/; www.ps.bam.de/XE.HTM
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20080401-XE89/10L/L89E02NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta
/XE89/ Form: 3/10, Serie: 1/1, Page: 3 Page count: 1

n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	in	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	out	System	lab*o3	lab*l3	lab*v3	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
18	1	TLS00	1.0	0.0	0.0	0.055	0.5	1.0	0.111	0.766	0.643	0.0	0.0	0.529	50.5	100.42	40.0	76.92	64.55
5	NRS18	1.0	0.217	0.0	0.055	0.5	1.0	0.111	0.766	0.643	0.0	0.0	0.5	56.71	77.4	40.0	59.29	49.75	
5	NRS18	1.0	0.217	0.0	0.055	0.5	1.0	0.111	0.766	0.643	0.0	0.0	0.5	56.71	77.4	40.0	59.29	49.75	
0	ORS18	1.0	0.039	0.0	0.055	0.5	1.0	0.111	0.766	0.643	0.0	0.0	0.408	49.61	83.01	40.0	63.59	53.36	
19	1	TLS00	1.0	0.0	0.5	0.953	0.5	1.0	0.011	0.997	0.072	0.0	0.0	0.565	53.9	105.69	4.12	105.42	7.59
5	NRS18	1.0	0.0	0.376	0.953	0.5	1.0	0.011	0.997	0.072	0.0	0.0	0.5	56.71	77.4	4.12	77.2	5.56	
5	NRS18	1.0	0.0	0.376	0.953	0.5	1.0	0.011	0.997	0.072	0.0	0.0	0.5	56.71	77.4	4.12	77.2	5.56	
0	ORS18	1.0	0.0	0.762	0.953	0.5	1.0	0.011	0.997	0.072	0.0	0.0	0.389	48.08	77.38	4.12	77.18	5.56	
20	1	TLS00	1.0	0.0	1.0	0.874	0.5	1.0	0.912	0.85	-0.525	0.0	0.0	0.601	57.3	110.97	328.23	94.35	-58.41
5	NRS18	0.993	0.0	1.0	0.874	0.5	1.0	0.912	0.85	-0.525	0.0	0.0	0.5	56.71	77.4	328.23	65.8	-40.73	
5	NRS18	0.993	0.0	1.0	0.874	0.5	1.0	0.912	0.85	-0.525	0.0	0.0	0.5	56.71	77.4	328.23	65.8	-40.73	
0	ORS18	0.477	0.0	1.0	0.874	0.5	1.0	0.912	0.85	-0.525	0.0	0.0	0.238	36.42	64.5	328.23	54.83	-33.94	
21	1	TLS00	1.0	0.5	0.0	0.172	0.5	1.0	0.198	0.319	0.948	0.0	0.0	0.75	71.58	96.75	71.43	30.82	91.71
5	NRS18	1.0	0.688	0.0	0.172	0.5	1.0	0.198	0.319	0.948	0.0	0.0	0.5	56.71	77.4	71.43	24.65	73.37	
5	NRS18	1.0	0.688	0.0	0.172	0.5	1.0	0.198	0.319	0.948	0.0	0.0	0.5	56.71	77.4	71.43	24.65	73.37	
0	ORS18	1.0	0.575	0.0	0.172	0.5	1.0	0.198	0.319	0.948	0.0	0.0	0.702	72.33	88.2	71.43	28.09	83.61	
22	1	TLS00	1.0	0.5	0.5	0.055	0.75	0.5	0.111	0.383	0.321	0.0	0.5	0.765	72.96	50.21	40.0	38.46	32.28
5	NRS18	1.0	0.609	0.5	0.055	0.75	0.5	0.111	0.383	0.321	0.0	0.5	0.75	76.06	38.7	40.0	29.64	24.88	
5	NRS18	1.0	0.609	0.5	0.055	0.75	0.5	0.111	0.383	0.321	0.0	0.5	0.75	76.06	38.7	40.0	29.64	24.88	
0	ORS18	1.0	0.52	0.5	0.055	0.75	0.5	0.111	0.383	0.321	0.0	0.5	0.704	72.51	41.51	40.0	31.79	26.68	
23	1	TLS00	1.0	0.5	1.0	0.874	0.75	0.5	0.912	0.425	-0.262	0.0	0.5	0.8	76.35	55.49	328.24	47.18	-29.2
5	NRS18	0.997	0.5	1.0	0.874	0.75	0.5	0.912	0.425	-0.262	0.0	0.5	0.75	76.06	38.7	328.24	32.9	-20.36	
5	NRS18	0.997	0.5	1.0	0.874	0.75	0.5	0.912	0.425	-0.262	0.0	0.5	0.75	76.06	38.7	328.24	32.9	-20.36	
0	ORS18	0.739	0.5	1.0	0.874	0.75	0.5	0.912	0.425	-0.262	0.0	0.5	0.619	65.92	32.25	328.24	27.42	-16.97	
24	1	TLS00	1.0	1.0	0.0	0.287	0.5	1.0	0.286	-0.221	0.975	0.0	0.0	0.971	92.66	93.08	102.85	-20.69	90.75
5	NRS18	0.849	1.0	0.0	0.287	0.5	1.0	0.286	-0.221	0.975	0.0	0.0	0.5	56.71	77.4	102.85	-17.2	75.46	
5	NRS18	0.849	1.0	0.0	0.287	0.5	1.0	0.286	-0.221	0.975	0.0	0.0	0.5	56.71	77.4	102.85	-17.2	75.46	
0	ORS18	0.881	1.0	0.0	0.287	0.5	1.0	0.286	-0.221	0.975	0.0	0.0	0.874	85.69	89.9	102.85	-19.98	87.65	
25	1	TLS00	1.0	1.0	0.5	0.287	0.75	0.5	0.286	-0.11	0.487	0.0	0.5	0.986	94.03	46.54	102.85	-10.34	45.38
5	NRS18	0.925	1.0	0.5	0.287	0.75	0.5	0.286	-0.11	0.487	0.0	0.5	0.75	76.06	38.7	102.85	-8.6	37.73	
5	NRS18	0.925	1.0	0.5	0.287	0.75	0.5	0.286	-0.11	0.487	0.0	0.5	0.75	76.06	38.7	102.85	-8.6	37.73	
0	ORS18	0.941	1.0	0.5	0.287	0.75	0.5	0.286	-0.11	0.487	0.0	0.5	0.937	90.55	44.95	102.85	-9.99	43.83	
26	1	TLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	95.41	0.0	0.0	0.0	0.0
5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	95.41	0.0	0.0	0.0	0.0
5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	95.41	0.0	0.0	0.0	0.0
0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	95.41	0.0	0.0	0.0	0.0

See for similar files: http://www.ps.bam.de/XE89/; www.ps.bam.de/XE.HTM
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1