


logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{535}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{455}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{535}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{455}]^2$$

Adaptation: $\lambda_B = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{545}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{445}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB}=495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{445}]^2$$

Adaptation: $\lambda_B = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{555}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{435}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB}=495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{555}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{435}]^2$$

Adaptation: $\lambda_B = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{565}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{425}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{565}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{425}]^2$$

Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{535}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{455}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{535}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{495}]^2$$

Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{545}]^2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{445}]^2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{445}]^2$$

Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{555}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{435}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$


$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$


$$\log U_o = -0,35[u_\lambda - u_{555}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{435}]^2$$

Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Empfindlichkeit $u_\lambda = (\lambda - 555) / 50$
 $N_a = (U_o \cdot T_o)^{0,5}$ $\log U_o = -0,35[u_\lambda - u_{565}]_2$
 $\log N_a = (\log U_o + \log T_o)/2$ $\log T_o = -0,35[u_\lambda - u_{425}]_2$
 $\log [N_a, U_o, T_o]$ Adaptation: $\lambda_{JB} = 495$



logarithm. N_a -Sättigung

$$N_a = (U_o \cdot T_o)^{0,5}$$

$$\log N_a = (\log U_o + \log T_o)/2$$

$$\log [U_o/N_a, T_o/N_a]$$

$$u_\lambda = (\lambda - 555) / 50$$

$$\log U_o = -0,35[u_\lambda - u_{565}]^2$$

$$\log T_o = -0,35[u_\lambda - u_{425}]^2$$

Adaptation: $\lambda_{JB} = 495$

