



%Umfang
 $u^*_{rel} = 94$
%Regularität
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	47.94	65.31	52.07	83.53	39
Y_M	90.37	-11.15	96.17	96.82	97
L_M	50.9	-62.96	36.71	72.89	150
C_M	58.62	-30.62	-42.74	52.59	234
V_M	25.72	31.45	-44.35	54.38	305
M_M	48.13	75.2	-6.79	75.51	355
N_M	18.01	0.5	-0.46	0.69	317
W_M	95.41	-0.98	4.76	4.86	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	-10.26	91.75	92.32	96
L_{Ma}	50.9	-62.83	34.96	71.91	151
C_{Ma}	58.62	-30.34	-45.01	54.3	236
V_{Ma}	25.72	31.1	-44.4	54.22	305
M_{Ma}	48.13	75.28	-8.36	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



%Umfang
 $u^*_{rel} = 100$
%Regularität
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	56.71	69.87	33.29	77.4	25
Y_{Ma}	56.71	-3.1	77.34	77.4	92
L_{Ma}	56.71	-73.68	23.63	77.39	162
C_{Ma}	56.71	-61.81	-46.54	77.39	217
V_{Ma}	56.71	2.35	-77.34	77.39	272
M_{Ma}	56.71	66.07	-40.3	77.4	329
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

n	ein	System	lab*o ₃	lab*l ₃	lab*v ₃	lab*e	lab*t	lab*c	lab*h	lab*a	lab*b	lab*n	lab*w	lab*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	aus	System	LAB*o ₃	LAB*l ₃	LAB*v ₃	LAB*e	LAB*t	LAB*c	LAB*h	LAB*a	LAB*b	LAB*n	LAB*w	LAB*l	LAB*L	LAB*C	LAB*H	LAB*A	LAB*B
n	ein		LAB*Lm	LAB*Am	LAB*Bm	LAB*Cb	LAB*Hm		LAB*Lu	LAB*Au	LAB*Bu	LAB*Cu	LAB*Hu		i*pau	col_An	A*Anu	alpha	beta
n	aus	System	LAB*L1	LAB*A1	LAB*B1	LAB*C1	LAB*H1	LAB*Lr	LAB*L2	LAB*A2	LAB*B2	LAB*C2	LAB*H2	LAB*Rr	i*pav	col_Anv	A*Anv	alphav	betav
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	18.01	0.0	0.0	0.0	0.0
	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	18.01	0.0	0.0	0.0	0.0
	0	ORS18	0.0	0.0	0.0	0.0	0.0		18.01	0.0	0.0	0.0	0.0		6	360.0	353.66	0.5	0.5
	5	NRS18	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		6	0.0	0.0	0.0	0.0
1	0	ORS18	0.0	0.0	0.5	0.823	0.25	0.5	0.847	0.287	-0.409	0.5	0.0	-0.066	12.86	27.11	305.0	15.55	-22.2
	5	NRS18	0.292	0.0	0.5	0.823	0.25	0.5	0.847	0.287	-0.409	0.5	0.0	0.134	28.35	38.7	305.0	22.2	-31.69
	0	ORS18	25.72	31.1	-44.4	54.22	305.0		12.86	15.55	-22.2	27.11	305.0		4	270.0	305.0	0.0	1.0
	5	NRS18	56.71	2.35	-77.34	77.39	271.74	56.71	56.71	66.07	-40.3	77.4	328.61	77.39	4	305.0	271.74	0.585	0.415
2	0	ORS18	0.0	0.0	1.0	0.823	0.5	1.0	0.847	0.574	-0.818	0.0	0.0	0.1	25.72	54.22	305.0	31.1	-44.4
	5	NRS18	0.585	0.0	1.0	0.823	0.5	1.0	0.847	0.574	-0.818	0.0	0.0	0.5	56.71	77.39	305.0	44.39	-63.38
	0	ORS18	25.72	31.1	-44.4	54.22	305.0		25.72	31.1	-44.4	54.22	305.0		4	270.0	305.0	0.0	1.0
	5	NRS18	56.71	2.35	-77.34	77.39	271.74	56.71	56.71	66.07	-40.3	77.4	328.61	77.39	4	305.0	271.74	0.585	0.415
3	0	ORS18	0.0	0.5	0.0	0.46	0.25	0.5	0.419	-0.436	0.243	0.5	0.0	0.096	25.45	35.95	150.91	-31.41	17.48
	5	NRS18	0.081	0.5	0.0	0.46	0.25	0.5	0.419	-0.436	0.243	0.5	0.0	0.134	28.35	38.69	150.91	-33.8	18.81
	0	ORS18	50.9	-62.83	34.96	71.91	150.91		25.45	-31.41	17.48	35.95	150.91		1	150.0	96.38	1.0	0.0
	5	NRS18	56.71	-3.1	77.34	77.4	92.3	56.71	56.71	-73.68	23.63	77.39	162.22	77.39	1	150.91	92.3	0.838	0.162
4	0	ORS18	0.0	0.5	0.5	0.668	0.25	0.5	0.656	-0.278	-0.414	0.5	0.0	0.146	29.31	27.15	236.02	-15.16	-22.5
	5	NRS18	0.0	0.326	0.5	0.668	0.25	0.5	0.656	-0.278	-0.414	0.5	0.0	0.134	28.35	38.69	236.02	-21.62	-32.07
	0	ORS18	58.62	-30.34	-45.01	54.3	236.02		29.31	-15.16	-22.5	27.15	236.02		3	210.0	236.02	0.0	1.0
	5	NRS18	56.71	-61.81	-46.54	77.39	216.98	56.71	56.71	2.35	-77.34	77.39	271.74	77.39	3	236.02	216.98	0.348	0.652
5	0	ORS18	0.0	0.5	1.0	0.747	0.5	1.0	0.751	0.009	-0.999	0.0	0.0	0.312	42.17	44.72	270.48	0.38	-44.71
	5	NRS18	0.0	0.022	1.0	0.747	0.5	1.0	0.751	0.009	-0.999	0.0	0.0	0.5	56.71	77.39	270.51	0.69	-77.37
	0	ORS18	42.17	0.38	-44.71	44.72	270.48		42.17	0.38	-44.71	44.72	270.48		3	240.0	236.02	0.5	0.5
	5	NRS18	56.71	-61.81	-46.54	77.39	216.98	56.71	56.71	2.35	-77.34	77.39	271.74	77.39	3	270.51	216.98	0.978	0.022
6	0	ORS18	0.0	1.0	0.0	0.46	0.5	1.0	0.419	-0.873	0.486	0.0	0.0	0.425	50.9	71.91	150.91	-62.83	34.96
	5	NRS18	0.162	1.0	0.0	0.46	0.5	1.0	0.419	-0.873	0.486	0.0	0.0	0.5	56.71	77.39	150.91	-67.62	37.62
	0	ORS18	50.9	-62.83	34.96	71.91	150.91		50.9	-62.83	34.96	71.91	150.91		1	150.0	96.38	1.0	0.0
	5	NRS18	56.71	-3.1	77.34	77.4	92.3	56.71	56.71	-73.68	23.63	77.39	162.22	77.39	1	150.91	92.3	0.838	0.162
7	0	ORS18	0.0	1.0	0.5	0.571	0.5	1.0	0.537	-0.972	-0.232	0.0	0.0	0.475	54.76	46.86	186.17	-46.58	-5.02
	5	NRS18	0.0	1.0	0.571	0.571	0.5	1.0	0.537	-0.972	-0.232	0.0	0.0	0.5	56.71	77.39	193.47	-75.25	-18.01
	0	ORS18	54.76	-46.58	-5.02	46.86	186.17		54.76	-46.58	-5.02	46.86	186.17		2	180.0	150.91	0.5	0.5
	5	NRS18	56.71	-73.68	23.63	77.39	162.22	56.71	56.71	-61.81	-46.54	77.39	216.98	77.39	2	193.47	162.22	0.571	0.429
8	0	ORS18	0.0	1.0	1.0	0.668	0.5	1.0	0.656	-0.558	-0.828	0.0	0.0	0.525	58.62	54.3	236.02	-30.34	-45.01
	5	NRS18	0.0	0.652	1.0	0.668	0.5	1.0	0.656	-0.558	-0.828	0.0	0.0	0.5	56.71	77.39	236.02	-43.24	-64.16
	0	ORS18	58.62	-30.34	-45.01	54.3	236.02		58.62	-30.34	-45.01	54.3	236.02		3	210.0	236.02	0.0	1.0
	5	NRS18	56.71	-61.81	-46.54	77.39	216.98	56.71	56.71	2.35	-77.34	77.39	271.74	77.39	3	236.02	216.98	0.348	0.652

XG840-7, Farb-Management-Workflow: Farbmuster-Eingabedaten des natürlichen Farbverbindungsraums NCCS -> Muster-Farbausgabedaten eines Farbenraums

XG840-7, Farb-Management-Workflow: Farbmuster-Eingabedaten des natürlichen Farbverbindungsraums NCCS -> Muster-Farbausgabedaten eines Farbenraums