

Colorimetric data of colours F for system ORS18 for input of $olv_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (24.7, 91.8, 164.5, 271.4)

j	no.	System	$olv_{3,F}$	l_{mccu}^*	$LCHAB^*_{a,F}$	$XYZ_{xyCIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	0	ORS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5
002	0	ORS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0
003	0	ORS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5
004	0	ORS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5
005	0	ORS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0
006	0	ORS18	0.0	1.0	0.0	0.425	0.5	0.0	1.0
007	0	ORS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0
008	0	ORS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0
009	0	ORS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5
010	0	ORS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5
011	0	ORS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0
012	0	ORS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5
013	0	ORS18	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	0	ORS18	0.5	0.5	1.0	0.55	0.75	0.0	1.0
015	0	ORS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0
016	0	ORS18	0.5	1.0	0.5	0.713	0.75	0.0	1.0
017	0	ORS18	0.5	1.0	1.0	0.762	0.75	0.0	1.0
018	0	ORS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0
019	0	ORS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0
020	0	ORS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0
021	0	ORS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0
022	0	ORS18	1.0	0.5	0.5	0.695	0.75	0.0	1.0
023	0	ORS18	1.0	0.5	1.0	0.695	0.75	0.0	1.0
024	0	ORS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0
025	0	ORS18	1.0	1.0	0.5	0.966	0.75	0.0	1.0
026	0	ORS18	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

Colorimetric data of colours F for system TLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$oh^*_{3,F}$			$lmceu^*_F$			$LCHAB^*_{a,F}$				$XYZ^*_{CIE,a,F}$				$XYZ^*_{RGB,F}$				$RGB^*_{sRGB,F}$			$RGB^*_{AdobeRGB,F}$						
000	1	TLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.953	b81r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006	
001	1	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.5	0.825	b30r	15.27	23.89	306.0	14.04	-19.32	2.51	1.96	5.35	0.255	0.2	0.028	0.022	0.06	0.181	0.136	0.274	0.185	0.155	0.276
002	1	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	1.0	0.825	b30r	30.54	47.78	306.0	28.09	-38.65	9.09	6.46	22.88	0.237	0.168	0.103	0.073	0.258	0.335	0.243	0.55	0.316	0.251	0.537
003	1	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.5	0.406	j62g	41.82	46.54	136.0	-33.47	32.33	7.64	12.38	4.16	0.316	0.512	0.086	0.14	0.047	0.224	0.462	0.175	0.319	0.459	0.21
004	1	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.5	0.577	g30b	43.44	57.31	196.0	-55.08	-15.79	6.18	13.45	22.52	0.147	0.319	0.07	0.152	0.254	-1.729	0.515	0.529	-0.205	0.51	0.524
005	1	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	1.0	0.703	g81b	58.8	27.63	251.0	-8.99	-26.11	23.41	26.81	50.78	0.232	0.265	0.264	0.303	0.573	0.358	0.614	0.773	0.448	0.609	0.762
006	1	TLS00	0.0	1.0	0.0	0.877	0.5	0.0	1.0	0.406	j62g	83.63	93.08	136.0	-66.94	64.66	36.22	63.36	16.73	0.311	0.545	0.409	0.715	0.189	0.398	0.979	0.307	0.633	0.978	0.37
007	1	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.0	0.509	g03b	85.24	99.44	166.0	-96.48	24.06	29.86	66.49	46.41	0.209	0.466	0.337	0.75	0.524	-4.165	1.044	0.679	0.323	1.046	0.694
008	1	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.0	0.577	g30b	86.86	114.61	196.0	-110.16	31.58	28.13	69.72	124.16	0.127	0.314	0.317	0.787	1.401	-11.364	0.094	1.136	-0.559	1.097	1.14
009	1	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.5	0.054	r21j	25.26	55.48	40.0	42.5	35.66	8.13	4.5	0.55	0.617	0.341	0.092	0.051	0.006	0.502	0.075	0.017	0.43	0.102	0.053
010	1	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.5	0.874	b49r	28.51	64.21	328.0	54.45	-34.02	11.36	5.65	18.5	0.32	0.159	0.128	0.064	0.209	0.499	0.051	0.501	0.427	0.081	0.488
011	1	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	1.0	0.849	b39r	43.53	126.17	317.0	92.28	-86.04	32.28	13.51	91.44	0.235	0.098	0.364	0.153	1.032	0.688	-0.309	1.034	0.58	-0.183	1.016
012	1	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15j	46.31	46.5	103.0	-10.45	45.31	13.08	15.5	3.26	0.411	0.487	0.148	0.175	0.037	0.474	0.469	0.109	0.47	0.466	0.164
013	1	TLS00	0.5	0.5	0.5	0.5	0.5	0.0	0.5	0.953	b81r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.467	0.467	0.467	0.467
014	1	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.5	0.825	b30r	62.97	23.89	306.0	14.04	-19.32	33.86	31.55	51.17	0.29	0.271	0.382	0.356	0.578	0.667	0.603	0.773	0.644	0.597	0.762
015	1	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	1.0	0.345	j38g	88.26	89.21	119.0	-43.24	78.03	50.95	72.61	14.33	0.369	0.527	0.575	0.82	0.162	0.75	0.994	0.209	0.825	0.994	0.308
016	1	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.5	0.406	j62g	89.52	46.54	136.0	-33.47	32.33	56.88	75.27	45.58	0.32	0.424	0.642	0.85	0.514	0.747	0.997	0.67	0.824	0.997	0.682
017	1	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	0.5	0.577	g30b	91.14	57.31	196.0	-55.08	-15.79	51.15	78.78	109.74	0.213	0.329	0.577	0.889	1.239	-1.464	1.067	1.067	0.532	1.07	1.07
018	1	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	1.0	0.054	r21j	50.5	110.97	40.0	85.01	71.33	39.03	18.84	1.11	0.662	0.319	0.441	0.213	0.012	1.04	-0.352	-0.072	0.891	-0.194	-0.101
019	1	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	1.0	0.953	b81r	53.91	89.91	4.0	89.69	6.27	45.47	21.89	20.31	0.519	0.25	0.513	0.247	0.229	1.071	-0.31	0.507	0.918	-0.184	0.492
020	1	TLS00	1.0	0.0	1.0	0.598	0.5	0.0	1.0	0.874	b49r	57.01	128.42	328.0	108.91	-68.04	57.8	24.94	99.29	0.318	0.137	0.652	0.281	1.121	1.052	-0.742	1.069	0.897	-0.273	1.05
021	1	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	1.0	0.17	r68j	71.29	85.69	71.0	27.9	81.02	50.2	42.62	4.57	0.515	0.438	0.567	0.481	0.052	1.031	0.631	-0.155	0.937	0.625	0.071
022	1	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.5	0.054	r21j	72.96	55.48	40.0	42.5	35.66	58.76	45.1	22.2	0.466	0.358	0.663	0.509	0.251	1.1	0.604	0.482	0.991	0.598	0.484
023	1	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	0.5	0.874	b49r	76.21	64.21	328.0	54.45	-34.02	70.18	50.23	97.88	0.322	0.23	0.792	0.567	1.105	1.061	0.62	1.041	0.961	0.614	1.029
024	1	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0	0.288	j15j	92.62	93.01	103.0	-20.91	90.62	68.03	82.1	12.29	0.419	0.505	0.768	0.927	0.139	0.998	1.0	0.005	0.998	1.0	0.235
025	1	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15j	94.01	46.5	103.0	-10.45	45.31	75.83	85.31	40.96	0.375	0.422	0.856	0.963	0.462	1.027	0.998	0.618	1.02	0.998	0.634
026	1	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.953	b81r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

www.ps.bam.de/YE79/L79E00N1.PS;TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system FRS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (36.7, 91.6, 143.4, 232.0, 312.1, 337.2); Four hue angles of the elementary colours: (27.4, 91.9, 157.6, 273.4)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ_{xyCIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	2	FRS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	2	FRS06	0.0	0.0	0.5	0.023	0.25	0.5	0.5
002	2	FRS06	0.0	0.0	1.0	0.046	0.5	0.0	1.0
003	2	FRS06	0.0	0.5	0.0	0.196	0.25	0.5	0.5
004	2	FRS06	0.0	0.5	0.5	0.243	0.25	0.5	0.5
005	2	FRS06	0.0	0.5	1.0	0.266	0.5	0.0	1.0
006	2	FRS06	0.0	1.0	0.0	0.391	0.5	0.0	1.0
007	2	FRS06	0.0	1.0	0.5	0.437	0.5	0.0	1.0
008	2	FRS06	0.0	1.0	1.0	0.485	0.5	0.0	1.0
009	2	FRS06	0.5	0.0	0.0	0.155	0.25	0.5	0.5
010	2	FRS06	0.5	0.0	0.5	0.164	0.25	0.5	0.5
011	2	FRS06	0.5	0.0	1.0	0.192	0.5	0.0	1.0
012	2	FRS06	0.5	0.5	0.0	0.444	0.25	0.5	0.5
013	2	FRS06	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	2	FRS06	0.5	0.5	1.0	0.523	0.75	0.0	1.0
015	2	FRS06	0.5	1.0	0.0	0.635	0.5	0.0	1.0
016	2	FRS06	0.5	1.0	0.5	0.696	0.75	0.0	1.0
017	2	FRS06	0.5	1.0	1.0	0.743	0.75	0.0	1.0
018	2	FRS06	1.0	0.0	0.0	0.31	0.5	0.0	1.0
019	2	FRS06	1.0	0.0	0.5	0.318	0.5	0.0	1.0
020	2	FRS06	1.0	0.0	1.0	0.327	0.5	0.0	1.0
021	2	FRS06	1.0	0.5	0.0	0.598	0.5	0.0	1.0
022	2	FRS06	1.0	0.5	0.5	0.655	0.75	0.0	1.0
023	2	FRS06	1.0	0.5	1.0	0.664	0.75	0.0	1.0
024	2	FRS06	1.0	1.0	0.0	0.888	0.5	0.0	1.0
025	2	FRS06	1.0	1.0	0.5	0.944	0.75	0.0	1.0
026	2	FRS06	1.0	1.0	1.0	1.0	1.0	0.0	1.0

BAM registration: 20070501-YE79/L79E00N1.PS;TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

YE790-7, Tables 3x3x3 colours, page 3/24

BAM-test chart YE79; Colorimetric workflow, data FRS06
D65: 3x3x3 colorimetric data; 24 standard systems; page 3/24

input: $olv^*_{3,F}$ setrgbcolor
output: no change compared to input

www.ps.bam.de/YE79/L79E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system NLS500 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^*_{CIE,a,F}$	$XYZ^*_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	4	NLS500	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	4	NLS500	0.0	0.0	0.5	0.167	0.25	0.5	0.5
002	4	NLS500	0.0	0.0	1.0	0.333	0.5	0.0	1.0
003	4	NLS500	0.0	0.5	0.0	0.167	0.25	0.5	0.5
004	4	NLS500	0.0	0.5	0.5	0.333	0.25	0.5	0.5
005	4	NLS500	0.0	0.5	1.0	0.5	0.5	0.0	1.0
006	4	NLS500	0.0	1.0	0.0	0.333	0.5	0.0	1.0
007	4	NLS500	0.0	1.0	0.5	0.5	0.5	0.0	1.0
008	4	NLS500	0.0	1.0	1.0	0.667	0.5	0.0	1.0
009	4	NLS500	0.5	0.0	0.0	0.167	0.25	0.5	0.5
010	4	NLS500	0.5	0.0	0.5	0.333	0.25	0.5	0.5
011	4	NLS500	0.5	0.0	1.0	0.5	0.5	0.0	1.0
012	4	NLS500	0.5	0.5	0.0	0.333	0.25	0.5	0.5
013	4	NLS500	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	4	NLS500	0.5	0.5	1.0	0.667	0.75	0.0	1.0
015	4	NLS500	0.5	1.0	0.0	0.5	0.5	0.0	1.0
016	4	NLS500	0.5	1.0	0.5	0.667	0.75	0.0	1.0
017	4	NLS500	0.5	1.0	1.0	0.833	0.75	0.0	1.0
018	4	NLS500	1.0	0.0	0.0	0.333	0.5	0.0	1.0
019	4	NLS500	1.0	0.0	0.5	0.5	0.5	0.0	1.0
020	4	NLS500	1.0	0.0	1.0	0.667	0.5	0.0	1.0
021	4	NLS500	1.0	0.5	0.0	0.5	0.5	0.0	1.0
022	4	NLS500	1.0	0.5	0.5	0.667	0.75	0.0	1.0
023	4	NLS500	1.0	0.5	1.0	0.833	0.75	0.0	1.0
024	4	NLS500	1.0	1.0	0.0	0.667	0.5	0.0	1.0
025	4	NLS500	1.0	1.0	0.5	0.833	0.75	0.0	1.0
026	4	NLS500	1.0	1.0	1.0	1.0	1.0	0.0	1.0

BAM registration: 20070501-YE79/L79E00N1.PS/.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

YE790-7, Tables 3x3x3 colours, page 5/24

BAM-test chart YE79; Colorimetric workflow, data NLS500
D65: 3x3x3 colorimetric data; 24 standard systems; page 5/24

input: $olv^*_{3,F}$ setrgbcolor
output: no change compared to input

www.ps.bam.de/YE79/L79E00N1.PS;TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system NRS18 for input of $olv_{3,F}$; Six hue angles of the colour device: (25.5, 92.3, 162.2, 217.0, 271.7, 328.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	5	NRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5
002	5	NRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0
003	5	NRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5
004	5	NRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5
005	5	NRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0
006	5	NRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0
007	5	NRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0
008	5	NRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0
009	5	NRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5
010	5	NRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5
011	5	NRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0
012	5	NRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5
013	5	NRS18	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	5	NRS18	0.5	0.5	1.0	0.75	0.75	0.0	1.0
015	5	NRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0
016	5	NRS18	0.5	1.0	0.5	0.75	0.75	0.0	1.0
017	5	NRS18	0.5	1.0	1.0	0.75	0.75	0.0	1.0
018	5	NRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0
019	5	NRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0
020	5	NRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0
021	5	NRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0
022	5	NRS18	1.0	0.5	0.5	0.75	0.75	0.0	1.0
023	5	NRS18	1.0	0.5	1.0	0.75	0.75	0.0	1.0
024	5	NRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0
025	5	NRS18	1.0	1.0	0.5	0.75	0.75	0.0	1.0
026	5	NRS18	1.0	1.0	1.0	0.75	0.75	0.0	1.0

BAM registration: 20070501-YE79/L79E00N1.PS;TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

YE790-7, Tables 3x3x3 colours, page 6/24

BAM-test chart YE79; Colorimetric workflow, data NRS18
D65: 3x3x3 colorimetric data; 24 standard systems; page 6/24

input: $olv^*_{setrgbcolor}$
output: no change compared to input

Colorimetric data of colours F for system SRS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^{xyCIE}_{a,F}$	$XYZ^{RGB,F}$	$RGB^{sRGB,F}$	$RGB^{AdobeRGB,F}$
000	6	SRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	6	SRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5
002	6	SRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0
003	6	SRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5
004	6	SRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5
005	6	SRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0
006	6	SRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0
007	6	SRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0
008	6	SRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0
009	6	SRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5
010	6	SRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5
011	6	SRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0
012	6	SRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5
013	6	SRS18	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	6	SRS18	0.5	0.5	1.0	0.75	0.75	0.0	1.0
015	6	SRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0
016	6	SRS18	0.5	1.0	0.5	0.75	0.75	0.0	1.0
017	6	SRS18	0.5	1.0	1.0	0.75	0.75	0.0	1.0
018	6	SRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0
019	6	SRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0
020	6	SRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0
021	6	SRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0
022	6	SRS18	1.0	0.5	0.5	0.75	0.75	0.0	1.0
023	6	SRS18	1.0	0.5	1.0	0.75	0.75	0.0	1.0
024	6	SRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0
025	6	SRS18	1.0	1.0	0.5	0.75	0.75	0.0	1.0
026	6	SRS18	1.0	1.0	1.0	0.75	0.75	0.0	1.0

www.ps.bam.de/YE79/L79E00N1.PS.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system TLS00 for input of $ol\gamma_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$ol\gamma_{3,F}$	$lncu\gamma_F$	$LCHAB^*_{a,F}$	$XYZ_{xyCIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	8	TLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	8	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.185
002	8	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	0.316
003	8	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.319
004	8	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.529
005	8	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	0.773
006	8	TLS00	0.0	1.0	0.0	0.876	0.5	0.0	0.978
007	8	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.045
008	8	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.097
009	8	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.102
010	8	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.081
011	8	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	0.183
012	8	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.466
013	8	TLS00	0.5	0.5	0.5	0.5	0.5	0.0	0.467
014	8	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.761
015	8	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	0.994
016	8	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.997
017	8	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	1.07
018	8	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	0.891
019	8	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	0.918
020	8	TLS00	1.0	0.0	1.0	0.597	0.5	0.0	1.069
021	8	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	0.937
022	8	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.991
023	8	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	1.029
024	8	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0
025	8	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	1.0
026	8	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

YE790-7, Tables 3x3x3 colours, page 9/24

BAM-test chart YE79; Colorimetric workflow, data TLS00
D65: 3x3x3 colorimetric data; 24 standard systems; page 9/24

input: $ol\gamma^*_{setrgbcolor}$
output: no change compared to input

Colorimetric data of colours F for system TLS06 for input of $olv_{3,F}$: Six hue angles of the colour device: (38.3, 102.9, 136.2, 196.4, 305.7, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)																														
j	no.	System	$olv_{3,F}$			$lmcue_F$			$LCHAB^*_{a,F}$			$XYZ^{xyCIE}_{a,F}$			XYZ^{RGB}_F			$RGB^*_{sRGB}_F$			$RGB^*_{AdobeRGB}_F$									
000	9	TLS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.951	b80r	5.69	0.0	0.0	0.6	0.63	0.69	0.313	0.329	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105		
001	9	TLS06	0.0	0.0	0.5	0.147	0.25	0.5	0.5	0.825	b30r	18.88	62.35	306.0	36.65	-50.43	4.97	2.72	18.4	0.191	0.014	0.056	0.031	0.208	0.193	0.111	0.503	0.189	0.133	0.49
002	9	TLS06	0.0	0.0	1.0	0.294	0.5	0.0	1.0	0.825	b30r	32.07	124.7	306.0	73.3	-100.88	16.78	7.11	84.46	0.155	0.066	0.189	0.08	0.953	0.128	0.077	1.001	0.137	0.103	0.982
003	9	TLS06	0.0	0.5	0.0	0.435	0.25	0.5	0.5	0.406	j62g	44.74	45.73	136.0	-32.88	31.76	9.12	14.35	5.29	0.317	0.499	0.103	0.162	0.06	0.26	0.492	0.208	0.348	0.488	0.239
004	9	TLS06	0.0	0.5	0.5	0.453	0.25	0.5	0.5	0.577	g30b	46.31	56.41	196.0	-54.22	-15.54	7.49	15.45	21.31	0.155	0.321	0.085	0.175	0.286	-1.175	0.545	0.557	-0.185	0.54	0.552
005	9	TLS06	0.0	0.5	1.0	0.598	0.5	0.0	1.0	0.577	g81b	59.38	27.54	251.0	-8.96	-26.03	23.99	27.44	51.69	0.233	0.266	0.271	0.31	0.583	0.366	0.621	0.779	0.454	0.615	0.768
006	9	TLS06	0.0	1.0	0.0	0.87	0.5	0.0	1.0	0.406	j62g	83.79	91.45	136.0	-65.78	63.53	36.77	63.65	17.39	0.312	0.54	0.415	0.718	0.196	0.414	0.979	0.321	0.639	0.979	0.381
007	9	TLS06	0.0	1.0	0.5	0.887	0.5	0.0	1.0	0.509	g03b	85.31	98.01	166.0	-95.09	23.71	30.31	66.62	46.84	0.211	0.463	0.342	0.752	0.529	-4.015	1.043	0.683	0.337	1.045	0.697
008	9	TLS06	0.0	1.0	1.0	0.905	0.5	0.0	1.0	0.577	g30b	86.92	112.82	196.0	-108.44	-31.09	28.63	69.84	123.47	0.129	0.315	0.343	0.788	1.394	-11.1021	0.931	1.133	-0.547	1.096	1.137
009	9	TLS06	0.5	0.0	0.0	0.253	0.25	0.5	0.5	0.047	r18j	28.4	54.54	38.0	42.98	33.58	9.79	5.61	1.08	0.594	0.34	0.11	0.063	0.012	0.542	0.113	0.071	0.465	0.135	0.5
010	9	TLS06	0.5	0.0	0.5	0.289	0.25	0.5	0.5	0.874	b49r	31.6	62.36	328.0	52.89	-33.04	13.07	6.91	20.77	0.321	0.17	0.148	0.078	0.234	0.528	0.119	0.527	0.454	0.139	0.513
011	9	TLS06	0.5	0.0	1.0	0.436	0.5	0.0	1.0	0.849	b39r	44.79	122.42	317.0	89.53	-83.48	33.04	14.39	90.89	0.239	0.104	0.373	0.162	1.026	0.7	-0.179	1.031	0.592	-0.143	1.012
012	9	TLS06	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	49.18	45.77	103.0	-10.29	44.6	15.07	17.74	4.24	0.407	0.479	0.17	0.2	0.048	0.506	0.499	0.148	0.5	0.495	0.194
013	9	TLS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.951	b80r	50.55	0.0	0.0	0.0	0.0	17.95	18.88	20.56	0.313	0.329	0.203	0.213	0.232	0.499	0.499	0.495	0.495	0.495	0.495
014	9	TLS06	0.5	0.5	1.0	0.647	0.75	0.0	0.5	0.825	b30r	63.74	62.35	306.0	36.65	-50.43	41.84	32.48	90.34	0.254	0.197	0.472	0.367	1.02	0.707	0.559	1.013	0.663	0.554	0.999
015	9	TLS06	0.5	1.0	0.0	0.918	0.5	0.0	1.0	0.406	j62g	88.09	87.73	120.0	-43.85	75.98	50.44	72.25	15.09	0.366	0.524	0.566	0.815	0.17	0.74	0.994	0.236	0.818	0.993	0.634
016	9	TLS06	0.5	1.0	0.5	0.935	0.75	0.0	0.5	0.349	j39g	89.6	45.73	136.0	-32.88	31.76	57.25	74.44	46.22	0.32	0.42	0.649	0.851	0.522	0.752	0.997	0.675	0.827	0.997	0.687
017	9	TLS06	0.5	1.0	1.0	0.953	0.75	0.0	0.5	0.577	g30b	91.17	56.41	196.0	-54.22	-15.54	51.53	78.85	109.42	0.215	0.329	0.582	0.89	1.235	-1.279	1.066	1.066	0.541	1.069	1.068
018	9	TLS06	1.0	0.0	0.0	0.506	0.5	0.0	1.0	0.047	r18j	51.11	109.08	38.0	85.96	67.16	40.17	19.36	1.56	0.658	0.317	0.453	0.219	0.018	1.053	-0.367	-0.009	0.902	-0.198	-0.057
019	9	TLS06	1.0	0.0	0.5	0.543	0.5	0.0	1.0	0.951	b80r	54.43	89.63	3.0	89.51	4.69	46.19	22.39	21.66	0.512	0.248	0.521	0.253	0.244	1.075	-0.269	0.523	0.922	-0.172	0.508
020	9	TLS06	1.0	0.0	1.0	0.578	0.5	0.0	1.0	0.874	b49r	57.51	124.73	328.0	105.77	-66.08	57.41	25.45	97.62	0.318	0.141	0.648	0.287	1.102	1.046	-0.554	1.06	0.894	-0.239	1.041
021	9	TLS06	1.0	0.5	0.0	0.74	0.5	0.0	1.0	0.17	r68j	72.12	81.37	71.0	26.49	76.93	51.01	43.84	5.74	0.507	0.436	0.576	0.495	0.065	1.031	0.645	-0.004	0.94	0.639	0.148
022	9	TLS06	1.0	0.5	0.5	0.753	0.75	0.0	0.5	0.047	r18j	73.26	51.54	38.0	42.98	33.58	59.5	45.66	27.71	0.462	0.354	0.672	0.514	0.268	1.104	0.606	0.901	0.995	0.6	1.025
023	9	TLS06	1.0	0.5	1.0	0.789	0.75	0.0	0.5	0.874	b49r	76.46	62.36	328.0	52.89	-33.04	69.95	50.64	97.05	0.321	0.233	0.79	0.572	1.095	1.057	0.629	1.037	0.959	0.622	1.052
024	9	TLS06	1.0	1.0	0.0	0.969	0.5	0.0	1.0	0.288	j15g	92.66	91.54	103.0	-20.58	89.19	68.28	82.2	12.87	0.418	0.503	0.771	0.928	0.145	0.999	1.0	0.08	1.0	0.252	
025	9	TLS06	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.04	45.77	103.0	-10.29	44.6	75.96	85.36	16.1	0.374	0.421	0.857	0.963	0.47	1.027	0.998	0.624	1.02	0.998	0.64
026	9	TLS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.951	b80r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system TLS11 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.0, 103.1, 136.5, 196.4, 305.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^*_{CIE,a,F}$	$XYZ^*_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	10	TLS11	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	10	TLS11	0.0	0.0	0.5	0.131	0.25	0.5	0.5
002	10	TLS11	0.0	0.0	1.0	0.263	0.5	0.0	1.0
003	10	TLS11	0.0	0.5	0.0	0.432	0.25	0.5	0.5
004	10	TLS11	0.0	0.5	0.5	0.45	0.25	0.5	0.5
005	10	TLS11	0.0	0.5	1.0	0.58	0.5	0.0	1.0
006	10	TLS11	0.0	1.0	0.0	0.864	0.5	0.0	1.0
007	10	TLS11	0.0	1.0	0.5	0.881	0.5	0.0	1.0
008	10	TLS11	0.0	1.0	1.0	0.9	0.5	0.0	1.0
009	10	TLS11	0.5	0.0	0.0	0.241	0.25	0.5	0.5
010	10	TLS11	0.5	0.0	0.5	0.278	0.25	0.5	0.5
011	10	TLS11	0.5	0.0	1.0	0.414	0.5	0.0	1.0
012	10	TLS11	0.5	0.5	0.0	0.484	0.25	0.5	0.5
013	10	TLS11	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	10	TLS11	0.5	0.5	1.0	0.631	0.75	0.0	1.0
015	10	TLS11	0.5	1.0	0.0	0.914	0.5	0.0	1.0
016	10	TLS11	0.5	1.0	0.5	0.932	0.75	0.0	1.0
017	10	TLS11	0.5	1.0	1.0	0.95	0.75	0.0	1.0
018	10	TLS11	1.0	0.0	0.0	0.482	0.5	0.0	1.0
019	10	TLS11	1.0	0.0	0.5	0.52	0.5	0.0	1.0
020	10	TLS11	1.0	0.0	1.0	0.557	0.5	0.0	1.0
021	10	TLS11	1.0	0.5	0.0	0.725	0.5	0.0	1.0
022	10	TLS11	1.0	0.5	0.5	0.741	0.75	0.0	1.0
023	10	TLS11	1.0	0.5	1.0	0.778	0.75	0.0	1.0
024	10	TLS11	1.0	1.0	0.0	0.968	0.5	0.0	1.0
025	10	TLS11	1.0	1.0	0.5	0.984	0.75	0.0	1.0
026	10	TLS11	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

www.ps.bam.de/YE79/L79E00N1.PS.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system TLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (34.9, 103.3, 136.9, 196.5, 304.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	11	TLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	11	TLS18	0.0	0.0	0.5	0.114	0.25	0.5	0.5
002	11	TLS18	0.0	0.0	1.0	0.228	0.5	0.0	1.0
003	11	TLS18	0.0	0.5	0.0	0.426	0.25	0.5	0.5
004	11	TLS18	0.0	0.5	0.5	0.446	0.25	0.5	0.5
005	11	TLS18	0.0	0.5	1.0	0.562	0.5	0.0	1.0
006	11	TLS18	0.0	1.0	0.0	0.853	0.5	0.0	1.0
007	11	TLS18	0.0	1.0	0.5	0.873	0.5	0.0	1.0
008	11	TLS18	0.0	1.0	1.0	0.893	0.5	0.0	1.0
009	11	TLS18	0.5	0.0	0.0	0.225	0.25	0.5	0.5
010	11	TLS18	0.5	0.0	0.5	0.264	0.25	0.5	0.5
011	11	TLS18	0.5	0.0	1.0	0.375	0.5	0.0	1.0
012	11	TLS18	0.5	0.5	0.0	0.482	0.25	0.5	0.5
013	11	TLS18	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	11	TLS18	0.5	0.5	1.0	0.614	0.75	0.0	1.0
015	11	TLS18	0.5	1.0	0.0	0.909	0.5	0.0	1.0
016	11	TLS18	0.5	1.0	0.5	0.926	0.75	0.0	1.0
017	11	TLS18	0.5	1.0	1.0	0.946	0.75	0.0	1.0
018	11	TLS18	1.0	0.0	0.0	0.45	0.5	0.0	1.0
019	11	TLS18	1.0	0.0	0.5	0.49	0.5	0.0	1.0
020	11	TLS18	1.0	0.0	1.0	0.529	0.5	0.0	1.0
021	11	TLS18	1.0	0.5	0.0	0.707	0.5	0.0	1.0
022	11	TLS18	1.0	0.5	0.5	0.725	0.75	0.0	1.0
023	11	TLS18	1.0	0.5	1.0	0.764	0.75	0.0	1.0
024	11	TLS18	1.0	1.0	0.0	0.964	0.5	0.0	1.0
025	11	TLS18	1.0	1.0	0.5	0.982	0.75	0.0	1.0
026	11	TLS18	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

YE790-7, Tables 3x3x3 colours, page 12/24

BAM test chart YE79; Colorimetric workflow, data TLS18
D65: 3x3x3 colorimetric data; 24 standard systems; page 12/24

input: $olv^*_{3,F}$ setrgbcolor
output: no change compared to input

Colorimetric data of colours F for system TLS28 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (32.0, 103.7, 137.6, 196.6, 302.8, 327.9); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^*_{CIE,a,F}$	$XYZ^*_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	12	TLS28	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	12	TLS28	0.0	0.0	0.5	0.095	0.25	0.5	0.5
002	12	TLS28	0.0	0.0	1.0	0.19	0.5	0.0	1.0
003	12	TLS28	0.0	0.5	0.0	0.42	0.25	0.5	0.5
004	12	TLS28	0.0	0.5	0.5	0.44	0.25	0.5	0.5
005	12	TLS28	0.0	0.5	1.0	0.533	0.5	0.0	1.0
006	12	TLS28	0.0	1.0	0.0	0.839	0.5	0.0	1.0
007	12	TLS28	0.0	1.0	0.5	0.861	0.5	0.0	1.0
008	12	TLS28	0.0	1.0	1.0	0.88	0.5	0.0	1.0
009	12	TLS28	0.5	0.0	0.0	0.205	0.25	0.5	0.5
010	12	TLS28	0.5	0.0	0.5	0.246	0.25	0.5	0.5
011	12	TLS28	0.5	0.0	1.0	0.336	0.5	0.0	1.0
012	12	TLS28	0.5	0.5	0.0	0.48	0.25	0.5	0.5
013	12	TLS28	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	12	TLS28	0.5	0.5	1.0	0.595	0.75	0.0	1.0
015	12	TLS28	0.5	1.0	0.0	0.899	0.5	0.0	1.0
016	12	TLS28	0.5	1.0	0.5	0.92	0.75	0.0	1.0
017	12	TLS28	0.5	1.0	1.0	0.94	0.75	0.0	1.0
018	12	TLS28	1.0	0.0	0.0	0.409	0.5	0.0	1.0
019	12	TLS28	1.0	0.0	0.5	0.451	0.5	0.0	1.0
020	12	TLS28	1.0	0.0	1.0	0.493	0.5	0.0	1.0
021	12	TLS28	1.0	0.5	0.0	0.687	0.5	0.0	1.0
022	12	TLS28	1.0	0.5	0.5	0.705	0.75	0.0	1.0
023	12	TLS28	1.0	0.5	1.0	0.746	0.75	0.0	1.0
024	12	TLS28	1.0	1.0	0.0	0.961	0.5	0.0	1.0
025	12	TLS28	1.0	1.0	0.5	0.98	0.75	0.0	1.0
026	12	TLS28	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4a

Colorimetric data of colours F for system TLS38 for input of olv^*_F ; Six hue angles of the colour device: (28.5, 104.3, 138.8, 196.8, 300.4, 327.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	olv^*_F	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^{xyCIE}_{a,F}$	XYZ^{RGB}_F	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	13	TLS38	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	13	TLS38	0.0	0.0	0.5	0.077	0.25	0.5	0.5
002	13	TLS38	0.0	0.0	1.0	0.153	0.5	0.0	1.0
003	13	TLS38	0.0	0.5	0.0	0.41	0.25	0.5	0.5
004	13	TLS38	0.0	0.5	0.5	0.434	0.25	0.5	0.5
005	13	TLS38	0.0	0.5	1.0	0.507	0.5	0.0	1.0
006	13	TLS38	0.0	1.0	0.0	0.821	0.5	0.0	1.0
007	13	TLS38	0.0	1.0	0.5	0.845	0.5	0.0	1.0
008	13	TLS38	0.0	1.0	1.0	0.868	0.5	0.0	1.0
009	13	TLS38	0.5	0.0	0.0	0.181	0.25	0.5	0.5
010	13	TLS38	0.5	0.0	0.5	0.224	0.25	0.5	0.5
011	13	TLS38	0.5	0.0	1.0	0.299	0.5	0.0	1.0
012	13	TLS38	0.5	0.5	0.0	0.477	0.25	0.5	0.5
013	13	TLS38	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	13	TLS38	0.5	0.5	1.0	0.577	0.75	0.0	1.0
015	13	TLS38	0.5	1.0	0.0	0.887	0.5	0.0	1.0
016	13	TLS38	0.5	1.0	0.5	0.91	0.75	0.0	1.0
017	13	TLS38	0.5	1.0	1.0	0.934	0.75	0.0	1.0
018	13	TLS38	1.0	0.0	0.0	0.363	0.5	0.0	1.0
019	13	TLS38	1.0	0.0	0.5	0.405	0.5	0.0	1.0
020	13	TLS38	1.0	0.0	1.0	0.447	0.5	0.0	1.0
021	13	TLS38	1.0	0.5	0.0	0.656	0.5	0.0	1.0
022	13	TLS38	1.0	0.5	0.5	0.681	0.75	0.0	1.0
023	13	TLS38	1.0	0.5	1.0	0.724	0.75	0.0	1.0
024	13	TLS38	1.0	1.0	0.0	0.955	0.5	0.0	1.0
025	13	TLS38	1.0	1.0	0.5	0.977	0.75	0.0	1.0
026	13	TLS38	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

Colorimetric data of colours F for system TLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.0, 105.5, 140.4, 197.1, 297.3, 327.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ^{xyCIE}_{a,F}$	$XYZ^{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	14	TLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	14	TLS50	0.0	0.0	0.5	0.06	0.25	0.5	0.5
002	14	TLS50	0.0	0.0	1.0	0.121	0.5	0.0	1.0
003	14	TLS50	0.0	0.5	0.0	0.399	0.25	0.5	0.5
004	14	TLS50	0.0	0.5	0.5	0.425	0.25	0.5	0.5
005	14	TLS50	0.0	0.5	1.0	0.486	0.5	0.0	1.0
006	14	TLS50	0.0	1.0	0.0	0.798	0.5	0.0	1.0
007	14	TLS50	0.0	1.0	0.5	0.824	0.5	0.0	1.0
008	14	TLS50	0.0	1.0	1.0	0.851	0.5	0.0	1.0
009	14	TLS50	0.5	0.0	0.0	0.156	0.25	0.5	0.5
010	14	TLS50	0.5	0.0	0.5	0.198	0.25	0.5	0.5
011	14	TLS50	0.5	0.0	1.0	0.256	0.5	0.0	1.0
012	14	TLS50	0.5	0.5	0.0	0.475	0.25	0.5	0.5
013	14	TLS50	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	14	TLS50	0.5	0.5	1.0	0.56	0.75	0.0	1.0
015	14	TLS50	0.5	1.0	0.0	0.873	0.5	0.0	1.0
016	14	TLS50	0.5	1.0	0.5	0.899	0.75	0.0	1.0
017	14	TLS50	0.5	1.0	1.0	0.925	0.75	0.0	1.0
018	14	TLS50	1.0	0.0	0.0	0.312	0.5	0.0	1.0
019	14	TLS50	1.0	0.0	0.5	0.354	0.5	0.0	1.0
020	14	TLS50	1.0	0.0	1.0	0.396	0.5	0.0	1.0
021	14	TLS50	1.0	0.5	0.0	0.629	0.5	0.0	1.0
022	14	TLS50	1.0	0.5	0.5	0.656	0.75	0.0	1.0
023	14	TLS50	1.0	0.5	1.0	0.698	0.75	0.0	1.0
024	14	TLS50	1.0	1.0	0.0	0.949	0.5	0.0	1.0
025	14	TLS50	1.0	1.0	0.5	0.975	0.75	0.0	1.0
026	14	TLS50	1.0	1.0	1.0	1.0	1.0	0.0	1.0

0.00 0.05 0.10 0.15 0.20 0.25 0.30 0.35 0.40 0.45 0.50 0.55 0.60 0.65 0.70 0.75 0.80 0.85 0.90 0.95 1.00

www.ps.bam.de/YE79/L79E00N1.PS.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system TLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_{3,F}$	$LCHAB^*_{a,F}$	$XYZ^{xyCIE}_{a,F}$	$XYZ^{RGB}_{a,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	15	TLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	15	TLS70	0.0	0.0	0.5	0.047	0.25	0.5	0.799
002	15	TLS70	0.0	0.0	1.0	0.094	0.5	0.0	1.0
003	15	TLS70	0.0	0.5	0.0	0.382	0.25	0.5	0.5
004	15	TLS70	0.0	0.5	0.5	0.412	0.25	0.5	0.582
005	15	TLS70	0.0	0.5	1.0	0.458	0.5	0.0	1.0
006	15	TLS70	0.0	1.0	0.0	0.765	0.5	0.0	1.0
007	15	TLS70	0.0	1.0	0.5	0.794	0.5	0.0	1.0
008	15	TLS70	0.0	1.0	1.0	0.820	0.5	0.0	1.0
009	15	TLS70	0.5	0.0	0.0	0.131	0.25	0.5	0.5
010	15	TLS70	0.5	0.0	0.5	0.171	0.25	0.5	0.5
011	15	TLS70	0.5	0.0	1.0	0.218	0.5	0.0	1.0
012	15	TLS70	0.5	0.5	0.0	0.47	0.25	0.5	0.5
013	15	TLS70	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	15	TLS70	0.5	0.5	1.0	0.547	0.75	0.0	1.0
015	15	TLS70	0.5	1.0	0.0	0.852	0.5	0.0	1.0
016	15	TLS70	0.5	1.0	0.5	0.882	0.75	0.0	1.0
017	15	TLS70	0.5	1.0	1.0	0.912	0.75	0.0	1.0
018	15	TLS70	1.0	0.0	0.0	0.262	0.5	0.0	1.0
019	15	TLS70	1.0	0.0	0.5	0.302	0.5	0.0	1.0
020	15	TLS70	1.0	0.0	1.0	0.342	0.5	0.0	1.0
021	15	TLS70	1.0	0.5	0.0	0.605	0.5	0.0	1.0
022	15	TLS70	1.0	0.5	0.5	0.631	0.75	0.0	1.0
023	15	TLS70	1.0	0.5	1.0	0.671	0.75	0.0	1.0
024	15	TLS70	1.0	1.0	0.0	0.94	0.5	0.0	1.0
025	15	TLS70	1.0	1.0	0.5	0.97	0.75	0.0	1.0
026	15	TLS70	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

YE790-7, Tables 3x3x3 colours, page 16/24

BAM-test chart YE79; Colorimetric workflow, data TLS70
D65: 3x3x3 colorimetric data; 24 standard systems; page 16/24

input: $olv^*_{3,F}$ setrgbcolor
output: no change compared to input

Colorimetric data of colours F for system OLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (46.6, 96.1, 150.0, 235.1, 309.2, 353.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$	$lncu^*_F$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	16	OLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	16	OLS50	0.0	0.5	0.087 0.25 0.5	0.5	0.832 b32r	8.3	28.84 309.0 18.15 -22.4
002	16	OLS50	0.0	1.0	0.174 0.5 0.0	1.0	0.832 b32r	16.59	57.68 309.0 36.3 -44.82
003	16	OLS50	0.0	0.5	0.0	0.5	0.456 j82g	24.24	50.02 150.0 -43.31 25.01
004	16	OLS50	0.0	0.5	0.5	0.5	0.666 g66b	28.44	42.2 235.0 -24.19 -34.56
005	16	OLS50	0.0	0.5	1.0	1.0	0.751 b00r	36.75	46.15 272.0 1.61 -46.11
006	16	OLS50	0.0	1.0	0.0	1.0	0.456 j82g	48.47	100.05 150.0 -86.63 50.02
007	16	OLS50	0.0	1.0	0.5	1.0	0.57 g28b	52.71	62.27 193.0 -60.67 -14.0
008	16	OLS50	0.0	1.0	1.0	1.0	0.666 g66b	56.87	84.39 235.0 -48.4 -69.12
009	16	OLS50	0.5	0.0	0.0	0.0	0.081 r32j	22.75	51.81 47.0 35.33 37.89
010	16	OLS50	0.5	0.0	0.5	0.5	0.931 b72r	22.68	41.02 354.0 40.79 -4.28
011	16	OLS50	0.5	0.0	1.0	1.0	0.88 b52r	30.69	67.18 331.0 58.76 -32.56
012	16	OLS50	0.5	0.5	0.0	0.5	0.263 j05g	45.08	51.93 96.0 -5.42 51.64
013	16	OLS50	0.5	0.5	0.5	0.5	0.988 b95r	47.71	1.0 0.0 15.75 16.57
014	16	OLS50	0.5	0.5	1.0	1.0	0.832 b32r	56.0	28.84 309.0 18.15 -22.4
015	16	OLS50	0.5	1.0	0.0	1.0	0.36 j43g	69.38	89.19 123.0 -48.56 74.8
016	16	OLS50	0.5	1.0	0.5	0.5	0.456 j82g	71.94	50.02 150.0 -43.31 25.01
017	16	OLS50	0.5	1.0	1.0	1.0	0.666 g66b	76.14	42.2 235.0 -24.19 -34.56
018	16	OLS50	1.0	0.0	0.0	1.0	0.081 r32j	45.48	103.61 47.0 70.66 75.78
019	16	OLS50	1.0	0.0	0.5	1.0	0.988 b95r	45.25	73.69 20.0 69.24 25.2
020	16	OLS50	1.0	0.0	1.0	1.0	0.931 b72r	45.36	82.04 354.0 81.59 -8.57
021	16	OLS50	1.0	0.5	0.0	1.0	0.17 r68j	67.36	94.4 71.0 30.73 89.25
022	16	OLS50	1.0	0.5	0.5	0.5	0.081 r32j	70.45	51.81 47.0 35.33 37.89
023	16	OLS50	1.0	0.5	1.0	1.0	0.931 b72r	70.38	41.02 354.0 40.79 -4.28
024	16	OLS50	1.0	1.0	0.0	1.0	0.263 j05g	90.15	103.86 96.0 -10.85 103.29
025	16	OLS50	1.0	1.0	0.5	0.5	0.263 j05g	92.78	51.93 96.0 -5.42 51.64
026	16	OLS50	1.0	1.0	1.0	1.0	0.988 b95r	95.41	0.0 0.0 0.0 0.0

Colorimetric data of colours F for system OLS06 for input of $olv_{3,F}$; Six hue angles of the colour device: (43.8, 96.2, 150.3, 235.3, 307.8, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	17	OLS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	17	OLS06	0.0	0.0	0.5	0.076	0.25	0.5	0.5
002	17	OLS06	0.0	0.0	1.0	0.152	0.5	0.0	1.0
003	17	OLS06	0.0	0.5	0.0	0.243	0.25	0.5	0.5
004	17	OLS06	0.0	0.5	0.5	0.288	0.25	0.5	0.5
005	17	OLS06	0.0	0.5	1.0	0.361	0.5	0.0	1.0
006	17	OLS06	0.0	1.0	0.0	0.486	0.5	0.0	1.0
007	17	OLS06	0.0	1.0	0.5	0.53	0.5	0.0	1.0
008	17	OLS06	0.0	1.0	1.0	0.575	0.5	0.0	1.0
009	17	OLS06	0.5	0.0	0.0	0.225	0.25	0.5	0.5
010	17	OLS06	0.5	0.0	0.5	0.225	0.25	0.5	0.5
011	17	OLS06	0.5	0.0	1.0	0.303	0.5	0.0	1.0
012	17	OLS06	0.5	0.5	0.0	0.47	0.25	0.5	0.5
013	17	OLS06	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	17	OLS06	0.5	0.5	1.0	0.576	0.75	0.0	1.0
015	17	OLS06	0.5	1.0	0.0	0.715	0.5	0.0	1.0
016	17	OLS06	0.5	1.0	0.5	0.743	0.75	0.0	1.0
017	17	OLS06	0.5	1.0	1.0	0.788	0.75	0.0	1.0
018	17	OLS06	1.0	0.0	0.0	0.449	0.5	0.0	1.0
019	17	OLS06	1.0	0.0	0.5	0.449	0.5	0.0	1.0
020	17	OLS06	1.0	0.0	1.0	0.45	0.5	0.0	1.0
021	17	OLS06	1.0	0.5	0.0	0.695	0.5	0.0	1.0
022	17	OLS06	1.0	0.5	0.5	0.725	0.75	0.0	1.0
023	17	OLS06	1.0	0.5	1.0	0.725	0.75	0.0	1.0
024	17	OLS06	1.0	1.0	0.0	0.941	0.5	0.0	1.0
025	17	OLS06	1.0	1.0	0.5	0.97	0.75	0.0	1.0
026	17	OLS06	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

www.ps.bam.de/YE79/L79E00N1.PS.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system OLS11 for input of $ol\gamma_{3,F}$; Six hue angles of the colour device: (41.1, 96.2, 150.5, 235.6, 306.7, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$ol\gamma_{3,F}$	$lncu\gamma_F$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	18	OLS11	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	18	OLS11	0.0	0.0	0.5	0.064	0.25	0.5	0.0
002	18	OLS11	0.0	0.0	1.0	0.128	0.5	0.0	0.0
003	18	OLS11	0.0	0.5	0.0	0.23	0.25	0.5	0.0
004	18	OLS11	0.0	0.5	0.5	0.276	0.25	0.5	0.0
005	18	OLS11	0.0	0.5	1.0	0.341	0.5	0.0	0.0
006	18	OLS11	0.0	1.0	0.0	0.459	0.5	0.0	0.0
007	18	OLS11	0.0	1.0	0.5	0.506	0.5	0.0	0.0
008	18	OLS11	0.0	1.0	1.0	0.551	0.5	0.0	0.0
009	18	OLS11	0.5	0.0	0.0	0.211	0.25	0.5	0.0
010	18	OLS11	0.5	0.0	0.5	0.212	0.25	0.5	0.0
011	18	OLS11	0.5	0.0	1.0	0.274	0.5	0.0	0.0
012	18	OLS11	0.5	0.5	0.0	0.469	0.25	0.5	0.0
013	18	OLS11	0.5	0.5	0.5	0.5	0.5	0.0	0.0
014	18	OLS11	0.5	0.5	1.0	0.564	0.75	0.0	0.0
015	18	OLS11	0.5	1.0	0.0	0.702	0.5	0.0	0.0
016	18	OLS11	0.5	1.0	0.5	0.73	0.75	0.0	0.0
017	18	OLS11	0.5	1.0	1.0	0.776	0.75	0.0	0.0
018	18	OLS11	1.0	0.0	0.0	0.421	0.5	0.0	0.0
019	18	OLS11	1.0	0.0	0.5	0.423	0.5	0.0	0.0
020	18	OLS11	1.0	0.0	1.0	0.424	0.5	0.0	0.0
021	18	OLS11	1.0	0.5	0.0	0.683	0.5	0.0	0.0
022	18	OLS11	1.0	0.5	0.5	0.711	0.75	0.0	0.0
023	18	OLS11	1.0	0.5	1.0	0.712	0.75	0.0	0.0
024	18	OLS11	1.0	1.0	0.0	0.937	0.5	0.0	0.0
025	18	OLS11	1.0	1.0	0.5	0.969	0.75	0.0	0.0
026	18	OLS11	1.0	1.0	1.0	0.981	0.92	0.0	0.0

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

YE790-7, Tables 3x3x3 colours, page 19/24

BAM test chart YE79; Colorimetric workflow, data OLS11
D65: 3x3x3 colorimetric data; 24 standard systems; page 19/24

input: $ol\gamma^*_{setrgbcolor}$
output: no change compared to input

Colorimetric data of colours F for system OLS18 for input of $oly_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$oly_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{xyCIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	19	OLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	19	OLS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5
002	19	OLS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0
003	19	OLS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5
004	19	OLS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5
005	19	OLS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0
006	19	OLS18	0.0	1.0	0.0	0.46	0.83	0.0	1.0
007	19	OLS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0
008	19	OLS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0
009	19	OLS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5
010	19	OLS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5
011	19	OLS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0
012	19	OLS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5
013	19	OLS18	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	19	OLS18	0.5	0.5	1.0	0.55	0.75	0.0	1.0
015	19	OLS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0
016	19	OLS18	0.5	1.0	0.5	0.713	0.75	0.0	1.0
017	19	OLS18	0.5	1.0	1.0	0.762	0.75	0.0	1.0
018	19	OLS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0
019	19	OLS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0
020	19	OLS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0
021	19	OLS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0
022	19	OLS18	1.0	0.5	0.5	0.695	0.75	0.0	1.0
023	19	OLS18	1.0	0.5	1.0	0.695	0.75	0.0	1.0
024	19	OLS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0
025	19	OLS18	1.0	1.0	0.5	0.966	0.75	0.0	1.0
026	19	OLS18	1.0	1.0	1.0	1.0	1.0	0.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79.L79E00N1.PS.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/L79E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta

Colorimetric data of colours F for system OLS28 for input of $olv_{3,F}$; Six hue angles of the colour device: (33.7, 96.6, 151.4, 236.9, 302.8, 353.8); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{xyCIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	20	OLS28	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	20	OLS28	0.0	0.0	0.5	0.039	0.25	0.5	0.5
002	20	OLS28	0.0	0.0	1.0	0.077	0.5	0.0	1.0
003	20	OLS28	0.0	0.5	0.0	0.194	0.25	0.5	0.5
004	20	OLS28	0.0	0.5	0.5	0.243	0.25	0.5	0.5
005	20	OLS28	0.0	0.5	1.0	0.281	0.5	0.0	1.0
006	20	OLS28	0.0	1.0	0.0	0.388	0.5	0.0	1.0
007	20	OLS28	0.0	1.0	0.5	0.436	0.5	0.0	1.0
008	20	OLS28	0.0	1.0	1.0	0.487	0.5	0.0	1.0
009	20	OLS28	0.5	0.0	0.0	0.174	0.25	0.5	0.5
010	20	OLS28	0.5	0.0	0.5	0.174	0.25	0.5	0.5
011	20	OLS28	0.5	0.0	1.0	0.21	0.5	0.0	1.0
012	20	OLS28	0.5	0.5	0.0	0.463	0.25	0.5	0.5
013	20	OLS28	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	20	OLS28	0.5	0.5	1.0	0.539	0.75	0.0	1.0
015	20	OLS28	0.5	1.0	0.0	0.657	0.5	0.0	1.0
016	20	OLS28	0.5	1.0	0.5	0.694	0.75	0.0	1.0
017	20	OLS28	0.5	1.0	1.0	0.743	0.75	0.0	1.0
018	20	OLS28	1.0	0.0	0.0	0.348	0.5	0.0	1.0
019	20	OLS28	1.0	0.0	0.5	0.346	0.5	0.0	1.0
020	20	OLS28	1.0	0.0	1.0	0.348	0.5	0.0	1.0
021	20	OLS28	1.0	0.5	0.0	0.635	0.5	0.0	1.0
022	20	OLS28	1.0	0.5	0.5	0.674	0.75	0.0	1.0
023	20	OLS28	1.0	0.5	1.0	0.674	0.75	0.0	1.0
024	20	OLS28	1.0	1.0	0.0	0.925	0.5	0.0	1.0
025	20	OLS28	1.0	1.0	0.5	0.963	0.75	0.0	1.0
026	20	OLS28	1.0	1.0	1.0	1.0	1.0	0.0	1.0

www.ps.bam.de/YE79/L79E00N1.PS;TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system OLS38 for input of $olv_{3,F}$; Six hue angles of the colour device: (29.6, 97.1, 152.0, 238.3, 300.3, 354.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{CIE,a,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	21	OLS38	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	21	OLS38	0.0	0.0	0.5	0.03	0.25	0.5	0.5
002	21	OLS38	0.0	0.0	1.0	0.059	0.5	0.0	1.0
003	21	OLS38	0.0	0.5	0.0	0.169	0.25	0.5	0.5
004	21	OLS38	0.0	0.5	0.5	0.221	0.25	0.5	0.5
005	21	OLS38	0.0	0.5	1.0	0.252	0.5	0.0	1.0
006	21	OLS38	0.0	1.0	0.0	0.337	0.5	0.0	1.0
007	21	OLS38	0.0	1.0	0.5	0.39	0.5	0.0	1.0
008	21	OLS38	0.0	1.0	1.0	0.442	0.5	0.0	1.0
009	21	OLS38	0.5	0.0	0.0	0.151	0.25	0.5	0.5
010	21	OLS38	0.5	0.0	0.5	0.15	0.25	0.5	0.5
011	21	OLS38	0.5	0.0	1.0	0.178	0.5	0.0	1.0
012	21	OLS38	0.5	0.5	0.0	0.46	0.25	0.5	0.5
013	21	OLS38	0.5	0.5	0.5	0.5	0.5	0.0	1.0
014	21	OLS38	0.5	0.5	1.0	0.53	0.75	0.0	1.0
015	21	OLS38	0.5	1.0	0.0	0.624	0.5	0.0	1.0
016	21	OLS38	0.5	1.0	0.5	0.669	0.75	0.0	1.0
017	21	OLS38	0.5	1.0	1.0	0.721	0.75	0.0	1.0
018	21	OLS38	1.0	0.0	0.0	0.303	0.5	0.0	1.0
019	21	OLS38	1.0	0.0	0.5	0.3	0.5	0.0	1.0
020	21	OLS38	1.0	0.0	1.0	0.301	0.5	0.0	1.0
021	21	OLS38	1.0	0.5	0.0	0.606	0.5	0.0	1.0
022	21	OLS38	1.0	0.5	0.5	0.651	0.75	0.0	1.0
023	21	OLS38	1.0	0.5	1.0	0.65	0.75	0.0	1.0
024	21	OLS38	1.0	1.0	0.0	0.919	0.5	0.0	1.0
025	21	OLS38	1.0	1.0	0.5	0.96	0.75	0.0	1.0
026	21	OLS38	1.0	1.0	1.0	1.0	1.0	0.0	1.0

BAM registration: 20070501-YE79/L79E00N1.PS;TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4a

YE790-7, Tables 3x3x3 colours, page 22/24

BAM-test chart YE79; Colorimetric workflow, data OLS38
D65: 3x3x3 colorimetric data; 24 standard systems; page 22/24

input: $olv^*_{setrgbcolor}$
output: no change compared to input

www.ps.bam.de/YE79/L79E00N1.PS.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system OLS50 for input of $ol\gamma_{3,F}$; Six hue angles of the colour device: (25.8, 97.8, 152.5, 240.4, 298.2, 354.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$ol\gamma_{3,F}$			$lncu\gamma_F$			$LCHAB^*_{a,F}$					$XYZ_{CIE,a,F}$					$XYZ_{RGB,F}$					$RGB^*_{sRGB,F}$					$RGB^*_{AdobeRGB,F}$				
000	22	OLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.966	b68r	52.02	0.0	0.0	0.0	0.0	19.16	20.16	21.96	0.313	0.329	0.216	0.228	0.248	0.514	0.514	0.514	0.51	0.51	0.51				
001	22	OLS50	0.0	0.0	0.5	0.022	0.25	0.5	0.5	0.808	b23r	52.97	17.93	298.0	8.42	-15.82	21.72	21.02	33.3	0.286	0.276	0.245	0.237	0.376	0.53	0.51	0.636	0.52	0.505	0.626			
002	22	OLS50	0.0	0.0	1.0	0.044	0.5	0.0	1.0	0.808	b23r	53.91	35.87	298.0	16.84	-31.66	24.5	21.89	48.0	0.26	0.232	0.276	0.247	0.542	0.533	0.504	0.76	0.521	0.5	0.746			
003	22	OLS50	0.0	0.5	0.0	0.146	0.25	0.5	0.5	0.463	j85g	58.37	29.1	152.0	-25.69	13.66	19.49	26.35	20.47	0.294	0.397	0.22	0.297	0.231	0.411	0.63	0.48	0.483	0.624	0.483			
004	22	OLS50	0.0	0.5	0.5	0.195	0.25	0.5	0.5	0.678	g71b	60.49	16.83	240.0	-8.41	-14.57	25.22	28.67	42.76	0.261	0.297	0.285	0.324	0.483	0.466	0.627	0.708	0.514	0.621	0.699			
005	22	OLS50	0.0	0.5	1.0	0.219	0.5	0.0	1.0	0.744	g97b	61.5	31.46	269.0	-0.54	-31.44	28.21	29.82	61.23	0.237	0.25	0.318	0.337	0.691	0.449	0.628	0.843	0.504	0.622	0.831			
006	22	OLS50	0.0	1.0	0.0	0.293	0.5	0.0	1.0	0.463	j85g	64.72	58.21	152.0	-51.39	27.33	19.83	33.7	19.05	0.273	0.464	0.224	0.38	0.215	0.201	0.739	0.439	0.444	0.733	0.454			
007	22	OLS50	0.0	1.0	0.5	0.339	0.5	0.0	1.0	0.577	g30b	66.71	24.4	196.0	-23.44	-6.71	28.1	36.25	45.33	0.256	0.331	0.317	0.409	0.512	0.415	0.723	0.719	0.522	0.717	0.713			
008	22	OLS50	0.0	1.0	1.0	0.39	0.5	0.0	1.0	0.678	g71b	68.96	33.67	240.0	-16.82	-29.15	32.43	39.29	73.76	0.223	0.27	0.366	0.443	0.832	0.331	0.743	0.911	0.491	0.737	0.902			
009	22	OLS50	0.5	0.0	0.0	0.126	0.25	0.5	0.5	0.002	r00j	57.5	21.26	26.0	19.11	9.32	28.82	25.44	22.03	0.378	0.333	0.325	0.287	0.249	0.728	0.521	0.509	0.671	0.516	0.505			
010	22	OLS50	0.5	0.0	0.5	0.126	0.25	0.5	0.5	0.931	b72r	57.49	10.67	354.0	10.61	-1.1	26.68	25.43	28.43	0.331	0.316	0.301	0.287	0.321	0.646	0.547	0.582	0.614	0.542	0.575			
011	22	OLS50	0.5	0.0	1.0	0.147	0.5	0.0	1.0	0.869	b47r	58.4	18.87	326.0	15.64	-10.54	28.93	26.39	36.43	0.315	0.288	0.327	0.298	0.411	0.662	0.546	0.659	0.626	0.541	0.649			
012	22	OLS50	0.5	0.5	0.0	0.453	0.25	0.5	0.5	0.27	j08g	71.68	29.18	98.0	-4.05	28.89	39.74	43.19	24.89	0.369	0.401	0.449	0.487	0.281	0.776	0.73	0.509	0.758	0.724	0.516			
013	22	OLS50	0.5	0.5	0.5	0.5	0.5	0.0	0.5	0.966	b86r	73.72	0.0	0.0	0.0	0.0	43.97	46.26	50.38	0.313	0.329	0.496	0.522	0.569	0.75	0.75	0.744	0.744	0.744	0.744			
014	22	OLS50	0.5	0.5	1.0	0.522	0.75	0.0	0.5	0.808	b23r	74.66	17.93	298.0	8.42	-15.82	48.38	47.74	69.45	0.292	0.288	0.546	0.539	0.784	0.768	0.745	0.88	0.756	0.739	0.872			
015	22	OLS50	0.5	1.0	0.0	0.6	0.5	0.0	1.0	0.367	j46g	78.04	51.93	125.0	-29.78	42.54	40.27	53.27	23.28	0.345	0.456	0.455	0.601	0.263	0.678	0.853	0.462	0.728	0.849	0.483			
016	22	OLS50	0.5	1.0	0.5	0.646	0.75	0.0	0.5	0.463	j85g	80.07	29.1	152.0	-25.69	13.66	44.55	56.8	47.77	0.299	0.381	0.503	0.641	0.329	0.646	0.874	0.713	0.715	0.871	0.715			
017	22	OLS50	0.5	1.0	1.0	0.695	0.75	0.0	0.5	0.678	g71b	82.18	16.83	240.0	-8.41	-14.57	54.27	60.64	84.61	0.272	0.304	0.612	0.684	0.955	0.706	0.87	0.956	0.752	0.867	0.952			
018	22	OLS50	1.0	0.0	0.0	0.253	0.5	0.0	1.0	0.002	r00j	62.98	42.52	26.0	38.21	18.64	41.28	31.56	22.1	0.435	0.332	0.466	0.356	0.249	0.925	0.514	0.503	0.83	0.51	0.5			
019	22	OLS50	1.0	0.0	0.5	0.252	0.5	0.0	1.0	0.966	b86r	62.95	43.48	10.0	42.82	7.55	42.76	31.53	28.93	0.414	0.305	0.483	0.356	0.327	0.933	0.499	0.583	0.835	0.495	0.575			
020	22	OLS50	1.0	0.0	1.0	0.252	0.5	0.0	1.0	0.931	b72r	62.97	21.33	354.0	21.21	-2.22	35.95	31.55	36.07	0.347	0.305	0.406	0.356	0.407	0.776	0.576	0.685	0.721	0.571	0.641			
021	22	OLS50	1.0	0.5	0.0	0.581	0.5	0.0	1.0	0.137	r54j	77.25	34.48	62.0	16.19	30.45	55.58	51.94	30.13	0.404	0.377	0.627	0.586	0.34	0.983	0.739	0.561	0.92	0.734	0.564			
022	22	OLS50	1.0	0.5	0.5	0.626	0.75	0.0	0.5	0.002	r00j	79.2	21.26	26.0	19.11	9.32	60.22	55.27	50.51	0.363	0.333	0.68	0.624	0.57	0.982	0.758	0.744	0.923	0.753	0.739			
023	22	OLS50	1.0	0.5	1.0	0.626	0.75	0.0	0.5	0.931	b72r	79.19	10.67	354.0	10.61	-1.1	56.7	55.26	61.41	0.327	0.319	0.64	0.624	0.693	0.891	0.785	0.822	0.859	0.78	0.815			
024	22	OLS50	1.0	1.0	0.0	0.906	0.5	0.0	1.0	0.27	j08g	91.35	58.36	98.0	-8.11	57.79	71.43	79.26	28.08	0.4	0.443	0.806	0.895	0.317	1.034	0.959	0.482	1.014	0.958	0.509			
025	22	OLS50	1.0	1.0	0.5	0.953	0.75	0.0	0.5	0.27	j08g	93.38	29.18	98.0	-4.05	28.89	77.65	83.84	55.43	0.358	0.386	0.876	0.946	0.626	1.032	0.979	0.747	1.017	0.978	0.752			
026	22	OLS50	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.966	b86r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0			

YE790-7, Tables 3x3x3 colours, page 23/24

BAM test chart YE79; Colorimetric workflow, data OLS50
D65: 3x3x3 colorimetric data; 24 standard systems; page 23/24

input: $ol\gamma^*_{setrgbcolor}$
output: no change compared to input

Colorimetric data of colours F for system OLS70 for input of $olv_{3,F}$; Six hue angles of the colour device: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv_{3,F}$	$lncu_{3,F}$	$LCHAB^*_{a,F}$	$XYZ_{a,b,F}$	$XYZ_{RGB,F}$	$RGB^*_{sRGB,F}$	$RGB^*_{AdobeRGB,F}$
000	23	OLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0
001	23	OLS70	0.0	0.0	0.5	0.0017	0.25	0.5	0.5
002	23	OLS70	0.0	0.0	1.0	0.0034	0.5	0.0	1.0
003	23	OLS70	0.0	0.5	0.0	0.12	0.25	0.5	0.5
004	23	OLS70	0.0	0.5	0.5	0.169	0.25	0.5	0.5
005	23	OLS70	0.0	0.5	1.0	0.184	0.5	0.0	1.0
006	23	OLS70	0.0	1.0	0.0	0.24	0.5	0.0	1.0
007	23	OLS70	0.0	1.0	0.5	0.288	0.5	0.0	1.0
008	23	OLS70	0.0	1.0	1.0	0.337	0.5	0.0	1.0
009	23	OLS70	0.5	0.0	0.0	0.104	0.25	0.5	0.5
010	23	OLS70	0.5	0.0	0.5	0.104	0.25	0.5	0.5
011	23	OLS70	0.5	0.0	1.0	0.122	0.5	0.0	1.0
012	23	OLS70	0.5	0.5	0.0	0.445	0.25	0.5	0.5
013	23	OLS70	0.5	0.5	0.5	0.5	0.5	0.0	0.5
014	23	OLS70	0.5	0.5	1.0	0.517	0.75	0.0	0.5
015	23	OLS70	0.5	1.0	0.0	0.564	0.5	0.0	1.0
016	23	OLS70	0.5	1.0	0.5	0.62	0.75	0.0	0.5
017	23	OLS70	0.5	1.0	1.0	0.669	0.75	0.0	0.5
018	23	OLS70	1.0	0.0	0.0	0.208	0.5	0.0	1.0
019	23	OLS70	1.0	0.0	0.5	0.208	0.5	0.0	1.0
020	23	OLS70	1.0	0.0	1.0	0.207	0.5	0.0	1.0
021	23	OLS70	1.0	0.5	0.0	0.551	0.5	0.0	1.0
022	23	OLS70	1.0	0.5	0.5	0.604	0.75	0.0	0.5
023	23	OLS70	1.0	0.5	1.0	0.604	0.75	0.0	0.5
024	23	OLS70	1.0	1.0	0.0	0.891	0.5	0.0	1.0
025	23	OLS70	1.0	1.0	0.5	0.945	0.75	0.0	0.5
026	23	OLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.5