



Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 94$
%Regularität
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	47.94	65.31	52.07	83.53	39
Y_M	90.37	-11.15	96.17	96.82	97
L_M	50.9	-62.96	36.71	72.89	150
C_M	58.62	-30.62	-42.74	52.59	234
V_M	25.72	31.45	-44.35	54.38	305
M_M	48.13	75.2	-6.79	75.51	355
N_M	18.01	0.5	-0.46	0.69	317
W_M	95.41	-0.98	4.76	4.86	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$


ORS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	-10.26	91.75	92.32	96
L_{Ma}	50.9	-62.83	34.96	71.91	151
C_{Ma}	58.62	-30.34	-45.01	54.3	236
V_{Ma}	25.72	31.1	-44.4	54.22	305
M_{Ma}	48.13	75.28	-8.36	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271

Daten der 2x2x2=8 Farben im Farbmtrik-System ORS18; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
1	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523	
2	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271	
3	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895	
4	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15	
5	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527	
6	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.8	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.122	1.02	0.948	0.195	
7	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 1/8, Serie: 1/1, Seite: 1
Seite 1 von 1

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 158$
%Regularität
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	50.5	76.92	64.55	100.42	40
Y _M	92.66	-20.69	90.75	93.08	103
L _M	83.63	-82.75	79.9	115.04	136
C _M	86.88	-46.16	-13.55	48.12	196
V _M	30.39	76.06	-103.59	128.52	306
M _M	57.3	94.35	-58.41	110.97	328
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 158$
%Regularität
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$


TLS00a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS00; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	1	TLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.328	0.328	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006			
1	1	TLS00	0.0	0.0	1.0	0.781	0.5	1.0	0.851	0.0	0.0	30.4	128.5	306.3	76.1	-103.5	16.0	6.4	84.2	0.15	0.15	0.18	0.072	0.951	0.0	0.001	1.0	-0.008	0.005	0.981	
2	1	TLS00	0.0	1.0	0.0	0.308	0.5	1.0	0.378	0.0	0.0	83.6	115.0	136.0	-82.7	79.9	31.7	63.4	10.6	0.3	0.3	0.358	0.715	0.119	0.002	1.0	0.0	0.565	1.0	0.234	
3	1	TLS00	0.0	1.0	1.0	0.475	0.5	1.0	0.545	0.0	0.0	86.9	48.1	196.4	-46.1	-13.5	47.7	69.8	94.8	0.225	0.225	0.538	0.787	1.07	0.003	1.0	1.0	0.565	1.0	1.0	
4	1	TLS00	1.0	0.0	0.0	0.042	0.5	1.0	0.111	0.0	0.0	50.5	100.4	40.0	76.9	64.6	36.5	18.8	1.7	0.64	0.64	0.412	0.213	0.019	1.0	0.003	0.0	0.859	-0.002	-0.003	
5	1	TLS00	1.0	0.0	1.0	0.842	0.5	1.0	0.912	0.0	0.0	57.3	111.0	328.2	94.4	-58.3	52.5	25.2	85.9	0.321	0.321	0.593	0.285	0.97	1.0	0.003	1.0	0.859	-0.008	0.981	
6	1	TLS00	1.0	1.0	0.0	0.217	0.5	1.0	0.286	0.0	0.0	92.7	93.1	102.8	-20.6	90.8	68.2	82.2	12.3	0.419	0.419	0.77	0.928	0.138	1.0	1.0	0.0	1.0	1.0	0.234	
7	1	TLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 208, Serie: 1/1, Seite: 2
Seitenzählung 1

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 114$
%Regularität
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 43$

FRS06	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	32.57	61.14	43.72	75.16	36
Y _M	82.73	-3.5	109.24	109.3	92
L _M	39.43	-62.86	42.8	76.06	146
C _M	47.86	-27.72	-37.61	46.74	234
V _M	10.16	53.56	-62.91	82.63	310
M _M	34.5	79.53	-36.76	87.62	335
N _M	6.25	-1.62	-1.72	2.38	227
W _M	91.97	-0.17	-5.1	5.11	268
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 115$
%Regularität
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Daten der 2x2x2=8 Farben im Farbmtrik-System FRS06; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}					
0	2	FRS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	6.3	0.0	0.0	0.0	0.0	0.7	0.7	0.8	0.313	0.313	0.007	0.008	0.009	0.085	0.085	0.085	0.11	0.11	0.11
1	2	FRS06	0.0	0.0	1.0	0.797	0.5	1.0	0.867	0.0	0.0	10.2	82.2	312.1	55.1	−60.9	3.6	1.1	16.3	0.171	0.171	0.041	0.013	0.184	0.152	−0.095	0.477	0.135	−0.107	0.465
2	2	FRS06	0.0	1.0	0.0	0.328	0.5	1.0	0.398	0.0	0.0	39.4	76.9	143.4	−61.7	45.8	4.2	10.9	1.7	0.251	0.251	0.048	0.123	0.019	−0.57	0.468	−0.031	0.174	0.465	0.092
3	2	FRS06	0.0	1.0	1.0	0.575	0.5	1.0	0.644	0.0	0.0	47.9	43.5	232.0	−26.7	−34.1	11.7	16.7	40.9	0.168	0.168	0.132	0.188	0.462	−1.205	0.532	0.707	0.071	0.527	0.695
4	2	FRS06	1.0	0.0	0.0	0.033	0.5	1.0	0.102	0.0	0.0	32.6	77.8	36.7	62.3	46.5	15.2	7.3	0.7	0.655	0.655	0.172	0.083	0.008	0.685	−0.141	0.01	0.58	−0.128	0.023
5	2	FRS06	1.0	0.0	1.0	0.867	0.5	1.0	0.937	0.0	0.0	34.5	87.5	337.2	80.7	−33.8	20.2	8.3	24.1	0.384	0.384	0.228	0.093	0.272	0.708	−0.449	0.567	0.595	−0.217	0.55
6	2	FRS06	1.0	1.0	0.0	0.186	0.5	1.0	0.254	0.0	0.0	82.7	114.0	91.6	−3.1	114.0	57.3	61.7	2.4	0.472	0.472	0.647	0.696	0.027	1.005	0.843	−0.994	0.962	0.839	−0.245
7	2	FRS06	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	92.0	0.0	0.0	0.0	0.0	76.6	80.6	87.8	0.313	0.313	0.865	0.91	0.991	0.959	0.96	0.959	0.958	0.958	0.958




Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 118$
%Regularität
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$

TLS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 118$
%Regularität
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$


TLS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS18; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	3	TLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198	
1	3	TLS18	0.0	0.0	1.0	0.775	0.5	1.0	0.845	0.0	0.0	35.5	115.1	304.3	64.9	−95.0	17.9	8.7	84.5	0.161	0.161	0.202	0.099	0.954	0.185	0.185	1.0	0.199	0.198	0.981	
2	3	TLS18	0.0	1.0	0.0	0.311	0.5	1.0	0.38	0.0	0.0	84.0	108.2	136.9	−78.9	73.9	33.2	64.1	13.0	0.301	0.301	0.374	0.723	0.147	0.186	1.0	0.184	0.583	1.0	0.295	
3	3	TLS18	0.0	1.0	1.0	0.475	0.5	1.0	0.546	0.0	0.0	87.1	46.3	196.5	−44.3	−13.0	48.7	70.3	94.8	0.228	0.228	0.55	0.793	1.07	0.187	1.0	1.0	0.583	1.0	1.0	
4	3	TLS18	1.0	0.0	0.0	0.028	0.5	1.0	0.097	0.0	0.0	52.8	87.3	34.9	71.6	49.9	37.9	20.8	4.4	0.6	0.6	0.428	0.235	0.05	1.0	0.185	0.184	0.863	0.198	0.198	
5	3	TLS18	1.0	0.0	1.0	0.842	0.5	1.0	0.911	0.0	0.0	59.0	105.3	328.1	89.3	−55.6	53.4	27.0	86.2	0.321	0.321	0.603	0.305	0.973	1.0	0.185	1.0	0.863	0.198	0.981	
6	3	TLS18	1.0	1.0	0.0	0.217	0.5	1.0	0.287	0.0	0.0	92.7	87.3	103.3	−19.9	85.0	68.7	82.4	14.7	0.414	0.414	0.775	0.93	0.166	1.0	1.0	0.184	1.0	1.0	0.295	
7	3	TLS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 408, Serie: 1/1, Seite: 4
Seitenzählung 1

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 152$
%Regularität
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

NLS00					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	31.81	82.62	47.7	95.4	30
Y _M	63.61	0.0	95.4	95.4	90
L _M	31.81	-82.61	47.7	95.4	150
C _M	63.61	-82.61	-47.69	95.4	210
V _M	31.81	0.0	-95.39	95.4	270
M _M	63.61	82.62	-47.69	95.4	330
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 152$
%Regularität
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

NLS00a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	31.81	82.62	47.7	95.4	30
Y _{Ma}	63.61	0.0	95.4	95.4	90
L _{Ma}	31.81	-82.61	47.7	95.4	150
C _{Ma}	63.61	-82.61	-47.69	95.4	210
V _{Ma}	31.81	0.0	-95.39	95.4	270
M _{Ma}	63.61	82.62	-47.69	95.4	330
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System NLS00; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	4	NLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.328	0.328	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006			
1	4	NLS00	0.0	0.0	1.0	0.681	0.5	1.0	0.75	0.0	0.0	31.8	95.4	270.0	0.0	−95.3	6.7	7.0	76.6	0.074	0.074	0.075	0.079	0.864	−3.99	0.368	0.955	−0.468	0.369	0.938	
2	4	NLS00	0.0	1.0	0.0	0.347	0.5	1.0	0.417	0.0	0.0	31.8	95.4	150.0	−82.5	47.7	1.4	7.0	0.5	0.16	0.16	0.016	0.079	0.006	−0.929	0.4	−0.119	−0.141	0.399	−0.075	
3	4	NLS00	0.0	1.0	1.0	0.514	0.5	1.0	0.583	0.0	0.0	63.6	95.4	210.0	−82.5	−47.6	13.4	32.3	86.1	0.102	0.102	0.152	0.365	0.972	−7.153	0.784	0.983	−0.513	0.779	0.975	
4	4	NLS00	1.0	0.0	0.0	0.014	0.5	1.0	0.083	0.0	0.0	31.8	95.4	30.0	82.6	47.7	18.3	7.0	0.5	0.709	0.709	0.207	0.079	0.006	0.764	−0.665	0.017	0.64	−0.259	−0.039	
5	4	NLS00	1.0	0.0	1.0	0.847	0.5	1.0	0.917	0.0	0.0	63.6	95.4	330.0	82.6	−47.6	58.7	32.3	86.1	0.331	0.331	0.662	0.365	0.972	1.043	0.319	0.996	0.909	0.322	0.978	
6	4	NLS00	1.0	1.0	0.0	0.181	0.5	1.0	0.25	0.0	0.0	63.6	95.4	90.0	0.0	95.4	30.7	32.3	1.0	0.48	0.48	0.347	0.365	0.011	0.772	0.625	−0.557	0.728	0.619	−0.193	
7	4	NLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	

BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 5/8, Serie: 1/1, Seite: 5
Seite: 5
Seite: 5



%Umfang
 $u^*_{rel} = 100$
%Regularität
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	56.71	69.87	33.29	77.4	25
Y _M	56.71	-3.1	77.34	77.4	92
L _M	56.71	-73.68	23.63	77.39	162
C _M	56.71	-61.81	-46.54	77.39	217
V _M	56.71	2.35	-77.34	77.39	272
M _M	56.71	66.07	-40.3	77.4	329
N _M	18.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 100$
%Regularität
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$


NRS18a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System NRS18; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0 0.0 0.0	0.0 0.0	2.4 2.5 2.7	0.313 0.313	0.027 0.028 0.031	0.184 0.184 0.184	0.198 0.198 0.198	
1	5	NRS18	0.0	0.0	1.0	0.686	0.5	1.0	0.755	0.0	0.0	56.7 77.4 271.7	2.4 -77.2	23.9 24.6 113.4	0.148 0.148	0.27 0.278 1.28	-2.452 0.595 1.126	-0.247 0.589 1.115	
2	5	NRS18	0.0	1.0	0.0	0.381	0.5	1.0	0.451	0.0	0.0	56.7 77.4 162.2	-73.6 23.6	10.5 24.6 14.3	0.212 0.212	0.118 0.278 0.162	-1.612 0.675 0.382	0.198 0.669 0.399	
3	5	NRS18	0.0	1.0	1.0	0.533	0.5	1.0	0.603	0.0	0.0	56.7 77.4 217.0	-61.7 -46.5	12.1 24.6 69.2	0.114 0.114	0.137 0.278 0.781	-4.826 0.681 0.894	-0.417 0.675 0.883	
4	5	NRS18	1.0	0.0	0.0	1.0	0.5	1.0	0.071	0.0	0.0	56.7 77.4 25.5	69.9 33.3	42.8 24.6 10.6	0.548 0.548	0.483 0.278 0.12	1.034 0.268 0.344	0.897 0.274 0.343	
5	5	NRS18	1.0	0.0	1.0	0.844	0.5	1.0	0.913	0.0	0.0	56.7 77.4 328.6	66.1 -40.2	41.6 24.6 61.9	0.324 0.324	0.469 0.278 0.699	0.878 0.343 0.859	0.768 0.344 0.841	
6	5	NRS18	1.0	1.0	0.0	0.186	0.5	1.0	0.256	0.0	0.0	56.7 77.4 92.3	-3.0 77.3	22.7 24.6 1.5	0.465 0.465	0.256 0.278 0.017	0.662 0.56 -0.315	0.629 0.555 -0.134	
7	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG40/ Form: 6/8, Serie: 1/1, Seite: 6
Seite 6



%Umfang
 $u^*_{rel} = 100$
%Regularität
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

SRS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	56.71	67.03	38.7	77.4	30
Y_M	56.71	0.0	77.4	77.4	90
L_M	56.71	-67.02	38.7	77.4	150
C_M	56.71	-67.02	-38.69	77.4	210
V_M	56.71	0.0	-77.39	77.4	270
M_M	56.71	67.03	-38.69	77.4	330
N_M	18.01	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 100$
%Regularität
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

SRS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	56.71	67.03	38.7	77.4	30
Y_{Ma}	56.71	0.0	77.4	77.4	90
L_{Ma}	56.71	-67.02	38.7	77.4	150
C_{Ma}	56.71	-67.02	-38.69	77.4	210
V_{Ma}	56.71	0.0	-77.39	77.4	270
M_{Ma}	56.71	67.03	-38.69	77.4	330
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System SRS18; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}			<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}				
0	6	SRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
1	6	SRS18	0.0	0.0	1.0	0.681	0.5	1.0	0.75	0.0	0.0	56.7	77.4	270.0	0.0	−77.3	23.4	24.6	113.5	0.145	0.145	0.264	0.278	1.281	−2.708	0.6	1.126	−0.275	0.594	1.115
2	6	SRS18	0.0	1.0	0.0	0.347	0.5	1.0	0.417	0.0	0.0	56.7	77.4	150.0	−66.9	38.7	11.4	24.6	8.9	0.254	0.254	0.128	0.278	0.1	−0.79	0.666	0.263	0.299	0.66	0.299
3	6	SRS18	0.0	1.0	1.0	0.514	0.5	1.0	0.583	0.0	0.0	56.7	77.4	210.0	−66.9	−38.6	11.4	24.6	60.1	0.118	0.118	0.128	0.278	0.678	−4.516	0.684	0.837	−0.393	0.678	0.826
4	6	SRS18	1.0	0.0	0.0	0.014	0.5	1.0	0.083	0.0	0.0	56.7	77.4	30.0	67.0	38.7	41.9	24.6	8.9	0.556	0.556	0.473	0.278	0.1	1.023	0.289	0.304	0.89	0.294	0.308
5	6	SRS18	1.0	0.0	1.0	0.847	0.5	1.0	0.917	0.0	0.0	56.7	77.4	330.0	67.0	−38.6	41.9	24.6	60.1	0.331	0.331	0.473	0.278	0.678	0.889	0.335	0.847	0.777	0.337	0.829
6	6	SRS18	1.0	1.0	0.0	0.181	0.5	1.0	0.25	0.0	0.0	56.7	77.4	90.0	0.0	77.4	23.4	24.6	1.5	0.473	0.473	0.264	0.278	0.017	0.68	0.553	−0.31	0.641	0.548	−0.134
7	6	SRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0





%Umfang
 $u^*_{rel} = 16$
%Regularität
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$

TLS70					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	76.43	26.27	10.57	28.32	22
Y _M	93.93	-10.76	34.63	36.27	107
L _M	89.32	-35.8	27.64	45.24	142
C _M	90.93	-21.95	-7.07	23.07	198
V _M	72.1	15.76	-35.63	38.97	294
M _M	78.5	37.52	-25.23	45.22	326
N _M	69.7	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 16$
%Regularität
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$


TLS70a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System TLS70; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$
0	7	TLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	69.7 0.0 0.0	0.0 0.0 0.0	38.3 40.3 43.9	0.313 0.313 0.433	0.455 0.496 0.705	0.705 0.705 0.705	0.699 0.699 0.699
1	7	TLS70	0.0	0.0	1.0	0.747	0.5	1.0	0.816	0.0	0.0	72.1 39.0 293.9	15.8 -35.5	47.0 43.8 89.8	0.26 0.26 0.531	0.494 1.013 0.705	0.705 1.0 0.699	0.699 0.699 0.99
2	7	TLS70	0.0	1.0	0.0	0.325	0.5	1.0	0.395	0.0	0.0	89.3 45.2 142.3	-35.7 27.6	55.6 74.8 49.7	0.309 0.309 0.628	0.845 0.561 0.705	1.0 0.705 0.799	1.0 1.0 0.715
3	7	TLS70	0.0	1.0	1.0	0.481	0.5	1.0	0.55	0.0	0.0	90.9 23.1 197.9	-21.9 -7.0	64.3 78.3 95.5	0.27 0.27 0.726	0.884 1.078 0.705	1.0 1.0 0.799	1.0 1.0 1.0
4	7	TLS70	1.0	0.0	0.0	0.992	0.5	1.0	0.061	0.0	0.0	76.4 28.3 21.9	26.3 10.6	58.2 50.6 44.8	0.379 0.379 0.657	0.571 0.506 1.0	0.705 0.705 0.926	0.699 0.699 0.699
5	7	TLS70	1.0	0.0	1.0	0.836	0.5	1.0	0.906	0.0	0.0	78.5 45.2 326.1	37.5 -25.1	66.9 54.1 90.7	0.316 0.316 0.756	0.61 1.024 1.0	0.705 1.0 0.926	0.699 0.699 0.99
6	7	TLS70	1.0	1.0	0.0	0.228	0.5	1.0	0.298	0.0	0.0	93.9 36.3 107.3	-10.7 34.6	75.5 85.1 50.6	0.357 0.357 0.852	0.961 0.571 1.0	1.0 1.0 0.705	1.0 1.0 1.0
7	7	TLS70	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0 1.0 1.0




Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 158$
%Regularität
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	50.5	76.91	64.55	100.41	40
Y _M	92.66	-20.67	90.75	93.08	103
L _M	83.62	-82.73	79.9	115.02	136
C _M	86.88	-46.14	-13.53	48.1	196
V _M	30.39	76.06	-103.59	128.52	306
M _M	57.31	94.35	-58.39	110.96	328
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 158$
%Regularität
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System TLS00; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	0	TLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.328 0.328	0.0 0.0 0.0	0.0 0.0 0.0	0.006 0.006 0.006	
1	0	TLS00	0.0	0.0	1.0	0.781	0.5	1.0	0.851	0.0	0.0	30.4 128.5 306.3	76.1 -103.5	16.0 6.4 84.2	0.15 0.15	0.18 0.072 0.951	0.0 0.001 1.0	-0.008 0.005 0.981	
2	0	TLS00	0.0	1.0	0.0	0.308	0.5	1.0	0.378	0.0	0.0	83.6 115.0 136.0	-82.6 79.9	31.7 63.3 10.6	0.3 0.3	0.358 0.715 0.119	0.004 1.0 0.0	0.565 1.0 0.234	
3	0	TLS00	0.0	1.0	1.0	0.475	0.5	1.0	0.545	0.0	0.0	86.9 48.1 196.4	-46.1 -13.4	47.7 69.8 94.7	0.225 0.225	0.538 0.787 1.069	0.009 1.0 1.0	0.565 1.0 1.0	
4	0	TLS00	1.0	0.0	0.0	0.042	0.5	1.0	0.111	0.0	0.0	50.5 100.4 40.0	76.9 64.6	36.5 18.8 1.7	0.64 0.64	0.412 0.213 0.019	1.0 0.003 0.0	0.859 0.009 -0.003	
5	0	TLS00	1.0	0.0	1.0	0.842	0.5	1.0	0.912	0.0	0.0	57.3 111.0 328.2	94.4 -58.3	52.5 25.2 85.9	0.321 0.321	0.593 0.285 0.97	1.0 0.004 1.0	0.859 0.003 0.981	
6	0	TLS00	1.0	1.0	0.0	0.217	0.5	1.0	0.286	0.0	0.0	92.7 93.1 102.8	-20.6 90.8	68.2 82.2 12.3	0.419 0.419	0.77 0.928 0.138	1.0 1.0 0.0	1.0 1.0 0.234	
7	0	TLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 146$
%Regularität
 $g^*_{H,rel} = 21$
 $g^*_{C,rel} = 38$

TLS06	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	51.08	75.54	59.69	96.28	38
Y _M	92.68	-20.5	89.24	91.57	103
L _M	83.72	-81.78	78.32	113.24	136
C _M	86.94	-45.71	-13.42	47.65	196
V _M	31.77	72.91	-101.29	124.81	306
M _M	57.74	93.06	-57.7	109.5	328
N _M	5.69	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 146$
%Regularität
 $g^*_{H,rel} = 21$
 $g^*_{C,rel} = 38$


TLS06a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS06; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	1	TLS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.7	0.0	0.0	0.0	0.6	0.6	0.7	0.313	0.313	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105		
1	1	TLS06	0.0	0.0	1.0	0.781	0.5	1.0	0.849	0.0	0.0	31.8	124.8	305.7	72.9	-101.2	16.5	7.0	84.3	0.153	0.153	0.186	0.079	0.952	0.079	0.08	1.0	0.106	0.106	0.981	
2	1	TLS06	0.0	1.0	0.0	0.308	0.5	1.0	0.378	0.0	0.0	83.7	113.2	136.2	-81.7	78.3	32.1	63.5	11.2	0.3	0.3	0.362	0.717	0.126	0.082	1.0	0.079	0.57	1.0	0.251	
3	1	TLS06	0.0	1.0	1.0	0.475	0.5	1.0	0.545	0.0	0.0	86.9	47.7	196.4	-45.6	-13.3	47.9	69.9	94.7	0.226	0.226	0.541	0.789	1.069	0.084	1.0	1.0	0.57	1.0	1.0	
4	1	TLS06	1.0	0.0	0.0	0.036	0.5	1.0	0.106	0.0	0.0	51.1	96.3	38.3	75.5	59.7	36.9	19.3	2.4	0.629	0.629	0.416	0.218	0.027	1.0	0.081	0.079	0.86	0.106	0.105	
5	1	TLS06	1.0	0.0	1.0	0.842	0.5	1.0	0.912	0.0	0.0	57.7	109.5	328.2	93.1	-57.6	52.8	25.7	86.0	0.321	0.321	0.595	0.29	0.97	1.0	0.082	1.0	0.86	0.106	0.981	
6	1	TLS06	1.0	1.0	0.0	0.217	0.5	1.0	0.286	0.0	0.0	92.7	91.6	102.9	-20.4	89.2	68.3	82.2	12.9	0.418	0.418	0.771	0.928	0.145	1.0	1.0	0.079	1.0	1.0	0.251	
7	1	TLS06	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG40/ Form: 10/8, Serie: 1/1, Seite: 10
Seite: 10

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 134$
%Regularität
 $g^*_{H,rel} = 21$
 $g^*_{C,rel} = 39$

TLS11					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	51.65	74.2	55.83	92.86	37
Y _M	92.7	-20.34	87.77	90.1	103
L _M	83.81	-80.84	76.81	111.52	136
C _M	87.01	-45.27	-13.32	47.2	196
V _M	33.06	70.03	-99.08	121.34	305
M _M	58.17	91.8	-57.02	108.07	328
N _M	10.99	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 134$
%Regularität
 $g^*_{H,rel} = 21$
 $g^*_{C,rel} = 39$


TLS11a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS11; Sechs Bunntonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}				<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}				
0	2	TLS11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	11.0	0.0	0.0	0.0	0.0	1.2	1.3	1.4	0.313	0.313	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145	
1	2	TLS11	0.0	0.0	1.0	0.778	0.5	1.0	0.848	0.0	0.0	33.1	121.3	305.3	70.0	−99.0	17.0	7.6	84.4	0.156	0.156	0.191	0.085	0.952	0.125	0.124	1.0	0.145	0.144	0.981	
2	2	TLS11	0.0	1.0	0.0	0.308	0.5	1.0	0.379	0.0	0.0	83.8	111.5	136.5	−80.7	76.8	32.4	63.7	11.8	0.301	0.301	0.366	0.719	0.133	0.126	1.0	0.124	0.574	1.0	0.267	
3	2	TLS11	0.0	1.0	1.0	0.475	0.5	1.0	0.546	0.0	0.0	87.0	47.2	196.4	−45.2	−13.2	48.2	70.0	94.8	0.226	0.226	0.544	0.79	1.069	0.128	1.0	1.0	0.574	1.0	1.0	
4	2	TLS11	1.0	0.0	0.0	0.033	0.5	1.0	0.103	0.0	0.0	51.7	92.9	37.0	74.2	55.8	37.2	19.8	3.1	0.619	0.619	0.42	0.224	0.035	1.0	0.126	0.124	0.861	0.145	0.145	
5	2	TLS11	1.0	0.0	1.0	0.842	0.5	1.0	0.912	0.0	0.0	58.2	108.1	328.1	91.8	−56.9	53.0	26.1	86.1	0.321	0.321	0.598	0.295	0.971	1.0	0.126	1.0	0.861	0.145	0.981	
6	2	TLS11	1.0	1.0	0.0	0.217	0.5	1.0	0.286	0.0	0.0	92.7	90.1	103.1	−20.2	87.8	68.5	82.3	13.5	0.417	0.417	0.773	0.929	0.152	1.0	1.0	0.124	1.0	1.0	0.267	
7	2	TLS11	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 1/8, Serie: 1/1, Seite: 11
Seite 11

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 118$
%Regularität
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$

TLS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	52.76	71.63	49.88	87.29	35
Y _M	92.74	-20.02	84.97	87.3	103
L _M	84.0	-78.98	73.94	108.2	137
C _M	87.14	-44.41	-13.11	46.32	196
V _M	35.47	64.92	-95.06	115.12	304
M _M	59.01	89.33	-55.67	105.26	328
N _M	18.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 118$
%Regularität
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$


TLS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS18; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	3	TLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198	
1	3	TLS18	0.0	0.0	1.0	0.775	0.5	1.0	0.845	0.0	0.0	35.5	115.1	304.3	64.9	−95.0	17.9	8.7	84.5	0.161	0.161	0.202	0.099	0.954	0.185	0.185	1.0	0.199	0.198	0.981	
2	3	TLS18	0.0	1.0	0.0	0.311	0.5	1.0	0.38	0.0	0.0	84.0	108.2	136.9	−78.9	73.9	33.2	64.1	13.0	0.301	0.301	0.374	0.723	0.147	0.186	1.0	0.184	0.583	1.0	0.295	
3	3	TLS18	0.0	1.0	1.0	0.475	0.5	1.0	0.546	0.0	0.0	87.1	46.3	196.5	−44.3	−13.0	48.7	70.3	94.8	0.228	0.228	0.55	0.793	1.07	0.187	1.0	1.0	0.583	1.0	1.0	
4	3	TLS18	1.0	0.0	0.0	0.028	0.5	1.0	0.097	0.0	0.0	52.8	87.3	34.9	71.6	49.9	37.9	20.8	4.4	0.6	0.6	0.428	0.235	0.05	1.0	0.185	0.184	0.863	0.198	0.198	
5	3	TLS18	1.0	0.0	1.0	0.842	0.5	1.0	0.911	0.0	0.0	59.0	105.3	328.1	89.3	−55.6	53.4	27.0	86.2	0.321	0.321	0.603	0.305	0.973	1.0	0.185	1.0	0.863	0.198	0.981	
6	3	TLS18	1.0	1.0	0.0	0.217	0.5	1.0	0.287	0.0	0.0	92.7	87.3	103.3	−19.9	85.0	68.7	82.4	14.7	0.414	0.414	0.775	0.93	0.166	1.0	1.0	0.184	1.0	1.0	0.295	
7	3	TLS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 128, Serie: 1/1, Seite: 12
Seite 12

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 98$
%Regularität
 $g^*_{H,rel} = 24$
 $g^*_{C,rel} = 43$

TLS28					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	54.88	66.84	41.69	78.78	32
Y _M	92.82	-19.38	79.81	82.13	104
L _M	84.37	-75.38	68.76	102.04	138
C _M	87.4	-42.71	-12.69	44.57	197
V _M	39.7	56.66	-88.01	104.68	303
M _M	60.64	84.61	-53.07	99.88	328
N _M	26.85	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 98$
%Regularität
 $g^*_{H,rel} = 24$
 $g^*_{C,rel} = 43$

TLS28a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Daten der 2x2x2=8 Farben im Farbmtrik-System TLS28; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}			<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}					
0	4	TLS28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	26.9	0.0	0.0	0.0	0.0	4.8	5.0	5.5	0.313	0.313	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272	
1	4	TLS28	0.0	0.0	1.0	0.772	0.5	1.0	0.841	0.0	0.0	39.7	104.7	302.8	56.7	−87.9	19.9	11.1	84.9	0.172	0.172	0.224	0.125	0.958	0.265	0.265	1.0	0.272	0.272	0.982	
2	4	TLS28	0.0	1.0	0.0	0.314	0.5	1.0	0.382	0.0	0.0	84.4	102.0	137.6	−75.3	68.8	34.7	64.8	15.4	0.302	0.302	0.391	0.731	0.174	0.265	1.0	0.264	0.6	1.0	0.344	
3	4	TLS28	0.0	1.0	1.0	0.478	0.5	1.0	0.546	0.0	0.0	87.4	44.6	196.6	−42.6	−12.6	49.8	70.8	94.8	0.231	0.231	0.562	0.799	1.07	0.266	1.0	1.0	0.601	1.0	1.0	
4	4	TLS28	1.0	0.0	0.0	0.019	0.5	1.0	0.089	0.0	0.0	54.9	78.8	32.0	66.8	41.7	39.3	22.8	7.1	0.567	0.567	0.443	0.257	0.08	1.0	0.265	0.265	0.867	0.272	0.272	
5	4	TLS28	1.0	0.0	1.0	0.842	0.5	1.0	0.911	0.0	0.0	60.6	99.9	327.9	84.6	−53.0	54.3	28.8	86.5	0.32	0.32	0.613	0.326	0.976	1.0	0.265	1.0	0.867	0.272	0.982	
6	4	TLS28	1.0	1.0	0.0	0.219	0.5	1.0	0.288	0.0	0.0	92.8	82.1	103.7	−19.3	79.8	69.1	82.6	17.1	0.41	0.41	0.78	0.932	0.193	1.0	1.0	0.264	1.0	1.0	0.344	
7	4	TLS28	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	



%Umfang
 $u^*_{rel} = 72$
%Regularität
 $g^*_{H,rel} = 26$
 $g^*_{C,rel} = 45$

TLS38	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	58.77	58.45	31.73	66.51	28
Y_M	92.98	-18.1	70.81	73.09	104
L_M	85.11	-68.57	60.02	91.14	139
C_M	87.92	-39.41	-11.86	41.17	197
V_M	46.64	44.93	-76.55	88.77	300
M_M	63.71	75.92	-48.21	89.94	328
N_M	37.99	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 72$
%Regularität
 $g^*_{H,rel} = 26$
 $g^*_{C,rel} = 45$


TLS38a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	58.77	58.45	31.73	66.51	28
Y_{Ma}	92.98	-18.1	70.81	73.09	104
L_{Ma}	85.11	-68.57	60.02	91.14	139
C_{Ma}	87.92	-39.41	-11.86	41.17	197
V_{Ma}	46.64	44.93	-76.55	88.77	300
M_{Ma}	63.71	75.92	-48.21	89.94	328
N_{Ma}	37.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS38; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	5	TLS38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	38.0 0.0 0.0	0.0 0.0	9.6 10.1 11.0	0.313 0.313	0.108 0.114 0.124	0.372 0.372 0.372	0.372 0.372 0.372	
1	5	TLS38	0.0	0.0	1.0	0.764	0.5	1.0	0.834	0.0	0.0	46.6 88.8 300.4	44.9 -76.5	23.8 15.7 85.6	0.19 0.19	0.268 0.178 0.966	0.372 0.372 1.0	0.372 0.372 0.983	
2	5	TLS38	0.0	1.0	0.0	0.317	0.5	1.0	0.386	0.0	0.0	85.1 91.1 138.8	-68.5 60.0	37.7 66.2 20.3	0.303 0.303	0.425 0.747 0.229	0.372 1.0 0.371	0.633 1.0 0.422	
3	5	TLS38	0.0	1.0	1.0	0.478	0.5	1.0	0.547	0.0	0.0	87.9 41.2 196.8	-39.3 -11.8	51.8 71.9 94.9	0.237 0.237	0.585 0.812 1.071	0.373 1.0 1.0	0.634 1.0 1.0	
4	5	TLS38	1.0	0.0	0.0	0.008	0.5	1.0	0.079	0.0	0.0	58.8 66.5 28.5	58.5 31.7	42.0 26.8 12.5	0.517 0.517	0.474 0.302 0.141	1.0 0.372 0.372	0.876 0.372 0.372	
5	5	TLS38	1.0	0.0	1.0	0.842	0.5	1.0	0.91	0.0	0.0	63.7 89.9 327.6	75.9 -48.1	56.1 32.4 87.1	0.32 0.32	0.634 0.366 0.983	1.0 0.372 1.0	0.876 0.372 0.983	
6	5	TLS38	1.0	1.0	0.0	0.219	0.5	1.0	0.29	0.0	0.0	93.0 73.1 104.3	-18.0 70.8	70.0 82.9 21.8	0.401 0.401	0.791 0.936 0.247	1.0 1.0 0.372	1.0 1.0 1.0	
7	5	TLS38	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG40/ Form: 148, Serie: 1/1, Seite: 14
Seite 14 von 14



%Umfang
 $u^*_{rel} = 43$
%Regularität
 $g^*_{H,rel} = 30$
 $g^*_{C,rel} = 48$

TLS50	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	65.53	45.06	20.98	49.7	25
Y _M	93.3	-15.6	56.27	58.4	106
L _M	86.55	-56.3	46.52	73.04	140
C _M	88.94	-33.18	-10.23	34.73	197
V _M	57.17	30.66	-59.39	66.85	297
M _M	69.22	60.95	-39.56	72.67	327
N _M	52.02	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 43$
%Regularität
 $g^*_{H,rel} = 30$
 $g^*_{C,rel} = 48$


TLS50a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System TLS50; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$
0	6	TLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	52.0 0.0 0.0	0.0 0.0 0.0	19.2 20.2 22.0	0.313 0.313	0.216 0.228 0.248	0.514 0.514 0.514	0.51 0.51 0.51
1	6	TLS50	0.0	0.0	1.0	0.756	0.5	1.0	0.826	0.0	0.0	57.2 66.8 297.3	30.7 -59.3	31.5 25.1 87.0	0.219 0.219	0.356 0.283 0.982	0.514 0.514 1.0	0.51 0.51 0.985
2	6	TLS50	0.0	1.0	0.0	0.319	0.5	1.0	0.39	0.0	0.0	86.6 73.0 140.4	-56.2 46.5	43.6 69.1 30.1	0.305 0.305	0.493 0.78 0.34	0.515 1.0 0.514	0.694 1.0 0.541
3	6	TLS50	0.0	1.0	1.0	0.478	0.5	1.0	0.548	0.0	0.0	88.9 34.7 197.1	-33.1 -10.1	56.0 74.0 95.1	0.249 0.249	0.632 0.836 1.073	0.515 1.0 1.0	0.694 1.0 1.0
4	6	TLS50	1.0	0.0	0.0	1.0	0.5	1.0	0.069	0.0	0.0	65.5 49.7 25.0	45.1 21.0	47.4 34.7 23.3	0.45 0.45	0.535 0.392 0.263	1.0 0.515 0.514	0.893 0.51 0.51
5	6	TLS50	1.0	0.0	1.0	0.839	0.5	1.0	0.908	0.0	0.0	69.2 72.7 327.0	61.0 -39.5	59.7 39.7 88.3	0.318 0.318	0.674 0.448 0.997	1.0 0.515 1.0	0.893 0.51 0.985
6	6	TLS50	1.0	1.0	0.0	0.225	0.5	1.0	0.293	0.0	0.0	93.3 58.4 105.5	-15.5 56.3	71.9 83.7 31.4	0.384 0.384	0.811 0.944 0.355	1.0 1.0 0.514	1.0 1.0 1.0
7	6	TLS50	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0




Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 16$
%Regularität
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$

TLS70					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	76.43	26.27	10.57	28.32	22
Y _M	93.93	-10.76	34.63	36.27	107
L _M	89.32	-35.8	27.64	45.24	142
C _M	90.93	-21.95	-7.07	23.07	198
V _M	72.1	15.76	-35.63	38.97	294
M _M	78.5	37.52	-25.23	45.22	326
N _M	69.7	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 16$
%Regularität
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$


TLS70a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System TLS70; Sechs Bunttonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$
0	7	TLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	69.7 0.0 0.0	0.0 0.0 0.0	38.3 40.3 43.9	0.313 0.313 0.433	0.455 0.496 0.705	0.705 0.705 0.705	0.699 0.699 0.699
1	7	TLS70	0.0	0.0	1.0	0.747	0.5	1.0	0.816	0.0	0.0	72.1 39.0 293.9	15.8 -35.5	47.0 43.8 89.8	0.26 0.26 0.531	0.494 1.013 0.705	0.705 1.0 0.699	0.699 0.699 0.99
2	7	TLS70	0.0	1.0	0.0	0.325	0.5	1.0	0.395	0.0	0.0	89.3 45.2 142.3	-35.7 27.6	55.6 74.8 49.7	0.309 0.309 0.628	0.845 0.561 0.705	1.0 0.705 0.799	1.0 1.0 0.715
3	7	TLS70	0.0	1.0	1.0	0.481	0.5	1.0	0.55	0.0	0.0	90.9 23.1 197.9	-21.9 -7.0	64.3 78.3 95.5	0.27 0.27 0.726	0.884 1.078 0.705	1.0 1.0 0.799	1.0 1.0 1.0
4	7	TLS70	1.0	0.0	0.0	0.992	0.5	1.0	0.061	0.0	0.0	76.4 28.3 21.9	26.3 10.6	58.2 50.6 44.8	0.379 0.379 0.657	0.571 0.506 1.0	0.705 0.705 0.926	0.699 0.699 0.699
5	7	TLS70	1.0	0.0	1.0	0.836	0.5	1.0	0.906	0.0	0.0	78.5 45.2 326.1	37.5 -25.1	66.9 54.1 90.7	0.316 0.316 0.756	0.61 1.024 1.0	0.705 1.0 0.926	0.699 0.699 0.99
6	7	TLS70	1.0	1.0	0.0	0.228	0.5	1.0	0.298	0.0	0.0	93.9 36.3 107.3	-10.7 34.6	75.5 85.1 50.6	0.357 0.357 0.852	0.961 0.571 1.0	1.0 1.0 0.705	1.0 1.0 1.0
7	7	TLS70	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0 1.0 1.0




Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 133$
%Regularität
 $g^*_{H,rel} = 52$
 $g^*_{C,rel} = 56$

OLS00	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	45.14	71.37	75.54	103.92	47
Y _M	90.22	-10.59	99.51	100.07	96
L _M	48.45	-73.18	42.21	84.49	150
C _M	56.88	-33.1	-47.4	57.83	235
V _M	16.48	45.84	-56.21	72.54	309
M _M	45.36	81.85	-9.28	82.38	354
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 133$
%Regularität
 $g^*_{H,rel} = 52$
 $g^*_{C,rel} = 56$

OLS00a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	45.14	71.37	75.54	103.92	47
Y _{Ma}	90.22	-10.59	99.51	100.07	96
L _{Ma}	48.45	-73.18	42.21	84.49	150
C _{Ma}	56.88	-33.1	-47.4	57.83	235
V _{Ma}	16.48	45.84	-56.21	72.54	309
M _{Ma}	45.36	81.85	-9.28	82.38	354
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Daten der 2x2x2=8 Farben im Farbmtrik-System OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	0	OLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.328 0.328 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.006 0.006 0.006	
1	0	OLS00	0.0	0.0	1.0	0.789	0.5	1.0	0.859	0.0	0.0	16.5 72.5 309.2	45.8 -56.1	4.9 2.2 19.2	0.185 0.185 0.055	0.025 0.217 0.197	0.028 0.514 0.182	0.061 0.5	
2	0	OLS00	0.0	1.0	0.0	0.347	0.5	1.0	0.417	0.0	0.0	48.5 84.5 150.0	-73.1 42.2	6.5 17.2 4.5	0.232 0.232 0.074	0.194 0.05 0.05	-1.089 0.578 0.142	0.181 0.573 0.2	
3	0	OLS00	0.0	1.0	1.0	0.583	0.5	1.0	0.653	0.0	0.0	56.9 57.8 235.1	-33.0 -47.3	16.9 24.8 70.6	0.15 0.15 0.19	0.28 0.796 -2.713	0.645 0.904 -0.24	0.639 0.892	
4	0	OLS00	1.0	0.0	0.0	0.061	0.5	1.0	0.13	0.0	0.0	45.1 103.9 46.6	71.4 75.5	28.6 14.6 0.2	0.659 0.659 0.322	0.165 0.002 0.901	-0.027 -0.178 0.771	-0.063 -0.14	
5	0	OLS00	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	45.4 82.4 353.5	81.9 -9.2	31.6 14.8 20.7	0.471 0.471 0.357	0.167 0.234 0.897	-0.287 0.52 0.764	-0.177 0.505	
6	0	OLS00	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.2 100.1 96.1	-10.5 99.5	68.0 76.8 8.0	0.445 0.445 0.768	0.867 0.09 1.047	0.948 -0.503 1.021	0.946 -0.043	
7	0	OLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0 1.0 1.0	



%Umfang
 $u^*_{rel} = 120$
%Regularität
 $g^*_{H,rel} = 54$
 $g^*_{C,rel} = 58$

OLS06	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	45.87	69.79	66.99	96.74	44
Y_M	90.25	-10.5	97.42	97.99	96
L_M	49.08	-70.27	40.08	80.91	150
C_M	57.33	-32.37	-46.79	56.91	235
V_M	19.26	40.73	-52.46	66.42	308
M_M	46.07	80.12	-9.03	80.63	354
N_M	5.69	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 120$
%Regularität
 $g^*_{H,rel} = 54$
 $g^*_{C,rel} = 58$

OLS06a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	45.87	69.79	66.99	96.74	44
Y_{Ma}	90.25	-10.5	97.42	97.99	96
L_{Ma}	49.08	-70.27	40.08	80.91	150
C_{Ma}	57.33	-32.37	-46.79	56.91	235
V_{Ma}	19.26	40.73	-52.46	66.42	308
M_{Ma}	46.07	80.12	-9.03	80.63	354
N_{Ma}	5.69	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272


Daten der 2x2x2=8 Farben im Farbmtrik-System OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	1	OLS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.7 0.0 0.0	0.0 0.0 0.0	0.6 0.6 0.7	0.313 0.313 0.007	0.007 0.008 0.079	0.079 0.079 0.106	0.105 0.105 0.105	
1	1	OLS06	0.0	0.0	1.0	0.786	0.5	1.0	0.855	0.0	0.0	19.3 66.4 307.8	40.7 -52.4 5.4	2.8 19.8 0.194	0.194 0.061 0.032	0.223 0.218 0.095	0.52 0.205 0.119	0.506 0.506 0.506	
2	1	OLS06	0.0	1.0	0.0	0.347	0.5	1.0	0.418	0.0	0.0	49.1 80.9 150.3	-70.2 40.1 7.1	17.7 5.1 0.237	0.237 0.08 0.199	0.058 -0.99 0.583	0.171 0.204 0.578	0.221 0.221 0.221	
3	1	OLS06	0.0	1.0	1.0	0.583	0.5	1.0	0.654	0.0	0.0	57.3 56.9 235.3	-32.3 -46.7 17.4	25.3 70.8 0.153	0.153 0.196 0.285	0.799 -2.602 0.649	0.905 0.905 -0.221	0.643 0.893 0.893	
4	1	OLS06	1.0	0.0	0.0	0.053	0.5	1.0	0.122	0.0	0.0	45.9 96.7 43.8	69.8 67.0 29.0	15.2 0.8 0.644	0.644 0.327 0.171	0.01 0.902 0.061	-0.085 0.773 0.088	-0.098 -0.098 -0.098	
5	1	OLS06	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	46.1 80.6 353.6	80.1 -8.9 32.0	15.3 21.3 0.466	0.466 0.361 0.173	0.24 0.898 -0.193	0.526 0.766 -0.148	0.511 0.511 0.511	
6	1	OLS06	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.2 98.0 96.2	-10.4 97.4 68.1	76.8 8.6 0.444	0.444 0.769 0.867	0.097 1.047 0.948	-0.408 1.021 0.946	0.098 0.098 0.098	
7	1	OLS06	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0 1.0 1.0	



%Umfang
 $u^*_{rel} = 108$
%Regularität
 $g^*_{H,rel} = 55$
 $g^*_{C,rel} = 58$

OLS11	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	46.57	68.27	59.62	90.64	41
Y_M	90.29	-10.42	95.45	96.02	96
L_M	49.7	-67.59	38.19	77.64	151
C_M	57.76	-31.67	-46.18	56.01	236
V_M	21.67	36.81	-49.36	61.58	307
M_M	46.77	78.45	-8.79	78.94	354
N_M	10.99	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 108$
%Regularität
 $g^*_{H,rel} = 55$
 $g^*_{C,rel} = 58$

OLS11a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.57	68.27	59.62	90.64	41
Y_{Ma}	90.29	-10.42	95.45	96.02	96
L_{Ma}	49.7	-67.59	38.19	77.64	151
C_{Ma}	57.76	-31.67	-46.18	56.01	236
V_{Ma}	21.67	36.81	-49.36	61.58	307
M_{Ma}	46.77	78.45	-8.79	78.94	354
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmatrik-System OLS11; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	2	OLS11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	11.0	0.0	0.0	0.0	1.2	1.3	1.4	0.313	0.313	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145		
1	2	OLS11	0.0	0.0	1.0	0.783	0.5	1.0	0.852	0.0	0.0	21.7	61.6	306.7	36.8	-49.3	6.0	3.4	20.3	0.202	0.202	0.068	0.039	0.23	0.237	0.135	0.526	0.225	0.154	0.512	
2	2	OLS11	0.0	1.0	0.0	0.35	0.5	1.0	0.418	0.0	0.0	49.7	77.6	150.5	-67.5	38.2	7.6	18.2	5.8	0.242	0.242	0.086	0.205	0.065	-0.89	0.587	0.195	0.224	0.582	0.239	
3	2	OLS11	0.0	1.0	1.0	0.586	0.5	1.0	0.654	0.0	0.0	57.8	56.0	235.6	-31.6	-46.1	17.8	25.7	70.9	0.156	0.156	0.201	0.29	0.801	-2.491	0.652	0.905	-0.199	0.646	0.894	
4	2	OLS11	1.0	0.0	0.0	0.044	0.5	1.0	0.114	0.0	0.0	46.6	90.6	41.1	68.3	59.6	29.4	15.7	1.5	0.63	0.63	0.331	0.177	0.017	0.903	0.112	0.007	0.775	0.133	0.044	
5	2	OLS11	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	46.8	78.9	353.6	78.5	-8.7	32.3	15.8	21.8	0.462	0.462	0.365	0.179	0.246	0.899	-0.099	0.531	0.768	-0.11	0.516	
6	2	OLS11	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.3	96.0	96.2	-10.3	95.4	68.2	76.9	9.2	0.442	0.442	0.77	0.868	0.104	1.047	0.949	-0.313	1.021	0.947	0.14	
7	2	OLS11	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

OLS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	47.94	65.39	50.52	82.63	38
Y_M	90.37	-10.25	91.75	92.32	96
L_M	50.9	-62.82	34.96	71.9	151
C_M	58.62	-30.33	-45.0	54.28	236
V_M	25.72	31.1	-44.39	54.21	305
M_M	48.13	75.28	-8.35	75.74	354
N_M	18.01	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$


OLS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	-10.25	91.75	92.32	96
L_{Ma}	50.9	-62.82	34.96	71.9	151
C_{Ma}	58.62	-30.33	-45.0	54.28	236
V_{Ma}	25.72	31.1	-44.39	54.21	305
M_{Ma}	48.13	75.28	-8.35	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System OLS18; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}						
0	3	OLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
1	3	OLS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523	
2	3	OLS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271	
3	3	OLS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.268	0.659	0.907	-0.143	0.653	0.895	
4	3	OLS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15	
5	3	OLS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527	
6	3	OLS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.7	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.121	1.02	0.948	0.195	
7	3	OLS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


BAM-Registrierung: 20061101-YG40/10L/L40G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG40/ Form: 2008, Serie: 1/1, Seite: 20
Seite: 20

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 74$
%Regularität
 $g^*_{H,rel} = 60$
 $g^*_{C,rel} = 52$

OLS28	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	50.51	60.17	40.13	72.32	34
Y _M	90.52	-9.91	85.2	85.78	97
L _M	53.18	-55.03	30.0	62.68	151
C _M	60.28	-27.9	-42.74	51.05	237
V _M	32.06	24.02	-37.31	44.38	303
M _M	50.68	69.5	-7.56	69.91	354
N _M	26.85	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 74$
%Regularität
 $g^*_{H,rel} = 60$
 $g^*_{C,rel} = 52$

OLS28a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.51	60.17	40.13	72.32	34
Y _{Ma}	90.52	-9.91	85.2	85.78	97
L _{Ma}	53.18	-55.03	30.0	62.68	151
C _{Ma}	60.28	-27.9	-42.74	51.05	237
V _{Ma}	32.06	24.02	-37.31	44.38	303
M _{Ma}	50.68	69.5	-7.56	69.91	354
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Daten der 2x2x2=8 Farben im Farbmtrik-System OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	4	OLS28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	26.9 0.0 0.0	0.0 0.0 0.0	4.8 5.0 5.5	0.313 0.313 0.054	0.057 0.062 0.265	0.265 0.265 0.265	0.272 0.272 0.272	
1	4	OLS28	0.0	0.0	1.0	0.772	0.5	1.0	0.841	0.0	0.0	32.1 44.4 302.8	24.0 -37.2 9.4	7.1 23.6 0.234	0.234 0.106 0.08	0.267 0.327 0.269	0.558 0.316 0.276	0.545	
2	4	OLS28	0.0	1.0	0.0	0.35	0.5	1.0	0.421	0.0	0.0	53.2 62.7 151.4	-54.9 30.0 10.9	21.2 9.7 0.261	0.261 0.123 0.239	0.109 -0.292 0.613	0.301 0.315 0.607	0.325	
3	4	OLS28	0.0	1.0	1.0	0.589	0.5	1.0	0.658	0.0	0.0	60.3 51.1 236.9	-27.8 -42.7 20.7	28.4 72.0 0.171	0.171 0.234 0.321	0.813 -1.823 0.672	0.91 0.151 0.666	0.899	
4	4	OLS28	1.0	0.0	0.0	0.025	0.5	1.0	0.094	0.0	0.0	50.5 72.3 33.7	60.2 40.1 31.7	18.8 5.6 0.564	0.564 0.358 0.213	0.064 0.907 0.26	0.232 0.786 0.267	0.242	
5	4	OLS28	1.0	0.0	1.0	0.914	0.5	1.0	0.983	0.0	0.0	50.7 69.9 353.8	69.5 -7.5 34.6	19.0 25.0 0.44	0.44 0.39 0.214	0.283 0.903 0.209	0.563 0.779 0.22	0.548	
6	4	OLS28	1.0	1.0	0.0	0.2	0.5	1.0	0.268	0.0	0.0	90.5 85.8 96.6	-9.8 85.2 68.9	77.4 13.0 0.433	0.433 0.778 0.874	0.147 1.045 0.951	0.152 1.02 0.949	0.269	
7	4	OLS28	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0	



%Umfang
 $u^*_{rel} = 51$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 44$

OLS38	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	55.13	51.42	29.16	59.11	30
Y _M	90.83	-9.24	74.37	74.94	97
L _M	57.35	-43.83	23.35	49.67	152
C _M	63.39	-23.82	-38.55	45.33	238
V _M	41.26	16.67	-28.48	33.01	300
M _M	55.27	59.74	-6.31	60.07	354
N _M	37.99	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 51$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 44$

OLS38a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	55.13	51.42	29.16	59.11	30
Y _{Ma}	90.83	-9.24	74.37	74.94	97
L _{Ma}	57.35	-43.83	23.35	49.67	152
C _{Ma}	63.39	-23.82	-38.55	45.33	238
V _{Ma}	41.26	16.67	-28.48	33.01	300
M _{Ma}	55.27	59.74	-6.31	60.07	354
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	5	OLS38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	38.0 0.0 0.0	0.0 0.0 0.0	9.6 10.1 11.0	0.313 0.313 0.108	0.114 0.124 0.372	0.372 0.372 0.372	0.372 0.372 0.372	
1	5	OLS38	0.0	0.0	1.0	0.764	0.5	1.0	0.834	0.0	0.0	41.3 33.0 300.3	16.7 -28.4	13.9 12.0 28.0	0.258 0.258 0.157	0.136 0.316 0.413	0.375 0.597 0.402	0.375 0.585	
2	5	OLS38	0.0	1.0	0.0	0.353	0.5	1.0	0.422	0.0	0.0	57.4 49.7 152.0	-43.7 23.4	15.4 25.3 14.9	0.276 0.276 0.173	0.285 0.168 0.218	0.646 0.395 0.402	0.64 0.408	
3	5	OLS38	0.0	1.0	1.0	0.592	0.5	1.0	0.662	0.0	0.0	63.4 45.3 238.3	-23.7 -38.5	24.5 32.1 73.5	0.189 0.189 0.277	0.362 0.83 -0.934	0.698 0.916 0.308	0.692 0.905	
4	5	OLS38	1.0	0.0	0.0	0.014	0.5	1.0	0.082	0.0	0.0	55.1 59.1 29.6	51.4 29.2	34.9 23.1 11.1	0.505 0.505 0.394	0.26 0.125 0.913	0.369 0.352 0.801	0.369 0.354	
5	5	OLS38	1.0	0.0	1.0	0.914	0.5	1.0	0.983	0.0	0.0	55.3 60.1 354.0	59.7 -6.2	37.6 23.2 29.4	0.417 0.417 0.424	0.262 0.331 0.91	0.339 0.602 0.795	0.341 0.588	
6	5	OLS38	1.0	1.0	0.0	0.2	0.5	1.0	0.27	0.0	0.0	90.8 74.9 97.1	-9.1 74.4	69.9 78.1 18.0	0.421 0.421 0.788	0.882 0.203 1.042	0.954 0.312 1.019	0.952 0.371	
7	5	OLS38	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313 0.95	1.0 1.089 1.0	1.0 1.0 1.0	1.0 1.0 1.0	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



%Umfang
 $u^*_{rel} = 29$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 37$

OLS50	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	62.9	38.38	18.55	42.63	26
Y _M	91.44	-7.94	57.91	58.45	98
L _M	64.49	-30.05	15.67	33.9	152
C _M	68.98	-17.73	-31.23	35.93	240
V _M	53.87	10.09	-18.83	21.37	298
M _M	63.0	44.96	-4.55	45.19	354
N _M	52.02	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Umfang
 $u^*_{rel} = 29$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 37$

OLS50a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	62.9	38.38	18.55	42.63	26
Y _{Ma}	91.44	-7.94	57.91	58.45	98
L _{Ma}	64.49	-30.05	15.67	33.9	152
C _{Ma}	68.98	-17.73	-31.23	35.93	240
V _{Ma}	53.87	10.09	-18.83	21.37	298
M _{Ma}	63.0	44.96	-4.55	45.19	354
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System OLS50; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$
0	6	OLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	52.0 0.0 0.0	0.0 0.0 0.0	19.2 20.2 22.0	0.313 0.313	0.216 0.228 0.248	0.514 0.514 0.514	0.51 0.51 0.51
1	6	OLS50	0.0	0.0	1.0	0.758	0.5	1.0	0.828	0.0	0.0	53.9 21.4 298.2	10.1 -18.7	22.9 21.9 36.8	0.281 0.281	0.259 0.247 0.415	0.539 0.516 0.668	0.528 0.512 0.656
2	6	OLS50	0.0	1.0	0.0	0.353	0.5	1.0	0.424	0.0	0.0	64.5 33.9 152.5	-30.0 15.7	24.2 33.4 25.4	0.292 0.292	0.273 0.377 0.287	0.44 0.705 0.528	0.528 0.699 0.532
3	6	OLS50	0.0	1.0	1.0	0.597	0.5	1.0	0.668	0.0	0.0	69.0 35.9 240.4	-17.6 -31.1	32.2 39.3 76.5	0.218 0.218	0.363 0.444 0.863	0.283 0.746 0.927	0.474 0.74 0.918
4	6	OLS50	1.0	0.0	0.0	0.003	0.5	1.0	0.072	0.0	0.0	62.9 42.6 25.8	38.4 18.6	41.2 31.5 22.1	0.435 0.435	0.465 0.355 0.249	0.925 0.513 0.503	0.83 0.508 0.499
5	6	OLS50	1.0	0.0	1.0	0.914	0.5	1.0	0.984	0.0	0.0	63.0 45.2 354.2	45.0 -4.5	43.6 31.6 38.0	0.385 0.385	0.492 0.357 0.429	0.922 0.496 0.671	0.825 0.492 0.659
6	6	OLS50	1.0	1.0	0.0	0.203	0.5	1.0	0.272	0.0	0.0	91.4 58.5 97.8	-7.8 57.9	71.7 79.5 28.1	0.4 0.4	0.809 0.897 0.317	1.037 0.96 0.482	1.016 0.959 0.509
7	6	OLS50	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0





%Umfang
 $u^*_{rel} = 10$
%Regularität
 $g^*_{H,rel} = 59$
 $g^*_{C,rel} = 30$

OLS70	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	75.01	21.53	9.07	23.36	23
Y _M	92.64	-5.44	34.85	35.27	99
L _M	75.86	-15.49	7.96	17.42	153
C _M	78.37	-9.89	-19.5	21.88	243
V _M	70.54	4.74	-9.46	10.59	297
M _M	75.07	25.47	-2.45	25.59	354
N _M	69.7	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 10$
%Regularität
 $g^*_{H,rel} = 59$
 $g^*_{C,rel} = 30$

OLS70a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	75.01	21.53	9.07	23.36	23
Y _{Ma}	92.64	-5.44	34.85	35.27	99
L _{Ma}	75.86	-15.49	7.96	17.42	153
C _{Ma}	78.37	-9.89	-19.5	21.88	243
V _{Ma}	70.54	4.74	-9.46	10.59	297
M _{Ma}	75.07	25.47	-2.45	25.59	354
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 2x2x2=8 Farben im Farbmtrik-System OLS70; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	7	OLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	69.7 0.0 0.0	0.0 0.0	38.3 40.3 43.9	0.313 0.313	0.433 0.455 0.496	0.705 0.705 0.705	0.699 0.699 0.699	
1	7	OLS70	0.0	0.0	1.0	0.756	0.5	1.0	0.824	0.0	0.0	70.5 10.6 296.6	4.7 -9.4	41.0 41.5 54.4	0.299 0.299	0.463 0.469 0.614	0.717 0.706 0.785	0.708 0.7 0.777	
2	7	OLS70	0.0	1.0	0.0	0.356	0.5	1.0	0.424	0.0	0.0	75.9 17.4 152.8	-15.4 8.0	41.9 49.7 46.3	0.304 0.304	0.473 0.561 0.523	0.672 0.807 0.712	0.708 0.802 0.71	
3	7	OLS70	0.0	1.0	1.0	0.606	0.5	1.0	0.675	0.0	0.0	78.4 21.9 243.1	-9.8 -19.4	47.5 53.8 82.4	0.259 0.259	0.536 0.608 0.93	0.619 0.832 0.949	0.682 0.827 0.943	
4	7	OLS70	1.0	0.0	0.0	0.994	0.5	1.0	0.063	0.0	0.0	75.0 23.4 22.8	21.5 9.1	53.9 48.3 44.0	0.369 0.369	0.608 0.545 0.496	0.948 0.704 0.7	0.884 0.698 0.694	
5	7	OLS70	1.0	0.0	1.0	0.914	0.5	1.0	0.985	0.0	0.0	75.1 25.6 354.5	25.5 -2.4	55.5 48.4 55.2	0.349 0.349	0.627 0.546 0.623	0.946 0.697 0.787	0.881 0.691 0.778	
6	7	OLS70	1.0	1.0	0.0	0.206	0.5	1.0	0.275	0.0	0.0	92.6 35.3 98.9	-5.3 34.8	75.4 82.1 48.2	0.366 0.366	0.851 0.927 0.544	1.026 0.972 0.69	1.012 0.971 0.699	
7	7	OLS70	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0 1.089	1.0 1.0 1.0	1.0 1.0 1.0	