


See for similar files: <http://www.ps.bam.de/ZE80/>; www.ps.bam.de/ZE80/10L/L80E00FP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE80/10L/L80E00FP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




ZE800-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 1/9, ORS18

BAM-test chart ZE80; Colorimetric systems, Page 1/9
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: no change compared to input

See for similar files: <http://www.ps.bam.de/ZE80/>; www.ps.bam.de/ZE80/10L/L80E00FP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE80/10L/L80E00FP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




ZE800-7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 2/9, ORS18

BAM-test chart ZE80; Colorimetric systems, Page 2/9
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: ->LAB*->cmyn5* setcmypcolor

See for similar files: <http://www.ps.bam.de/ZE80/>; www.ps.bam.de/ZE80/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE80/10L/L80E00FP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



ZE800-7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 3/9, ORS18 c n*


BAM-test chart ZE80; Colorimetric systems, Page 3/9
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: ->LAB*->cmyn5* setcmyscolor


m

m

y




y



See for similar files: <http://www.ps.bam.de/ZE80/>; www.ps.bam.de/ZE80/.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE80/10L/L80E00FP.PS/.PDF BAM material: code=rhadt
application for evaluation and measurement of printer or monitor systems



ZE800-7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 7/9, ORS18 c n*


BAM-test chart ZE80; Colorimetric systems, Page 7/9
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: ->LAB*->cmyn5* setcmykcolor

m

m

y



y