


See for similar files: <http://www.ps.bam.de/ZE89/>; www.ps.bam.de/ZE.HTM
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20071001-ZE89/10L/L89E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




See for similar files: <http://www.ps.bam.de/ZE89>; www.ps.bam.de/ZE.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

9/; www.ps.bam.de/ZE.HTM
Version 2.1, io=1,1


BAM-test chart ZE89; Colorimetric systems, Page 2/6
D65: 5 and 16 step colour scales; standard colours

```
input: 000n / w / nnn0 / www set...
output: ->cmy5* setcmykcolor
```

BAM registration: 20071001-ZE89/10L/L89E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




c




m

$\frac{1}{2}$



$\frac{1}{2}$



$\frac{1}{4}$

$\frac{1}{4}$


$\frac{1}{4}$

$\frac{1}{4}$


$\frac{1}{4}$

$\frac{1}{4}$


$\frac{1}{4}$




$\frac{1}{4}$




$\frac{1}{4}$




$\frac{1}{4}$



$\frac{1}{4}$




$\frac{1}{4}$



$\frac{1}{4}$



$\frac{1}{4}$







$\frac{1}{4}$

$\frac{1}{4}$

$\frac{1}{4}$

$\frac{1}{4}$



y

$\cdot \nearrow$

$\cdot \nearrow$

$\cdot f \cdot$







$\cdot f \cdot$

$\nwarrow \cdot$

$\nwarrow \cdot$

$\cdot \cdot$

$\cdot \cdot$



$\cdot \cdot$

$\cdot \cdot$

$\cdot \cdot$





$\cdot \cdot$

$\cdot \nearrow$

$\cdot \nearrow$

$\cdot f \cdot$

$\cdot f \cdot$



$\nwarrow \cdot$

$\nwarrow \cdot$

$\cdot \cdot$

$\cdot \cdot$

