

## Documentation of assessor colour-vision properties for visual assessment

The assessor has **normal** colour vision according to one test:

**underline:** Yes/No

either according to DIN 6160:1996 with Anomaloskop of Nagel

**underline:** Yes/unknown

or with test charts using colour points according to Ishihara

**underline:** Yes/unknown

or tested with, please specify: .....

**underline:** Yes/unknown

## For visual evaluation of the display (Monitor, data projector) output

Office workplace illumination is daylight (clouded/north sky)

**underline:** Yes/No

**PDF file:** [http://farbe.li.tu-berlin.de/AE16/AE16F0PX\\_CY8\\_3.PDF](http://farbe.li.tu-berlin.de/AE16/AE16F0PX_CY8_3.PDF)

**underline:** Yes/No

**PS file:** [http://farbe.li.tu-berlin.de/AE16/AE16F0PX\\_CY8\\_3.PS](http://farbe.li.tu-berlin.de/AE16/AE16F0PX_CY8_3.PS)

**underline:** Yes/No

**picture A7<sub>dd</sub> contrast range:** (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0)

compare standard print output according to ISO/IEC 15775 with range F:0

**underline:** Yes/No

*Remark: In daylighted offices the contrast range is in many cases:*

*on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector)*

## Only for optional colorimetric specification with PDF/PS file output

**PDF file:** [http://farbe.li.tu-berlin.de/AE16/AE16F0PX\\_CY8\\_3.PDF](http://farbe.li.tu-berlin.de/AE16/AE16F0PX_CY8_3.PDF)

**picture A7<sub>dd</sub>**

**underline:** Yes/No

**PS file:** [http://farbe.li.tu-berlin.de/AE16/AE16F0PX\\_CY8\\_3.PS](http://farbe.li.tu-berlin.de/AE16/AE16F0PX_CY8_3.PS)

**picture A7<sub>dd</sub>**

**or underline:** Yes/No

## colour measurement and specification for:

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry:

**underline:** Yes/No

If No, please give other parameters: .....

## Colorimetric specification for 17 step colours of <http://farbe.li.tu-berlin.de/OE70/OE70L1NP.PDF>

Exchange of CIELAB data in file <http://farbe.li.tu-berlin.de/AE82/AE82L0NP.TXT> and transfer

of the PS file AE82L0NP.PS (= .TXT) to the PDF-file AE82L0NP.PDF

**underline:** Yes/No

If No, please describe other method: .....