


see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>




AE190-5, Picture D2Wdd: radial gratings W- $R_d$ ; W- $G_d$ ; W- $B_d$ ; W- $N$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf);  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor




Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart RGB




AE191-1, Picture D4Wdd: 16 equidistant steps W- $R_d$ ; W- $G_d$ ; W- $B_d$ ; W- $N$ ;  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor



AE191-3, Picture D5Wdd: Sript and Landolt-rings N;  $R_d$ ;  $G_d$ ;  $B_d$ ; Z; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE191-5, Picture D6Wdd: Landolt-rings W- $R_d$ ; W- $G_d$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE191-7, Picture D7Wdd: Landolt-rings W- $B_d$ ; W- $N$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor

input:  $rgb/cmy0/000n/w$  set...  
output:  $\rightarrow rgb_{dd}$  setrgbcolor




TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output


TUB material: code=th44ta

see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output  
TUB material: code=th44ta




AE191-1, Picture D4Wdd: 16 equidistant steps  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ;  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor




AE191-3, Picture D5Wdd: Sript and Landolt-rings  $N$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $Z$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE191-5, Picture D6Wdd: Landolt-rings  $W-R_d$ ;  $W-G_d$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE191-7, Picture D7Wdd: Landolt-rings  $W-B_d$ ;  $W-N$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE190-5, Picture D2Wdd: radial gratings  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf);  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor




Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart  $RGB$

input:  $rgb/cmy0/000n/w$  set...  
output:  $\rightarrow rgb_{dd}$  setrgbcolor



see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>




radial gratings W-R<sub>d</sub> radial gratings W-G<sub>d</sub> radial gratings W-B<sub>d</sub> radial gratings W-N radial gratings W-Z  
AE190-5, Picture D2Wdd: radial gratings W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; PS operator: *rgb-cmy0->rgb<sub>dd</sub> setrgbcolor*




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb-cmy0->rgb<sub>dd</sub> setrgbcolor*


Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart RGB




AE191-1, Picture D4Wdd: 16 equidistant steps W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; *rgb-cmy0->rgb<sub>dd</sub> setrgbcolor*



AE191-3, Picture D5Wdd: Sript and Landolt-rings N; R<sub>d</sub>; G<sub>d</sub>; B<sub>d</sub>; Z; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*



AE191-5, Picture D6Wdd: Landolt-rings W-R<sub>d</sub>; W-G<sub>d</sub>; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE191-7, Picture D7Wdd: Landolt-rings W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*

input: *rgb-cmy0/000n/w set...*  
output: *->rgb<sub>dd</sub> setrgbcolor*

TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output  
TUB material: code=th4ta

see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>




radial gratings W-R<sub>d</sub> radial gratings W-G<sub>d</sub> radial gratings W-B<sub>d</sub> radial gratings W-N radial gratings W-Z  
AE190-5, Picture D2Wdd: radial gratings W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*


Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart RGB




AE191-1, Picture D4Wdd: 16 equidistant steps W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*



AE191-3, Picture D5Wdd: Sript and Landolt-rings N; R<sub>d</sub>; G<sub>d</sub>; B<sub>d</sub>; Z; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*



AE191-5, Picture D6Wdd: Landolt-rings W-R<sub>d</sub>; W-G<sub>d</sub>; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE191-7, Picture D7Wdd: Landolt-rings W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*

input: *rgb/cmy0/000n/w set...*  
output: *->rgb<sub>dd</sub> setrgbcolor*

TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output  
TUB material: code=th44ta

see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>




radial gratings W-R<sub>d</sub> radial gratings W-G<sub>d</sub> radial gratings W-B<sub>d</sub> radial gratings W-N radial gratings W-Z  
AE190-5, Picture D2Wdd: radial gratings W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*


Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart RGB




AE191-1, Picture D4Wdd: 16 equidistant steps W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*



AE191-3, Picture D5Wdd: Sript and Landolt-rings N; R<sub>d</sub>; G<sub>d</sub>; B<sub>d</sub>; Z; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*



AE191-5, Picture D6Wdd: Landolt-rings W-R<sub>d</sub>; W-G<sub>d</sub>; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE191-7, Picture D7Wdd: Landolt-rings W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*

input: *rgb/cmy0/000n/w set...*  
output: *->rgb<sub>dd</sub> setrgbcolor*

TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output  
TUB material: code=th4ta



see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>




radial gratings W-R<sub>d</sub> radial gratings W-G<sub>d</sub> radial gratings W-B<sub>d</sub> radial gratings W-N radial gratings W-Z  
AE190-5, Picture D2Wdd: radial gratings W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*


Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart RGB




AE191-1, Picture D4Wdd: 16 equidistant steps W-R<sub>d</sub>; W-G<sub>d</sub>; W-B<sub>d</sub>; W-N; *rgb/cmy0->rgb<sub>dd</sub> setrgbcolor*



AE191-3, Picture D5Wdd: Script and Landolt-rings N; R<sub>d</sub>; G<sub>d</sub>; B<sub>d</sub>; Z; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*



AE191-5, Picture D6Wdd: Landolt-rings W-R<sub>d</sub>; W-G<sub>d</sub>; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*



AE191-7, Picture D7Wdd: Landolt-rings W-B<sub>d</sub>; W-N; PS operator: *rgb->rgb<sub>dd</sub> setrgbcolor*


input: *rgb/cmy0/000n/w set...*  
output: *->rgb<sub>dd</sub> setrgbcolor*

TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output


TUB material: code=th4ta

see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
 technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
 application for measurement or viewing of display and print output  
 TUB material: code=th44ta



AE191-1, Picture D4Wdd: 16 equidistant steps  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ;  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor




AE191-3, Picture D5Wdd: Script and Landolt-rings  $N$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $Z$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE190-5, Picture D2Wdd: radial gratings  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf);  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor



AE191-5, Picture D6Wdd: Landolt-rings  $W-R_d$ ;  $W-G_d$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE191-7, Picture D7Wdd: Landolt-rings  $W-B_d$ ;  $W-N$ ; PS operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




input:  $rgb/cmy0/000n/w$  set...  
 output:  $\rightarrow rgb_{dd}$  setrgbcolor




see similar files: <http://farbe.li.tu-berlin.de/AE19/AE19.HTM>  
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE19/AE19L0FA.TXT /.PS  
application for measurement or viewing of display and print output  
TUB material: code=th4ta




AE191-1, Picture D4Wdd: 16 equidistant steps  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ;  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor




AE191-3, Picture D5Wdd: Sript and Landolt-rings  $N$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $Z$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE191-5, Picture D6Wdd: Landolt-rings  $W-R_d$ ;  $W-G_d$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor




AE191-7, Picture D7Wdd: Landolt-rings  $W-B_d$ ;  $W-N$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE190-5, Picture D2Wdd: radial gratings  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ;  $PS$  operator:  $rgb \rightarrow rgb_{dd}$  setrgbcolor



AE190-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf);  $rgb/cmy0 \rightarrow rgb_{dd}$  setrgbcolor



Test chart AE19 according to test chart 4 of ISO/IEC 15775  
chromatic test chart  $RGB$

input:  $rgb/cmy0/000n/w$  set...  
output:  $\rightarrow rgb_{dd}$  setrgbcolor