hange of the display output by absolute or relative gamma

IEC 61966-2-1 defines an absolute gamma v...

ISO 9241-306 defines a relative gamma $g_p = g_a / 2.4$

The computer operating system Mac OS X VIO.7.5

After several Continue there is a ruler Tarnet Gamma.

ISO 9241-306 defines the correponding contrast steps

The Gamma can be changed continuously between

the absolute Gamma g,=1,0 and g,=2,6.

f gamma is decreasing, then display output appear lighter.

allows a steering of the display output by the following options

Apple, System Proferences, Display, Color, Calibrate, Expert Mode

Then the contrast of the display output changes from low to high.

Cyp1 on for g₀=1,2 or g₀=0,50, see Grab file AEX10-3N.PDF

'YP3,25 for ga=1,6 or gp=0,67, see Grab file AEX10-7N PDF

'VP5.50 for g_a=2,0 or g_p=0,83, see Grab file AEX11-3N.PDF

YPS,00 for g₀=2,4 or gp=1,00, see Grab file AEX11-7N.PDF

Change of the display output by absolute or relative gamma

allows a steering of the display output by the following options

Then the contrast of the display output changes from low to high

For 4 contrast steps the display output was captured by Grab.

The file AEX30-SN.PDF shows the change to PS and PDF files

Transfer of the tiff display-output files to EPS and PDF files

The file AEX30-3N.PDF shows the creation of the tiff files.

For 4 contrast stens the display output was captured by Grah

The software GraphicConverter X V5.2 has produced EPS files.

The software Win AdobeDistiller V3.0 has produced PDF files.

In addition the file names have been changed as follows:

LCD 12 1080 iiff -> AEX10-3N EPS -> AEX10-3N PDF

LCD 16 1080.tiff -> AEX10-7N.EPS -> AEX10-7N.PDF

LCD 20 1080.iiff -> AEX11-3N.EPS -> AEX11-3N.PDE

LCD 24 1080.iff -> AEX11-7N.EPS -> AEX11-7N.PDF

AEX10-3N, AEX10-7N, AEX11-3N, and AEX11-7N.

This software uses the rgb values from the computer storage.

The real visual file output is simulated in the folder AEX2

AEX10-7N.EPS -> AEX20-7N.EPS -> AEX20-7N.PDF

AEX11-3N.EPS -> AEX21-3N.EPS -> AEX21-3N.PDF

Modification of the FPS display output with four eamma values

Grab captures not the display-output change by four gamma values.

Apple, System Proferences, Display, Color, Calibrate, Expert Mode

The application "Grap" shows **not** the display-output change

IEC 61966-2-1 defines an absolute gamma g.,

ISO 9241-306 defines a relative gamma gp = ga / 2,4

The computer operating system Mac OS X VI0.7.5

The Gamma can be changed continuously between

For g₀=1,2 the file name is: LCD_12_1080.nf

For g_a=1,6 the file name is: LCD_16_1080.nff.

For v.=2.0 the file name is: LCD 20 1080 siff.

For g₀=2,4 the file name is: LCD_24_1080.nff.

For a = 1.2 the file name is: LCD 12 1080 sill

For g₀=1,6 the file name is: LCD_16_1080.iff.

For p₀=2.0 the file name is: LCD 20 1080.niff.

For v.=2.4 the file name is: LCD 24 1080 sife

For the study of these files go to the URL

This is a failure of the Mac software Grab

The file names have been changed as follows: AFX 10...3N FPS ... AFX 20...3N FPS ... AFX 20...3N PDF

The visual file output is equal for

tte://farbe.li.tu-berlin.de/AEX1/AEX1.HTM.

the absolute Gamma g,=1,0 and g,=2,6.

If eamma is decreasing, then display output appear lighter.

Production of ICC Profiles with absolute or relative samma IFC 61966-2-1 defines an absolute samma v. ISO 9241-306 defines a relative gamma g_p = g_a / 2,4 gamma is decreasing, then display output appear lighter. The computer operating system Mac OS X V10.7.5 allows a steering of the display output by the following options: Apple, System Proferences, Display, Color, Calibrate, Expert Mode After several Continue there is a ruler Turrer Gamma The Gamma can be changed continuously between the absolute Gamma g_a =1,0 and g_a =2,6. Then the contrast of the display output changes from low to high

ISO 9241-306 defines the corresponding contrast stems C_{YP1} for $g_3 = 1.2$ or $g_P = 0.5$ The display output Target Gamma is shown in figure AEX11-3N.PDF.

Change of the display output by absolute or relative gamma IEC 61966-2-1 defines an absolute gamma ga-ISO 9241-306 defines a relative gamma $g_p = g_a / 2.4$. If earning is decreasing, then display output appear lighter. The computer operating system Mac OS X V10.7.5 allows a steering of the display output by the following option loule, System Proferences, Display, Color, Calibrate, Expert Mode The Gamma can be changed continuously between the absolute Gamma g,=1,0 and g,=2,6.

Then the contrast of the display output changes from low to high For 4 contrast steps the display output was captured by Grab For g_s=1,2 the file name is: LCD_12_MAC.nff For v.=1.6 the file name is: LCD 16 MAC nill For g_a=2,0 the file name is: LCD_20_MAC.tiff For g = 2,4 the file name is: LCD_24_MAC.tiff. The file AEX30-5N.PDF shows the change to PS and PDF files

Transfer of the tiff display-output files to EPS and PDF files The file AEX30_3N PDE shows the creation of the tiff files For 4 contrast stens the display output was captured by Grab For a = 1.2 the file name is: LCD 12 MAC siff For g_s=1,6 the file name is: LCD_16 MAC.niff For p=2.0 the file name is: LCD 20 MAC niff For v .= 2.4 the file name is: LCD 24 MAC.tiff The software GraphicConverter X V5.2 has produced EPS files The software Win AdobeDistiller V3.0 has produced PDF files.

n addition the file names have been changed as follows: LCD 12 MAC 607 -> AEX40-3N EPS -> AEX40-3N PDE LCD 16 MAC.nff -> AEX40-7N.EPS -> AEX40-7N.PDF LCD 20 MACsiff -> AEX41-3N.EPS -> AEX41-3N.PDF CD 24 MAC 6ff -> AFX41-7N FPS -> AFX41-7N PDF

For the study of these files so to the URL: ttp://farbe.li.tu-berlin.de/AEX4/AEX4.HTM

Modification of the EPS display autout with four commo values AEX40-3N, AEX40-7N, AEX41-3N, and AEX41-7N This is a failure of the Mac software Grab. This software uses the rgb values from the computer storage. Grab captures not the display-output change by four gamma values The real visual file output is simulated in the folder AEX5. The file names have been changed as follows: AEX40-3N.EPS -> AEX50-3N.EPS -> AEX50-3N.PDF AEX40-7N.EPS -> AEX50-7N.EPS -> AEX50-7N.PDF AEX41-3N.EPS -> AEX51-3N.EPS -> AEX51-3N.PDF

The differences of the EPS files in the folgers AEX5 and AEX4 are shown in AEX30-6N.PDF. A PS-Gamma procedure, for example [0.5 exp] settransfer changes Gamma from 2,4 to 1,2.

Creation of an own profile with the name: LCD D65 24 2010 hoose the following menue steps: Apple, system preferences, display, colours, calibration The last menue shows the following stems

Introduction, 2, Set up. 3, Native Gamma, 4, Target Gamma Target White Point, 6. Admin, 7. Name, 8. Conclusion. So to Menue: 1. Introduction. Choose the option Expert Mode. Go to Menue: 4. Target Gamma. Use the Gamma slider for changes etween Gamma=1.0 and 2.6 the contrast chances rom low to high by a slider. Choose the value: 2.4 So to Menue: 5. Turner White Point. Choose the option D65

Go to Menue: 6. Admin. Choose the ortion: Allow other users to use this calibration Go to Menue: 7. Name. Input the name LCD_D65_24_2010. The profile is stored and can be chosen in the display profile list

Conclusion: Display calibration mounter operating evenum Mac OS Version 10.7.5 of 2010; crouned 2020-06-25 A new calibrated display profile has been created and set to be the urrent profile for the display. Profile Summary: LCD D65 22 2010 Native Gamma: 1,981, approximate Target Gamma: 2.203 Chromaticities

X_{D65} 0.645 Green Phosphor 0.307 0,627 Blue Phosphor: Target White Point: to out the calibrator, click the Done butto

ome parameters which are shown for the option over profile I the produced profile LCD_D65_22_2010 is opened, then many data and Gamma curves are shown. Only a few colorimetric data are listed in the following

Colorant and tristimulus values X_{D50} Red Phosphor Green Phosphor 0.370 0.698 Rine Phosehor PAAA 0,146 0,069 Media white point 0,950 1,000

 $(ax + b)^2$, $x \ge d$ y = 2.4, 1024 points a =0.9479 h=0.0521 c=0.0774 d=0.0393

-0.009262 0.015106

The figures AEX31-1N, AEX31-2N, until AEX31-6N show: How to create an idividual ICC-profile and store it. How to open an existing or created ICC-profile How colorimetric data of the four colours RGB and W are stored. How the exponent of the Gamma curve is stored. Depending on the parameters a, b, c, d the value v changes Two computer operating systems of 2010 and 2020 have been used Since 2019 the option to change the Gamma by a slider is deleted.

One can not create any more profiles for different Gamma y However, on can create profiles for different Gamma with the older computer operating system until 2018. These profiles can be copied from the folder Apple. Library, ColorSync, Profiles, Displays of the system 2010 to the same folders of the system 2020 An example is the profile with the name: LCD D65 22 2010.icc. re http://farbe.li.tu-berlin.de/profiles/LCD_D65_22_2010.icc

Creation of an own profile with the name: LCD D65 2020 hoose the following menue steps Apple, system preferences, display, colours, calibration The last menue shows the following steps:

applic.

evaluation

me

2

display Ż

o.

print.

output

material:

code=

20200601-A

3/AEX3L0N

Introduction, 2. Set up, 3. Color temperature (goal) Go to Menue: 4. Color temperature (roal). Between 5000 and 9300 the color temperature can be chosen by a slider. Choose the value: D65 Go to Menue: 4. Admin. Choose the option:

Allow other users to use this calibration

Go to Menue: 5. Name. Input the name LCD D65. The profile is stored and can be chosen in the display profile list. The profile is stored as LCD_D65.iccin the folder: ibrary ColorSunc Profiles Displays and can be copied to other computers and used

Conclusion: Display calibration mmuter operating system May OS Version 10.15.5 of 2020, covared 2020-06-25 A new calibrated display profile has been created and set to be the arrent profile for the display. Profile Summary:

LCD D65 Monitor Gamma 2,2 ımma correction: Native Chromaticities Dad Dhorshoe Green Phosphor 0.265 Blue Phosphor: 0.055 Native White Point Color temperature (goal): 6500°K

to out the calibrator, click the Done button

iome parameters which are shown for the option oven profile If the produced profile LCD_D65_2020 is opened, then many data and Gamma curves are shown.

Only a few colorimetric data are listed in the following Colorant and tristimulus values X_{D50} Red Phosphor 0.294 0.699 Green Phosphor 0.042 Blue Phosehor bxyz 0,155 0,059 0.784 Media white point нре 0,950 1,000 1,047867 0,022903 -0,050717 0,029572 0,990479 -0,017089

Gamma curve, parameter type 3: (ax + b), x≥d γ = 2,4, 1024 points s=0.948 h=0.052 c=0.077 d=0.040

-0.009232 0.015060

Profiles can be copied from the folder

Apple, Library, ColorSync, Profiles, Displays

of the system 2020 to the same folder of the system 2010.

see http://farbe.li.tu-berlin.de/profiles/LCD_D65 2020.icc

An example is the profile with the name: LCD D65 2020.icc

The figures AEX31-1N, AEX31-2N, until AEX31-6N show: How to create an idividual ICC-profile and store it. How to open an existing or created ICC-profile. How colorimetric data of the four colours RGB and W are stored. How the exponent of the Gamma curve is stored Depending on the parameters a. b. c. d the value v changes. wo computer operating systems of 2010 and 2020 have been used. Since 2019 the option to change the Gamma by a slider is deleted. One can not create any more profiles for different Gamma y owever, on can create profiles for different Gamma with the older computer operating system until 2018.

input: w/rgb/cmvk -> rgb output: no change