

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 164/360 = 0.457$


$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 164/360 = 0.457$


$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De140-7N, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Test chart 1 according to DIN 33872-4, Hue G, Page 9/11  
 Equality for two colour definitions, ORS18a

input: cmy0-center, rgb-background  
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De14/>; [www.ps.bam.de/De.HTM](http://www.ps.bam.de/De.HTM)  
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1

BAM registration: 20080301-De14/10L/L14e09NP.PS /.PDF  
 application for output of monitor, data projector, or printer systems  
 BAM material: code=rh4ta