




Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 $lab^*_{tch^*}$ and $lab^*_{icu^*}$
elementary hue text:
 $u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357




%Gamut
 $u^*_{rel} = 89$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 49 66 32
 LAB^*LCH^*Ma : 49 74 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

$lab \cdot ich^*$ and $lab \cdot icu^*$
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB \cdot LAB \cdot Ma$: 56 52 47
 $LAB \cdot LCH \cdot Ma$: 56 71 42
 $lab \cdot rgb \cdot Ma$: 1.0 0.25 0.0
 $lab \cdot olv \cdot Ma$: 1.0 0.17 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 65 35 58
 LAB^*LCH^*Ma : 65 68 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

$lab \cdot ich^*$ and $lab \cdot icu^*$
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 75 18 69
 $LAB \cdot LCH \cdot Ma$: 75 72 76
 $lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0
 $lab \cdot olv \cdot Ma$: 1.0 0.63 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB \cdot LAB \cdot Ma$: 87 -2 83
 $LAB \cdot LCH \cdot Ma$: 87 83 92
 $lab \cdot rgb \cdot Ma$: 1.0 1.0 0.0
 $lab \cdot olv \cdot Ma$: 1.0 0.91 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*
% Gamut
 $u^*_{rel} = 89$
% Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$




$u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^* = \bar{L}^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

*LAB*LAB**_{Ma}: 81 -24 69
*LAB*LCH**_{Ma}: 81 74 110
*lab*rgb**_{Ma}: 0.75 1.0 0.0
*lab*olv**_{Ma}: 0.73 1.0 0.0

ORS19_96a; adapted (a) CIELAB data						
	$L^* = \bar{L}_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.88	66.47	31.67	73.63	25	
r25j	55.85	52.39	47.48	70.7	42	
r50j	65.45	35.22	58.37	68.17	59	
r75j	75.19	17.82	69.41	71.66	76	
j00g	87.03	-3.34	82.83	82.9	92	
j25g	80.72	-25.0	69.5	73.86	110	
j50g	70.64	-39.53	51.97	65.3	127	
j75g	61.93	-52.09	36.83	63.8	145	
g00b	52.8	-65.27	20.93	68.56	162	
g25b	55.7	-49.57	-8.38	50.28	190	
g50b	57.82	-38.39	-28.91	48.07	217	
g75b	55.5	-22.04	-45.94	50.97	244	
b00r	41.6	1.37	-45.0	45.03	272	
b25r	29.0	25.08	-43.12	49.89	300	
b50r	38.04	46.53	-28.38	54.51	329	
b75r	49.48	72.88	-3.75	72.98	357	




triangle lightness t^* 

<http://www.ps.bam.de/Ee74/10L/L74E00NP.PS/.PDF>, Page 8/90

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 62 -51 37
 LAB^*LCH^*Ma : 62 64 145
 lab^*rgb^*Ma : 0.25 1.0 0.0
 lab^*olv^*Ma : 0.24 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 53 -64 21
 LAB^*LCH^*Ma : 53 69 162
 lab^*rgb^*Ma : 0.0 1.0 0.0
 lab^*olv^*Ma : 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$: 56 -49 -7
 $LAB^*LCH^*_{Ma}$: 56 50 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.44

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -37 -28
 $LAB^*LCH^*_{Ma}$: 58 48 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.74

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*


% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 55 -21 -45
 LAB^*LCH^*Ma : 55 51 244
 lab^*rgb^*Ma : 0.0 0.5 1.0
 lab^*olv^*Ma : 0.0 0.87 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*Ma: 42 \ 1 \ -44$
 $LAB^*LCH^*Ma: 42 \ 45 \ 272$
 $lab^*rgb^*Ma: 0.0 \ 0.0 \ 1.0$
 $lab^*olv^*Ma: 0.0 \ 0.42 \ 1.0$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 29 25 -42
 LAB^*LCH^*Ma : 29 50 300
 lab^*rgb^*Ma : 0.5 0.0 1.0
 lab^*olv^*Ma : 0.03 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 38 47 -27
 LAB^*LCH^*Ma : 38 55 329
 lab^*rgb^*Ma : 1.0 0.0 1.0
 lab^*olv^*Ma : 0.46 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 73 -3
 LAB^*LCH^*Ma : 49 73 357
 lab^*rgb^*Ma : 1.0 0.0 0.5
 lab^*olv^*Ma : 1.0 0.0 0.88


ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357







Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
*lab*tch* and lab*icu**
elementary hue text:
u = 16 hues r00j, r25j, ..., b75r*
contrast reduction factor:
c_R = 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357




%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 66 32
 LAB^*LCH^*Ma : 49 74 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*


% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 56 52 47
 LAB^*LCH^*Ma : 56 71 42
 lab^*rgb^*Ma : 1.0 0.25 0.0
 lab^*olv^*Ma : 1.0 0.17 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 65 35 58
 LAB^*LCH^*Ma : 65 68 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 75 18 69
 LAB^*LCH^*Ma : 75 72 76
 lab^*rgb^*Ma : 1.0 0.75 0.0
 lab^*olv^*Ma : 1.0 0.63 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 87 -2 83
 LAB^*LCH^*Ma : 87 83 92
 lab^*rgb^*Ma : 1.0 1.0 0.0
 lab^*olv^*Ma : 1.0 0.91 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 81 -24 69
 LAB^*LCH^*Ma : 81 74 110
 lab^*rgb^*Ma : 0.75 1.0 0.0
 lab^*olv^*Ma : 0.73 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 71 -39 52
 LAB^*LCH^*Ma : 71 65 127
 lab^*rgb^*Ma : 0.5 1.0 0.0
 lab^*olv^*Ma : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

LAB^*LAB^*Ma : 62 -51 37
 LAB^*LCH^*Ma : 62 64 145
 lab^*rgb^*Ma : 0.25 1.0 0.0
 lab^*olv^*Ma : 0.24 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357





*lab*tch** and *lab*icu**
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 1.0$
 triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^* = \bar{L}^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


*LAB*LAB**_{Ma}: 53 -64 21
*LAB*LCH**_{Ma}: 53 69 162
*lab*rgb**_{Ma}: 0.0 1.0 0.0
*lab*olv**_{Ma}: 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data						
	$L^* = \bar{L}_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.88	66.47	31.67	73.63	25	
r25j	55.85	52.39	47.48	70.7	42	
r50j	65.45	35.22	58.37	68.17	59	
r75j	75.19	17.82	69.41	71.66	76	
j00g	87.03	-3.34	82.83	82.9	92	
j25g	80.72	-25.0	69.5	73.86	110	
j50g	70.64	-39.53	51.97	65.3	127	
j75g	61.93	-52.09	36.83	63.8	145	
g00b	52.8	-65.27	20.93	68.56	162	
g25b	55.7	-49.57	-8.38	50.28	190	
g50b	57.82	-38.39	-28.91	48.07	217	
g75b	55.5	-22.04	-45.94	50.97	244	
b00r	41.6	1.37	-45.0	45.03	272	
b25r	29.0	25.08	-43.12	49.89	300	
b50r	38.04	46.53	-28.38	54.51	329	
b75r	49.48	72.88	-3.75	72.98	357	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 56 -49 -7
 LAB^*LCH^*Ma : 56 50 190
 lab^*rgb^*Ma : 0.0 1.0 0.5
 lab^*olv^*Ma : 0.0 1.0 0.44

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 58 -37 -28
 LAB^*LCH^*Ma : 58 48 217
 lab^*rgb^*Ma : 0.0 1.0 1.0
 lab^*olv^*Ma : 0.0 1.0 0.74

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 55 -21 -45
 LAB^*LCH^*Ma : 55 51 244
 lab^*rgb^*Ma : 0.0 0.5 1.0
 lab^*olv^*Ma : 0.0 0.87 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*Ma: 42 \ 1 \ -44$
 $LAB^*LCH^*Ma: 42 \ 45 \ 272$
 $lab^*rgb^*Ma: 0.0 \ 0.0 \ 1.0$
 $lab^*olv^*Ma: 0.0 \ 0.42 \ 1.0$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 29 25 -42
 LAB^*LCH^*Ma : 29 50 300
 lab^*rgb^*Ma : 0.5 0.0 1.0
 lab^*olv^*Ma : 0.03 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 38 47 -27
 LAB^*LCH^*Ma : 38 55 329
 lab^*rgb^*Ma : 1.0 0.0 1.0
 lab^*olv^*Ma : 0.46 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 73 -3
 LAB^*LCH^*Ma : 49 73 357
 lab^*rgb^*Ma : 1.0 0.0 0.5
 lab^*olv^*Ma : 1.0 0.0 0.88


ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357







Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
*lab*tch* and lab*icu**
elementary hue text:
u = 16 hues r00j, r25j, ..., b75r*
contrast reduction factor:
c_R = 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357




%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 66 32
 LAB^*LCH^*Ma : 49 74 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 56 52 47
 LAB^*LCH^*Ma : 56 71 42
 lab^*rgb^*Ma : 1.0 0.25 0.0
 lab^*olv^*Ma : 1.0 0.17 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 65 35 58
 LAB^*LCH^*Ma : 65 68 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 75 18 69
 LAB^*LCH^*Ma : 75 72 76
 lab^*rgb^*Ma : 1.0 0.75 0.0
 lab^*olv^*Ma : 1.0 0.63 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 87 -2 83
 LAB^*LCH^*Ma : 87 83 92
 lab^*rgb^*Ma : 1.0 1.0 0.0
 lab^*olv^*Ma : 1.0 0.91 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 81 -24 69
 LAB^*LCH^*Ma : 81 74 110
 lab^*rgb^*Ma : 0.75 1.0 0.0
 lab^*olv^*Ma : 0.73 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 71 -39 52
 LAB^*LCH^*Ma : 71 65 127
 lab^*rgb^*Ma : 0.5 1.0 0.0
 lab^*olv^*Ma : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 62 -51 37
 LAB^*LCH^*Ma : 62 64 145
 lab^*rgb^*Ma : 0.25 1.0 0.0
 lab^*olv^*Ma : 0.24 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 53 -64 21
 LAB^*LCH^*Ma : 53 69 162
 lab^*rgb^*Ma : 0.0 1.0 0.0
 lab^*olv^*Ma : 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 56 -49 -7
 LAB^*LCH^*Ma : 56 50 190
 lab^*rgb^*Ma : 0.0 1.0 0.5
 lab^*olv^*Ma : 0.0 1.0 0.44

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 58 -37 -28
 LAB^*LCH^*Ma : 58 48 217
 lab^*rgb^*Ma : 0.0 1.0 1.0
 lab^*olv^*Ma : 0.0 1.0 0.74

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

LAB^*LAB^*Ma : 55 -21 -45
 LAB^*LCH^*Ma : 55 51 244
 lab^*rgb^*Ma : 0.0 0.5 1.0
 lab^*olv^*Ma : 0.0 0.87 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357


triangle lightness t^*

% Gamut
 $u^*_{rel} = 89$
% Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 1 -44
 LAB^*LCH^*Ma : 42 45 272
 lab^*rgb^*Ma : 0.0 0.0 1.0
 lab^*olv^*Ma : 0.0 0.42 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 25 -42
 LAB^*LCH^*Ma : 29 50 300
 lab^*rgb^*Ma : 0.5 0.0 1.0
 lab^*olv^*Ma : 0.03 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 38 47 -27
 LAB^*LCH^*Ma : 38 55 329
 lab^*rgb^*Ma : 1.0 0.0 1.0
 lab^*olv^*Ma : 0.46 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):


LAB^*LAB^*Ma : 49 73 -3
 LAB^*LCH^*Ma : 49 73 357
 lab^*rgb^*Ma : 1.0 0.0 0.5
 lab^*olv^*Ma : 1.0 0.0 0.88

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*


% Gamut
 $u^*_{rel} = 89$
% Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$







Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
*lab*tch** and *lab*icu**
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
c_R = 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357




%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 66 32
 LAB^*LCH^*Ma : 49 74 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 56 52 47
 LAB^*LCH^*Ma : 56 71 42
 lab^*rgb^*Ma : 1.0 0.25 0.0
 lab^*olv^*Ma : 1.0 0.17 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 65 35 58
 LAB^*LCH^*Ma : 65 68 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 75 18 69
 LAB^*LCH^*Ma : 75 72 76
 lab^*rgb^*Ma : 1.0 0.75 0.0
 lab^*olv^*Ma : 1.0 0.63 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 87 -2 83
 LAB^*LCH^*Ma : 87 83 92
 lab^*rgb^*Ma : 1.0 1.0 0.0
 lab^*olv^*Ma : 1.0 0.91 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 81 -24 69
 LAB^*LCH^*Ma : 81 74 110
 lab^*rgb^*Ma : 0.75 1.0 0.0
 lab^*olv^*Ma : 0.73 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 71 -39 52
 LAB^*LCH^*Ma : 71 65 127
 lab^*rgb^*Ma : 0.5 1.0 0.0
 lab^*olv^*Ma : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 62 -51 37
 LAB^*LCH^*Ma : 62 64 145
 lab^*rgb^*Ma : 0.25 1.0 0.0
 lab^*olv^*Ma : 0.24 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 53 -64 21
 LAB^*LCH^*Ma : 53 69 162
 lab^*rgb^*Ma : 0.0 1.0 0.0
 lab^*olv^*Ma : 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 56 -49 -7
 LAB^*LCH^*Ma : 56 50 190
 lab^*rgb^*Ma : 0.0 1.0 0.5
 lab^*olv^*Ma : 0.0 1.0 0.44

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 58 -37 -28
 LAB^*LCH^*Ma : 58 48 217
 lab^*rgb^*Ma : 0.0 1.0 1.0
 lab^*olv^*Ma : 0.0 1.0 0.74

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 55 -21 -45
 LAB^*LCH^*Ma : 55 51 244
 lab^*rgb^*Ma : 0.0 0.5 1.0
 lab^*olv^*Ma : 0.0 0.87 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 42 1 -44
 LAB^*LCH^*Ma : 42 45 272
 lab^*rgb^*Ma : 0.0 0.0 1.0
 lab^*olv^*Ma : 0.0 0.42 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 29 25 -42
 LAB^*LCH^*Ma : 29 50 300
 lab^*rgb^*Ma : 0.5 0.0 1.0
 lab^*olv^*Ma : 0.03 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 38\ 47\ -27$
 $LAB^*LCH^*Ma: 38\ 55\ 329$
 $lab^*rgb^*Ma: 1.0\ 0.0\ 1.0$
 $lab^*olv^*Ma: 0.46\ 0.0\ 1.0$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 73 -3
 LAB^*LCH^*Ma : 49 73 357
 lab^*rgb^*Ma : 1.0 0.0 0.5
 lab^*olv^*Ma : 1.0 0.0 0.88

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357


triangle lightness t^*
%Gamut
 $u^*_{rel} = 89$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$







Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
*lab*tch* and lab*icu**
elementary hue text:
u = 16 hues r00j, r25j, ..., b75r*
contrast reduction factor:
c_R = 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357




%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=\bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 49 66 32
 LAB^*LCH^*Ma : 49 74 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 56 52 47
 LAB^*LCH^*Ma : 56 71 42
 lab^*rgb^*Ma : 1.0 0.25 0.0
 lab^*olv^*Ma : 1.0 0.17 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 65 35 58
 LAB^*LCH^*Ma : 65 68 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 75 18 69
 LAB^*LCH^*Ma : 75 72 76
 lab^*rgb^*Ma : 1.0 0.75 0.0
 lab^*olv^*Ma : 1.0 0.63 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 87 -2 83$
 $LAB^*LCH^*Ma: 87 83 92$
 $lab^*rgb^*Ma: 1.0 1.0 0.0$
 $lab^*olv^*Ma: 1.0 0.91 0.0$

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 81 -24 69
 LAB^*LCH^*Ma : 81 74 110
 lab^*rgb^*Ma : 0.75 1.0 0.0
 lab^*olv^*Ma : 0.73 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 71 -39 52
 LAB^*LCH^*Ma : 71 65 127
 lab^*rgb^*Ma : 0.5 1.0 0.0
 lab^*olv^*Ma : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 62 -51 37
 LAB^*LCH^*Ma : 62 64 145
 lab^*rgb^*Ma : 0.25 1.0 0.0
 lab^*olv^*Ma : 0.24 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 53 -64 21
 LAB^*LCH^*Ma : 53 69 162
 lab^*rgb^*Ma : 0.0 1.0 0.0
 lab^*olv^*Ma : 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 56 -49 -7
 LAB^*LCH^*Ma : 56 50 190
 lab^*rgb^*Ma : 0.0 1.0 0.5
 lab^*olv^*Ma : 0.0 1.0 0.44

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 58 -37 -28
 LAB^*LCH^*Ma : 58 48 217
 lab^*rgb^*Ma : 0.0 1.0 1.0
 lab^*olv^*Ma : 0.0 1.0 0.74

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 55 -21 -45
 LAB^*LCH^*Ma : 55 51 244
 lab^*rgb^*Ma : 0.0 0.5 1.0
 lab^*olv^*Ma : 0.0 0.87 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 1 -44
 LAB^*LCH^*Ma : 42 45 272
 lab^*rgb^*Ma : 0.0 0.0 1.0
 lab^*olv^*Ma : 0.0 0.42 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 25 -42
 LAB^*LCH^*Ma : 29 50 300
 lab^*rgb^*Ma : 0.5 0.0 1.0
 lab^*olv^*Ma : 0.03 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*



% Gamut

$u^*_{rel} = 89$

% Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


LAB^*LAB^*Ma : 38 47 -27
 LAB^*LCH^*Ma : 38 55 329
 lab^*rgb^*Ma : 1.0 0.0 1.0
 lab^*olv^*Ma : 0.46 0.0 1.0

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.28	87.24	87.85	97
L _{Ma}	52.69	-65.43	20.75	68.65	162
C _{Ma}	59.61	-28.97	-46.21	54.56	238
V _{Ma}	28.39	23.63	-44.12	50.06	298
M _{Ma}	49.58	73.93	-9.55	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 73 -3
 LAB^*LCH^*Ma : 49 73 357
 lab^*rgb^*Ma : 1.0 0.0 0.5
 lab^*olv^*Ma : 1.0 0.0 0.88

ORS19_96a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	66.47	31.67	73.63	25
r25j	55.85	52.39	47.48	70.7	42
r50j	65.45	35.22	58.37	68.17	59
r75j	75.19	17.82	69.41	71.66	76
j00g	87.03	-3.34	82.83	82.9	92
j25g	80.72	-25.0	69.5	73.86	110
j50g	70.64	-39.53	51.97	65.3	127
j75g	61.93	-52.09	36.83	63.8	145
g00b	52.8	-65.27	20.93	68.56	162
g25b	55.7	-49.57	-8.38	50.28	190
g50b	57.82	-38.39	-28.91	48.07	217
g75b	55.5	-22.04	-45.94	50.97	244
b00r	41.6	1.37	-45.0	45.03	272
b25r	29.0	25.08	-43.12	49.89	300
b50r	38.04	46.53	-28.38	54.51	329
b75r	49.48	72.88	-3.75	72.98	357

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

