




Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




%Gamut
u*_{rel} = 109
%Regularity
g*_{H,rel} = 31
g*_{C,rel} = 40

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30
 $LAB^*LCH^*_{Ma}$: 35 70 25
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42



$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357


$u^* = r75j$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92



$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110



$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127



$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = j75g$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69


triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357








Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300



$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329



$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357



$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357





Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab**tch** and lab**icu**
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
u*_{rel} = 109
% Regularity
g*_{H,rel} = 31
g*_{C,rel} = 40

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30
 $LAB^*LCH^*_{Ma}$: 35 70 25
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.18
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59



$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76



$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92


$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110



$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127



$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	35.06	60.0	44.0	74.4	36
Y_{Ma}	83.77	-5.16	109.32	109.44	93
L_{Ma}	44.13	-62.66	48.24	79.09	142
C_{Ma}	52.66	-29.13	-31.98	43.27	228
V_{Ma}	14.15	50.3	-59.03	77.57	310
M_{Ma}	37.37	78.64	-33.49	85.48	337
N_{Ma}	8.58	0.0	0.0	0.0	0
W_{Ma}	92.02	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162


$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0


$lab^*olv^*_{Ma}$: 0.0 1.0 0.41


triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357








Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244



$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	35.06	60.0	44.0	74.4	36
Y_{Ma}	83.77	-5.16	109.32	109.44	93
L_{Ma}	44.13	-62.66	48.24	79.09	142
C_{Ma}	52.66	-29.13	-31.98	43.27	228
V_{Ma}	14.15	50.3	-59.03	77.57	310
M_{Ma}	37.37	78.64	-33.49	85.48	337
N_{Ma}	8.58	0.0	0.0	0.0	0
W_{Ma}	92.02	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272



$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300


$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0


$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357






Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:

$u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357



$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5


$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357






Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
u*_{rel} = 109
% Regularity
g*_{H,rel} = 31
g*_{C,rel} = 40

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25



$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42



$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59



$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76


$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92



$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83
 $LAB^*LCH^*_{Ma}$: 67 88 110
 $lab^*rgb^*_{Ma}$: 0.75 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127



$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23
 $LAB^*LCH^*_{Ma}$: 52 40 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244


$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41
 $LAB^*LCH^*_{Ma}$: 30 81 329
 $lab^*rgb^*_{Ma}$: 1.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3
 $LAB^*LCH^*_{Ma}$: 36 72 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.62
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Ee960-7A, Page 54/180


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
u_{rel}^{*} = 109
% Regularity
g_{H,rel}^{*} = 31
g_{C,rel}^{*} = 40

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 35 63 30
 $LAB^*LCH^*_{Ma}$: 35 70 25
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r00j$
 $LAB^*LAB^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0



$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r25j$
 $LAB^*LAB^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59



$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83
 $LAB^*LCH^*_{Ma}$: 64 86 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.59 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92



$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83
 $LAB^*LCH^*_{Ma}$: 67 88 110
 $lab^*rgb^*_{Ma}$: 0.75 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.57 1.0 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63
 $LAB^*LCH^*_{Ma}$: 54 80 127
 $lab^*rgb^*_{Ma}$: 0.5 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.25 1.0 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 52 -31 -23
 $LAB^*LCH^*_{Ma}$: 52 40 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = g50b$
 $LAB^*LAB^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244



$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272



$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41
 $LAB^*LCH^*_{Ma}$: 30 81 329
 $lab^*rgb^*_{Ma}$: 1.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.66 0.0 1.0
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b50r$
 $LAB^*LAB^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3
 $LAB^*LCH^*_{Ma}$: 36 72 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	11.9	18.0	22.4	26.9	31.3	35.8	40.2	44.6	49.1	15.2	21.3	27.4	31.8	36.3	40.7	45.2	49.6	54.0	58.4	62.8	67.3	71.7	76.2	80.6	85.0	89.4	93.8	98.2	102.6	107.0	111.4	115.8	120.2	124.6	129.0	133.4	137.8	142.2	146.6	151.0	155.4	159.8	164.2	168.6	173.0	177.4	181.8	186.2	190.6	195.0	199.4	203.8	208.2	212.6	217.0	221.4	225.8	230.2	234.6	239.0	243.4	247.8	252.2	256.6	261.0	265.4	269.8	274.2	278.6	283.0	287.4	291.8	296.2	300.6	305.0	309.4	313.8	318.2	322.6	327.0	331.4	335.8	340.2	344.6	349.0	353.4	357.8	362.2	366.6	371.0	375.4	379.8	384.2	388.6	393.0	397.4	401.8	406.2	410.6	415.0	419.4	423.8	428.2	432.6	437.0	441.4	445.8	450.2	454.6	459.0	463.4	467.8	472.2	476.6	481.0	485.4	489.8	494.2	498.6	503.0	507.4	511.8	516.2	520.6	525.0	529.4	533.8	538.2	542.6	547.0	551.4	555.8	560.2	564.6	569.0	573.4	577.8	582.2	586.6	591.0	595.4	599.8	604.2	608.6	613.0	617.4	621.8	626.2	630.6	635.0	639.4	643.8	648.2	652.6	657.0	661.4	665.8	670.2	674.6	679.0	683.4	687.8	692.2	696.6	701.0	705.4	709.8	714.2	718.6	723.0	727.4	731.8	736.2	740.6	745.0	749.4	753.8	758.2	762.6	767.0	771.4	775.8	780.2	784.6	789.0	793.4	797.8	802.2	806.6	811.0	815.4	819.8	824.2	828.6	833.0	837.4	841.8	846.2	850.6	855.0	859.4	863.8	868.2	872.6	877.0	881.4	885.8	890.2	894.6	899.0	903.4	907.8	912.2	916.6	921.0	925.4	929.8	934.2	938.6	943.0	947.4	951.8	956.2	960.6	965.0	969.4	973.8	978.2	982.6	987.0	991.4	995.8	1000.2	1004.6	1009.0	1013.4	1017.8	1022.2	1026.6	1031.0	1035.4	1039.8	1044.2	1048.6	1053.0	1057.4	1061.8	1066.2	1070.6	1075.0	1079.4	1083.8	1088.2	1092.6	1097.0	1101.4	1105.8	1110.2	1114.6	1119.0	1123.4	1127.8	1132.2	1136.6	1141.0	1145.4	1149.8	1154.2	1158.6	1163.0	1167.4	1171.8	1176.2	1180.6	1185.0	1189.4	1193.8	1198.2	1202.6	1207.0	1211.4	1215.8	1220.2	1224.6	1229.0	1233.4	1237.8	1242.2	1246.6	1251.0	1255.4	1259.8	1264.2	1268.6	1273.0	1277.4	1281.8	1286.2	1290.6	1295.0	1299.4	1303.8	1308.2	1312.6	1317.0	1321.4	1325.8	1330.2	1334.6	1339.0	1343.4	1347.8	1352.2	1356.6	1361.0	1365.4	1369.8	1374.2	1378.6	1383.0	1387.4	1391.8	1396.2	1400.6	1405.0	1409.4	1413.8	1418.2	1422.6	1427.0	1431.4	1435.8	1440.2	1444.6	1449.0	1453.4	1457.8	1462.2	1466.6	1471.0	1475.4	1479.8	1484.2	1488.6	1493.0	1497.4	1501.8	1506.2	1510.6	1515.0	1519.4	1523.8	1528.2	1532.6	1537.0	1541.4	1545.8	1550.2	1554.6	1559.0	1563.4	1567.8	1572.2	1576.6	1581.0	1585.4	1589.8	1594.2	1598.6	1603.0	1607.4	1611.8	1616.2	1620.6	1625.0	1629.4	1633.8	1638.2	1642.6	1647.0	1651.4	1655.8	1660.2	1664.6	1669.0	1673.4	1677.8	1682.2	1686.6	1691.0	1695.4	1699.8	1704.2	1708.6	1713.0	1717.4	1721.8	1726.2	1730.6	1735.0	1739.4	1743.8	1748.2	1752.6	1757.0	1761.4	1765.8	1770.2	1774.6	1779.0	1783.4	1787.8	1792.2	1796.6	1801.0	1805.4	1809.8	1814.2	1818.6	1823.0	1827.4	1831.8	1836.2	1840.6	1845.0	1849.4	1853.8	1858.2	1862.6	1867.0	1871.4	1875.8	1880.2	1884.6	1889.0	1893.4	1897.8	1902.2	1906.6	1911.0	1915.4	1919.8	1924.2	1928.6	1933.0	1937.4	1941.8	1946.2	1950.6	1955.0	1959.4	1963.8	1968.2	1972.6	1977.0	1981.4	1985.8	1990.2	1994.6	1999.0	2003.4	2007.8	2012.2	2016.6	2021.0	2025.4	2029.8	2034.2	2038.6	2043.0	2047.4	2051.8	2056.2	2060.6	2065.0	2069.4	2073.8	2078.2	2082.6	2087.0	2091.4	2095.8	2100.2	2104.6	2109.0	2113.4	2117.8	2122.2	2126.6	2131.0	2135.4	2139.8	2144.2	2148.6	2153.0	2157.4	2161.8	2166.2	2170.6	2175.0	2179.4	2183.8	2188.2	2192.6	2197.0	2201.4	2205.8	2210.2	2214.6	2219.0	2223.4	2227.8	2232.2	2236.6	2241.0	2245.4	2249.8	2254.2	2258.6	2263.0	2267.4	2271.8	2276.2	2280.6	2285.0	2289.4	2293.8	2298.2	2302.6	2307.0	2311.4	2315.8	2320.2	2324.6	2329.0	2333.4	2337.8	2342.2	2346.6	2351.0	2355.4	2359.8	2364.2	2368.6	2373.0	2377.4	2381.8	2386.2	2390.6	2395.0	2399.4	2403.8	2408.2	2412.6	2417.0	2421.4	2425.8	2430.2	2434.6	2439.0	2443.4	2447.8	2452.2	2456.6	2461.0	2465.4	2469.8	2474.2	2478.6	2483.0	2487.4	2491.8	2496.2	2500.6	2505.0	2509.4	2513.8	2518.2	2522.6	2527.0	2531.4	2535.8	2540.2	2544.6	2549.0	2553.4	2557.8	2562.2	2566.6	2571.0	2575.4	2579.8	2584.2	2588.6	2593.0	2597.4	2601.8	2606.2	2610.6	2615.0	2619.4	2623.8	2628.2	2632.6	2637.0	2641.4	2645.8	2650.2	2654.6	2659.0	2663.4	2667.8	2672.2	2676.6	2681.0	2685.4	2689.8	2694.2	2698.6	2703.0	2707.4	2711.8	2716.2	2720.6	2725.0	2729.4	2733.8	2738.2	2742.6	2747.0	2751.4	2755.8	2760.2	2764.6	2769.0	2773.4	2777.8	2782.2	2786.6	2791.0	2795.4	2799.8	2804.2	2808.6	2813.0	2817.4	2821.8	2826.2	2830.6	2835.0	2839.4	2843.8	2848.2	2852.6	2857.0	2861.4	2865.8	2870.2	2874.6	2879.0	2883.4	2887.8	2892.2	2896.6	2901.0	2905.4	2909.8	2914.2	2918.6	2923.0	2927.4	2931.8	2936.2	2940.6	2945.0	2949.4	2953.8	2958.2	2962.6	2967.0	2971.4	2975.8	2980.2	2984.6	2989.0	2993.4	2997.8	3002.2	3006.6	3011.0	3015.4	3019.8	3024.2	3028.6	3033.0	3037.4	3041.8	3046.2	3050.6	3055.0	3059.4	3063.8	3068.2	3072.6	3077.0	3081.4	3085.8	3090.2	3094.6	3099.0	3103.4	3107.8	3112.2	3116.6	3121.0	3125.4	3129.8	3134.2	3138.6	3143.0	3147.4	3151.8	3156.2	3160.6	3165.0	3169.4	3173.8	3178.2	3182.6	3187.0	3191.4	3195.8	3200.2	3204.6	3209.0	3213.4	3217.8	3222.2	3226.6	3231.0	3235.4	3239.8	3244.2	3248.6	3253.0	3257.4	3261.8	3266.2	3270.6	3275.0	3279.4	3283.8	3288.2	3292.6	3297.0	3301.4	3305.8	3310.2	3314.6	3319.0	3323.4	3327.8	3332.2	3336.6	3341.0	3345.4	3349.8	3354.2	3358.6	3363.0	3367.4	3371.8	3376.2	3380.6	3385.0	3389.4	3393.8	3398.2	3402.6	3407.0	3411.4	3415.8	3420.2	3424.6	3429.0	3433.4	3437.8	3442.2	3446.6	3451.0	3455.4	3459.8	3464.2	3468.6	3473.0	3477.4	3481.8	3486.2	3490.6	3495.0	3499.4	3503.8	3508.2	3512.6	3517.0	3521.4	3525.8	3530.2	3534.6	3539.0	3543.4	3547.8	3552.2	3556.6	3561.0	3565.4	3569.8	3574.2	3578.6	3583.0	3587.4	3591.8	3596.2	3600.6	3605.0	3609.4	3613.8	3618.2	3622.6	3627.0	3631.4	3635.8	3640.2	3644.6	3649.0	3653.4	3657.8	3662.2	3666.6	3671.0	3675.4	3679.8	3684.2	3688.6	3693.0	3697.4	3701.8	3706.2	3710.6	3715.0	3719.4	3723.8	3728.2	3732.6	3737.0	3741.4	3745.8	3750.2	3754.6	3759.0	3763.4	3767.8	3772.2	3776.6	3781.0	3785.4	3789.8	3794.2	3798.6	3803.0	3807.4	3811.8	3816.2	3820.6	3825.0	3829.4	3833.8	3838.2	3842.6	3847.0	3851.4	3855.8	3860.2	3864.6	3869.0	3873.4	3877.8	3882.2	3886.6	3891.0	3895.4	3899.8	3904.2	3908.6	3913.0	3917.4	3921.8	3926.2	3930.6	3935.0	3939.4	3943.8	3948.2	3952.6	3957.0	3961.4	3965.8	3970.2	3974.6	3979.0	3983.4	3987.8	3992.2	3996.6	4001.0	4005.4	4009.8	4014.2	4018.6	4023.0	4027.4	4031.8	4036.2	4040.6	4045.0	4049.4	4053.8	4058.2	4062.6	4067.0	4071.4	4075.8	4080.2	4084.6	4089.0	4093.4	4097.8	4102.2	4106.6	4111.0	4115.4	4119.8	4124.2	4128.6	4133.0	4137.4	4141.8	4146.2	4150.6	4155.0	4159.4	4163.8	4168.2	4172.6	4177.0	4181.4	4185.8	4190.2	4194.6	4199.0	4203.4	4207.8	4212.2	4216.6	4221.0	4225.4	4229.8	4234.2	4238.6	4243.0	4247.4	4251.8	4256.2	4260.6	4265.0	4269.4	4273.8	4278.2	4282.6	4287.0	4291.4	4295.8	4300.2	4304.6	4309.0	4313.4	4317.8	4322.2	4326.6	4331.0	4335.4	4339.8	4344.2	4348.6	4353.0	4357.4	4361.8	4366.2	4370.6	4375.0	4379.4	4383.8	4388.2	4392.6	4397.0	4401.4	4405.8	4410.2	4414.6	4419.0	4423.4	4427.8	4432.2	4436.6	4441.0	4445.4	4449.8	4454.2	4458.6	4463.0	4467.4	4471.8	4476.2	4480.6	4485.0	4489.4	4493.8	4498.2	4502.6	4507.0	4511.4	4515.8	4520.2	4524.6	4529.0	4533.4	4537.8	4542.2	4546.6	4551.0	4555.4	4559.8	4564.2	4568.6	4573.0	4577.4	4581.8	4586.2	4590.6	4595.0	4599.4	4603.8	4608.2	4612.6	4617.0	4621.4	4625.8	4630.2	4634.6	4639.0	4643.4	4647.8	4652.2	4656.6	4661.0	4665.4	4669.8	4674.2	4678.6	4683.0	4687.4	4691.8	4696.2	4700.6	4705.0	4709.4	4713.8	4718.2	4722.6	4727.0	4731.4	4735.8	4740.2	4744.6	4749.0	4753.4	4757.8	4762.2	4766.6	4771.0	4775.4	4779.8	4784.2	4788.6	4793.0	4797.4	4801.8	4806.2	4810.6	4815.0	4819.4	4823.8	4828.2	4832.6	4837.0	4841.4	4845.8	4850.2	4854.6	4859.0	4863.4	4867.8	4872.2	4876.6	4881.0	4885.4	4889.


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
 $lab*_{tch}$ and $lab*_{icu}$
elementary hue text:
 $u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 35 63 30
 $LAB^*LCH^*_{Ma}$: 35 70 25
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r00j$
 $LAB^*LCH^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42



$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65
 $LAB^*LCH^*_{Ma}$: 51 76 59
 $lab^*rgb^*_{Ma}$: 1.0 0.5 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.32 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83
 $LAB^*LCH^*_{Ma}$: 64 86 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = j00g$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83
 $LAB^*LCH^*_{Ma}$: 67 88 110
 $lab^*rgb^*_{Ma}$: 0.75 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63
 $LAB^*LCH^*_{Ma}$: 54 80 127
 $lab^*rgb^*_{Ma}$: 0.5 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.25 1.0 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23
 $LAB^*LCH^*_{Ma}$: 52 40 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.9
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35
 $LAB^*LCH^*_{Ma}$: 47 40 244
 $lab^*rgb^*_{Ma}$: 0.0 0.5 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 38 1 -41
 $LAB^*LCH^*_{Ma}$: 38 42 272
 $lab^*rgb^*_{Ma}$: 0.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b00r$
 $LAB^*LCH^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b25r$
 $LAB^*LCH^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$: 30 69 -41
 $LAB^*LCH^*_{Ma}$: 30 81 329
 $lab^*rgb^*_{Ma}$: 1.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b50r$
 $LAB^*LCH^*_a$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3
 $LAB^*LCH^*_{Ma}$: 36 72 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.62
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a						
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	11.9	18.0	22.4	26.9	31.3	35.8	40.2	44.6	49.1	15.2	21.3	27.4	31.8	36.3	40.7	45.2	49.6	54.0	58.4	62.8	67.2	71.6	76.0	80.4	84.8	89.2	93.6	98.0	8.6	8.6	8.6	8.6			
	0.0	9.9	19.8	29.6	39.5	49.4	59.3	69.2	79.1	9.3	13.7	21.4	30.5	39.9	49.5	59.2	68.9	78.7	18.6	20.3	27.3	34.6	42.9	51.7	60.9	70.3	79.8	89.0	9.3	18.6	27.9	37.2	46.5	55.8	65.1	74.4	83.7	93.0	0.0	0.0	0.0	0.0		
	284	142	142	142	142	142	142	142	142	36	93	113	122	127	130	132	134	135	36	70	93	105	113	119	122	125	127	284	36	36	36	36	36	36	36	284	284	284	284	284	284			
02	9.3	14.1	18.5	23.0	27.4	31.9	36.3	40.8	45.2	12.2	19.0	23.5	27.9	32.3	36.8	41.2	45.7	50.1	15.5	22.3	28.4	32.9	37.3	41.7	46.2	50.6	55.1	59.5	63.9	68.4	72.8	77.2	81.6	86.0	90.4	94.8	99.2	103.6	108.0	112.4	116.8	121.2		
	9.7	5.4	11.7	20.9	30.6	40.4	50.2	60.0	69.8	10.7	0.0	9.9	19.8	29.7	39.5	49.4	59.3	69.2	17.4	9.3	13.7	21.4	30.5	39.9	49.5	59.2	68.9	5.4	0.0	9.3	18.6	27.9	37.2	46.5	55.8	65.1	74.4	83.7	93.0	0.0	0.0	0.0	0.0	
	310	228	170	157	153	150	149	148	147	337	284	142	142	142	142	142	142	142	142	4	36	93	113	122	127	130	132	134	228	284	36	36	36	36	36	36	36	284	284	284	284	284		
03	10.0	14.8	19.6	24.0	28.5	32.9	37.4	41.8	46.3	12.9	19.7	24.5	29.0	33.4	37.9	42.3	46.7	51.2	15.8	22.6	29.4	33.9	38.3	42.8	47.2	51.7	56.1	60.5	64.9	69.3	73.7	78.1	82.5	86.9	91.3	95.7	100.1	104.5	108.9	113.3	117.7	122.1		
	10.4	11.7	10.8	15.2	23.3	32.4	41.8	51.5	61.2	19.8	9.7	5.4	11.7	20.9	30.6	40.4	50.2	60.0	21.4	10.7	0.0	9.9	19.8	29.7	39.5	49.4	59.3	10.8	5.4	0.0	9.3	18.6	27.9	37.2	46.5	55.8	65.1	74.4	83.7	93.0	0.0	0.0	0.0	0.0
	310	283	228	187	170	162	157	154	153	324	310	228	170	157	153	150	149	148	337	337	284	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142
04	10.7	15.5	20.3	25.1	29.6	34.0	38.4	42.9	47.3	13.6	20.4	25.2	30.0	34.5	38.9	43.4	47.8	52.2	16.5	23.3	30.1	34.9	39.4	43.8	48.3	52.7	57.2	61.6	66.0	70.4	74.8	79.2	83.6	88.0	92.4	96.8	101.2	105.6	110.0	114.4	118.8			
	29.1	20.8	15.4	16.2	19.7	26.6	35.0	44.0	53.3	29.3	19.4	11.7	10.8	15.2	23.3	32.4	41.9	51.5	30.3	19.8	9.7	5.4	11.7	20.9	30.6	40.4	50.2	60.0	69.8	79.6	89.4	99.2	109.0	118.8	128.6	138.5	148.4	158.3	168.2	178.1	188.0			
	310	295	266	228	198	180	170	164	160	320	310	283	228	187	170	162	157	155	329	324	310	228	170	157	153	150	149	148	147	146	145	144	143	142	141	140	139	138	137	136	135	134	133	132
05	11.4	16.2	21.0	25.8	30.6	35.1	39.5	44.0	48.4	14.3	21.1	25.9	30.7	35.5	40.0	44.4	48.9	53.3	17.2	24.0	30.8	35.6	40.5	44.9	49.3	53.8	58.2	62.6	67.0	71.4	75.8	80.2	84.6	89.0	93.4	97.8	102.2	106.6	111.0	115.4	119.8			
	38.8	30.2	23.4	19.9	21.6	24.5	30.5	38.1	46.6	38.9	29.1	20.8	15.4	16.2	19.7	26.6	35.0	44.0	39.7	29.3	19.4	11.7	10.8	15.2	23.3	32.4	41.8	51.2	60.6	70.0	79.4	88.8	98.2	107.6	117.0	126.4	135.8	145.2	154.6	164.0	173.4			
	310	300	283	257	228	204	187	177	170	317	310	295	266	228	198	180	170	164	324	320	310	283	228	187	170	162	157	152	147	142	137	132	127	122	117	112	107	102	97	92	87	82	77	
06	12.1	16.9	21.7	26.5	31.3	36.1	40.6	45.0	49.5	15.0	21.8	26.6	31.4	36.2	41.1	45.5	49.9	54.4	17.9	24.7	31.5	36.3	41.2	46.0	50.4	54.9	59.3	63.7	68.1	72.5	76.9	81.3	85.7	90.1	94.5	98.9	103.3	107.7	112.1	116.5	120.9			
	48.5	39.8	32.3	26.8	24.8	27.0	29.5	34.8	41.9	48.6	38.8	30.2	23.4	19.9	21.6	24.5	30.9	38.1	49.1	38.9	29.1	20.8	15.4	16.2	19.7	24.6	29.5	34.4	39.3	44.2	49.1	54.0	58.9	63.8	68.7	73.6	78.5	83.4	88.3	93.2	98.1	103.0		
	310	303	291	274	250	228	208	193	183	316	310	300	283	257	228	204	187	177	322	317	310	295	266	228	198	180	170	162	157	152	147	142	137	132	127	122	117	112	107	102	97	92	87	
07	12.8	17.6	22.4	27.2	32.0	36.8	41.6	46.3	51.0	15.7	22.5	27.3	32.1	36.9	41.7	46.4	51.0	55.4	18.6	25.4	32.2	37.0	41.9	46.7	51.5	56.3	61.1	65.9	70.7	75.5	80.3	85.1	89.9	94.7	99.5	104.3	109.1	113.9	118.7	123.5	128.3			
	58.2	49.5	41.6	35.0	33.0	29.9	32.4	34.7	39.4	58.2	48.5	39.8	32.3	26.8	24.8	27.0	29.6	34.8	58.7	48.6	38.8	30.2	23.4	19.9	21.6	24.5	29.4	34.3	39.2	44.1	49.0	53.9	58.8	63.7	68.6	73.5	78.4	83.3	88.2	93.1	98.0			
	310	304	295	283	266	246	228	211	198	315	310	303	291	274	250	228	208	193	320	316	310	300	283	257	228	208	187	170	152	134	116	98	80	62	44	26	8	-10	-28	-46	-64			
08	13.5	18.3	23.1	27.9	32.7	37.5	42.3	47.2	51.6	16.4	23.2	28.0	32.8	37.6	42.4	47.3	52.1	56.5	19.3	26.1	32.9	37.7	42.5	47.4	52.2	57.0	61.4	65.8	70.2	74.6	79.0	83.4	87.8	92.2	96.6	101.0	105.4	109.8	114.2	118.6				
	67.9	59.1	51.0	43.9	38.4	35.2	35.0	37.9	39.9	67.9	58.2	49.5	41.6	35.0	30.8	29.9	32.5	34.7	68.3	58.2	48.5	39.8	32.3	26.8	24.8	27.0	29.5	37.9	32.5	27.0	21.6	16.2	10.8	5.4	0.0	0.0	0.0	0.0	0.0	0.0				
	310	305	298	289	276	261	244	228	213	314	310	304	295	283	266	246	228	211	318	315	310	303	291	274	250	228	208	187	170	152	134	116	98	80	62	44	26	8	-10	-28				
09	14.2	19.0	23.8	28.6	33.4	38.2	43.0	47.8	52.7	17.1	23.9	28.7	33.5	38.3	43.1	48.0	52.8	57.6	20.0	26.8	33.6	38.4	43.2	48.1	52.9	57.7	62.5	67.3	72.1	76.9	81.7	86.5	91.3	96.1	100.9	105.7	110.5	115.3	120.1	124.9				
	77.5	68.8	60.5	53.0	46.7	42.1	39.8	40.2	43.3	77.6	67.9	59.1	51.0	43.9	38.4	35.0.0																												


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
 $u^*_{rel} = 109$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25



$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42



$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59



$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76



$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92



$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110



$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127



$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23
 $LAB^*LCH^*_{Ma}$: 52 40 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35
 $LAB^*LCH^*_{Ma}$: 47 40 244
 $lab^*rgb^*_{Ma}$: 0.0 0.5 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41
 $LAB^*LCH^*_{Ma}$: 38 42 272
 $lab^*rgb^*_{Ma}$: 0.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41
 $LAB^*LCH^*_{Ma}$: 30 81 329
 $lab^*rgb^*_{Ma}$: 1.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.66 0.0 1.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3
 $LAB^*LCH^*_{Ma}$: 36 72 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.62
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*tch*					
01	0.0	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.13	0.13	0.13	0.19	0.25	0.31	0.38	0.44	0.5	1.0	0.94	0.87	0.81	0.75	0.69	0.62	0.56	0.5	0.0	0.0	0.0	0.0			
02	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.0	0.0	0.0	0.0			
03	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.13	0.13	0.13	0.13			
04	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0			
05	0.86	0.63	0.47	0.44	0.42	0.42	0.41	0.41	0.41	0.94	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.01	0.1	0.26	0.31	0.34	0.35	0.36	0.37	0.37	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.79	0.79	0.79	0.79	
06	0.13	0.13	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.62	0.87	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.25	0.25	0.25	0.25			
07	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.13	0.19	0.25	0.38	0.5	0.63	0.75	0.87	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0		
08	0.86	0.79	0.63	0.52	0.47	0.45	0.44	0.43	0.42	0.9	0.86	0.63	0.47	0.44	0.42	0.42	0.41	0.41	0.94	0.94	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.79	0.79	0.79	0.79		
09	0.19	0.19	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.56	0.19	0.25	0.31	0.31	0.38	0.44	0.5	0.56	0.62	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.38	0.38	0.38	0.38			
10	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	0.37	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.37	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.0	0.0	0.0	0.0			
11	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.46	0.44	0.89	0.86	0.79	0.63	0.52	0.47	0.45	0.44	0.43	0.91	0.9	0.86	0.63	0.47	0.44	0.42	0.41	0.41	0.63	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.79	0.79	0.79	0.79		
12	0.25	0.25	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.25	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.56	0.25	0.31	0.38	0.38	0.38	0.44	0.5	0.56	0.62	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.63	0.63	0.63	0.63		
13	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.87	0.5	0.38	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.0	0.0	0.0	0.0		
14	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.49	0.47	0.88	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.46	0.9	0.89	0.86	0.79	0.63	0.52	0.49	0.48	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
15	0.31	0.31	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.31	0.38	0.38	0.38	0.38	0.38	0.44	0.5	0.56	0.31	0.38	0.44	0.44	0.44	0.44	0.44	0.5	0.56	0.62	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.63	0.63	0.63	0.63		
16	0.62	0.62	0.62	0.62	0.62	0.62	0.75	0.87	1.0	0.62	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	0.62	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.62	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.0	0.0	0.0	0.0	
17	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.51	0.88	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.49	0.89	0.88	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
18	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.44	0.5	0.38	0.44	0.44	0.44	0.44	0.44	0.44	0.5	0.56	0.38	0.44	0.44	0.44	0.44	0.44	0.5	0.56	0.62	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.13	0.75	0.75	0.75	0.75		
19	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	1.0	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.63	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
20	0.86	0.85	0.82	0.79	0.74	0.68	0.63	0.59	0.55	0.88	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.89	0.88	0.86	0.83	0.79	0.71	0.63	0.55	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
21	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.5	0.44	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.44	0.5	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	
22	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
23	0.86	0.85	0.83	0.8	0.77	0.72	0.68	0.63	0.59	0.87	0.86	0.85	0.82	0.79	0.74	0.68	0.63	0.59	0.88	0.88	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.51	0.48	0.44	0.4	0.38	0.35	0.33	0.31	0.29	0.27	0.25	0.23	0.21	0.19	
24	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.5	0.56	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	
25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	
26	0.86	0.85	0.83	0.81	0.79	0.75	0.71	0.67	0.63	0.87	0.86	0.85	0.83	0.8	0.77	0.72	0.68	0.63	0.88	0.87	0.86	0.85	0.82	0.79	0.74	0.68	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
27	0.19	0.19	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.56	0.19	0.31	0.31	0.31	0.31	0.31	0.38	0.44	0.5	1.0	0.94	0.87	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.13	0.0
28	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	1.0	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.0	0.0	0.0	0.0		
29	0.1	0.17	0.22	0.26	0.28	0.3	0.31	0.33	0.33	0.1	0.15	0.2	0.23	0.26	0.28	0.29	0.3	0.31	0.1	0.14	0.18	0.21	0.24	0.26	0.27	0.29	0.3	0.79	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	
30	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.56	0.25	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.56	0.31	0.38	0.38	0.38	0.38	0.38	0.44	0.5	0.56	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.07	0.07	0.07	0.07			
31	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.87	0.62	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0			
32	0.04	0.2	0.26	0.29	0.31	0.33	0.34	0.35	0.06	0.1	0.17	0.22	0.26	0.28	0.3	0.31	0.33	0.07	0.1	0.15	0.2	0.23	0.26	0.28	0.29	0.3	0.86	0.79	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	
33	0.19	0.25	0.31	0.31	0.38	0.44	0.5	0.56	0.25	0.31	0.38	0.38	0.38	0.38	0.44	0.5	0.56	0.62	0.31	0.38	0.44	0.																					


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
 $lab*_{tch*}$ and $lab*_{icu*}$
elementary hue text:
 $u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
 $u^*_{rel} = 109$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	35.06	60.0	44.0	74.4	36
Y_{Ma}	83.77	-5.16	109.32	109.44	93
L_{Ma}	44.13	-62.66	48.24	79.09	142
C_{Ma}	52.66	-29.13	-31.98	43.27	228
V_{Ma}	14.15	50.3	-59.03	77.57	310
M_{Ma}	37.37	78.64	-33.49	85.48	337
N_{Ma}	8.58	0.0	0.0	0.0	0
W_{Ma}	92.02	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25



$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42



$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	56.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59



$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83
 $LAB^*LCH^*_{Ma}$: 64 86 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92



$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110



$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127



$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43
 $LAB^*LCH^*_{Ma}$: 45 74 145
 $lab^*rgb^*_{Ma}$: 0.25 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16
 $LAB^*LCH^*_{Ma}$: 48 52 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.41
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190



$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = g50b$
 lab^*icu^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35
 $LAB^*LCH^*_{Ma}$: 47 40 244
 $lab^*rgb^*_{Ma}$: 0.0 0.5 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272


$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$ data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	35.06	60.0	44.0	74.4	36
Y_{Ma}	83.77	-5.16	109.32	109.44	93
L_{Ma}	44.13	-62.66	48.24	79.09	142
C_{Ma}	52.66	-29.13	-31.98	43.27	228
V_{Ma}	14.15	50.3	-59.03	77.57	310
M_{Ma}	37.37	78.64	-33.49	85.48	337
N_{Ma}	8.58	0.0	0.0	0.0	0
W_{Ma}	92.02	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41
 $LAB^*LCH^*_{Ma}$: 30 81 329
 $lab^*rgb^*_{Ma}$: 1.0 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	56.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3
 $LAB^*LCH^*_{Ma}$: 36 72 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.62
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*					
01	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
	b10r	j70g	j70g	j70g	j70g	j70g	j70g	j70g	j70g	r15j	j00g	j42g	j49g	j53g	j56g	j58g	j60g	r15j	r66j	j00g	j18g	j29g	j37g	j42g	j46g	j49g	1.0	1.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	1.0	1.0	0.0	0.0	0.0	0.0	
02	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13		
	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.87	1.0	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0		
	b33r	g59b	g06b	j92g	j85g	j81g	j79g	j78g	j77g	b56r	b10r	j70g	j70g	j70g	j70g	j70g	j70g	b80r	r15j	j00g	j29g	j42g	j49g	j53g	j56g	j58g	1.0	1.0	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0		
03	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.88	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25			
	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.87	1.0	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.0	0.0	0.0	0.0		
	b33r	b09r	g59b	g22b	g06b	j98g	j92g	j88g	j85g	b45r	b33r	g59b	g06b	j92g	j85g	j81g	j79g	j78g	b56r	b33r	b10r	j70g	j70g	j70g	j70g	j70g	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	r15j	r15j	r15j	b10r	b10r	b10r	b10r	
04	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38			
	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	1.0	0.37	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.37	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.0	0.0	0.0	0.0		
	b33r	b20r	g94b	g59b	g32b	g15b	g06b	g01b	j95g	b41r	b33r	b09r	g59b	g22b	g06b	j98g	j92g	j88g	b49r	b45r	b33r	g59b	g06b	j92g	j85g	j81g	j79g	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	b10r	b10r	b10r	b10r		
05	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	1.0	0.88	0.75	0.63	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5		
	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.87	1.0	0.5	0.38	0.25	0.25	0.38	0.5	0.63	0.75	0.5	0.63	0.75	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.0	0.0	0.0	
	b33r	b24r	b09r	g85b	g59b	j76b	g22b	j31b	g06b	b39r	b33r	b20r	g94b	g59b	g32b	j15b	g06b	g01b	b45r	b41r	b33r	b09r	g59b	g22b	g06b	j98g	j92g	g59b	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	b10r	b10r	b10r	b10r	
06	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.38	0.38	0.63	0.63	0.63	0.63				
	0.62	0.62	0.62	0.62	0.62	0.62	0.75	0.87	1.0	0.62	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	1.0	0.62	0.5	0.38	0.38	0.38	0.5	0.63	0.75	0.62	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.37	0.0	0.0	0.0	0.0			
	b33r	b26r	b16r	b01r	g79b	g59b	g41b	g27b	g18b	b38r	b33r	b24r	b09r	g85b	g59b	g37b	g22b	g13b	b43r	b39r	b33r	b20r	g94b	g59b	g32b	g15b	g06b	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.38	0.38	0.63	0.63	0.63	0.63			
07	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.25	0.75	0.75	0.75	0.75				
	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	1.0	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.87	1.0	0.75	0.63	0.5	0.5	0.5	0.5	0.63	0.75	0.5	0.63	0.75	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.0	0.0	0.0	0.0		
	b33r	b28r	b20r	b09r	g94b	g76b	g59b	g44b	g32b	b37r	b33r	b26r	b16r	b01r	g79b	g59b	g41b	g27b	b41r	b38r	b33r	b24r	b09r	g85b	g37b	g22b	g15b	g06b	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.0	0.0	0.0
08	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.13	0.88	0.88	0.88	0.88			
	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	0.87	1.0	0.87	0.75	0.63	0.63	0.63	0.63	0.63	0.63	1.0	1.0	0.87	0.75	0.63	0.5	0.38	0.25	0.13	0.12	0.0	0.0	0.0	0.0			
	b33r	b29r	b23r	b14r	b04r	g89b	g73b	g59b	g46b	b37r	b33r	b28r	b20r	b09r	g94b	g76b	g59b	g44b	b40r	b37r	b33r	b26r	b16r	b01r	g79b	g59b	g41b	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.15j	b10r	b10r	b10r	b10r	
09	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	1.0	1.0	1.0	1.0		
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	1.0	1.0	0.87	0.75	0.62	0.5	0.37	0.25	0.12	0.0	0.0	0.0	0.0	0.0			
	b33r	b29r	b24r	b18r	b09r	g98b	g85b	g71b	g59b	b36r	b33r	b29r	b23r	b14r	b04r	g89b	g73b	g59b	b39r	b37r	b33r	b28r	b20r	b09r	g94b	g76b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	b10r	b10r	b10r	b10r		
10	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0				
	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.62	0.62	0.62	0.62	0.62	0.62	0.75	0.87	1.0	1.0	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.0	0.0	0.0	0.0		
	r15j	r50j	r79j	j00g	j13g	j22g	j29g	j35g	j39g	r15j	r42j	r66j	r85j	j00g	j10g	j18g	j24g	j29g	r15j	r37j	r57j	r74j	r88j	j00g	j08g	j15g	j21g	b10r	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	b10r	b10r	b10r	b10r		
11	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.07	0.07	0.07	0.07			
	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.87	1.0	0.62	0.5	0.5	0.5	0.5	0.63	0.75	0.87	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	0.0			
	b90r	r15j	r66j	j00g	j18g	j29g	j37g	j42g	j46g	b94r	r15j	r50j	r79j	j00g	j13g	j22g	j29g	j35g	b97r	r15j	r42j	r66j	r85j	j00g	j10g	j18g	j24g	b33r	b10r	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	b10r	b10r	b10r	b10r		
12	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	1.0	0.88	0.75	0.75	0.75	0.75	0.75	0.75	0.13	0.13	0.13	0.13				
	0.37	0.25	0.13	0.13	0																																						


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
 $lab*_{tch}$ and $lab*_{icu}$
elementary hue text:
 $u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
 $u^*_{rel} = 109$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 35\ 63\ 30$

$LAB^*LCH^*_Ma: 35\ 70\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$



$lab^*olv^*_Ma: 1.0\ 0.0\ 0.18$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r00j$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 39\ 55\ 49$

$LAB^*LCH^*_Ma: 39\ 74\ 42$

$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.08\ 0.0$

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 51\ 39\ 65$
 $LAB^*LCH^*_Ma: 51\ 76\ 59$
 $lab^*rgb^*_Ma: 1.0\ 0.5\ 0.0$
 $lab^*olv^*_Ma: 1.0\ 0.32\ 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83
 $LAB^*LCH^*_{Ma}$: 64 86 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 83 -3 109$

$LAB^*LCH^*_Ma: 83 109 92$



$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.99 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $LAB^*LAB^*_{Ma}$: 67 -29 83
 $LAB^*LCH^*_{Ma}$: 67 88 110
 $lab^*rgb^*_{Ma}$: 0.75 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.57 1.0 0.0

$u^* = j25g$
 LAB^*LAB^*


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

triangle lightness t^*
%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $LAB^*LAB^*_{Ma}: 54 -47 63$
 $LAB^*LCH^*_{Ma}: 54 80 127$
 $lab^*rgb^*_{Ma}: 0.5 1.0 0.0$
 $lab^*olv^*_{Ma}: 0.25 1.0 0.0$


$u^* = j50g$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 45 -59 43
 $LAB^*LCH^*_Ma$: 45 74 145
 $lab^*rgb^*_Ma$: 0.25 1.0 0.0
 $lab^*olv^*_Ma$: 0.0 1.0 0.07
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $LAB^*LAB^*_{Ma}: 48 -48 16$
 $LAB^*LCH^*_{Ma}: 48 52 162$
 $lab^*rgb^*_{Ma}: 0.0 1.0 0.0$
 $lab^*olv^*_{Ma}: 0.0 1.0 0.41$


$u^* = g00b$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6
 $LAB^*LCH^*_{Ma}$: 50 40 190
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.5
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_Ma: 52 \ -31 \ -23$
 $LAB^*LCH^*_Ma: 52 \ 40 \ 217$
 $lab^*rgb^*_Ma: 0.0 \ 1.0 \ 1.0$
 $lab^*olv^*_Ma: 0.0 \ 1.0 \ 0.9$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = g50b$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $LAB^*LAB^*_{Ma}: 47 \ -16 \ -35$
 $LAB^*LCH^*_{Ma}: 47 \ 40 \ 244$
 $lab^*rgb^*_{Ma}: 0.0 \ 0.5 \ 1.0$
 $lab^*olv^*_{Ma}: 0.0 \ 0.85 \ 1.0$


$u^* = g75b$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38\ 1\ -41$

$LAB^*LCH^*_Ma: 38\ 42\ 272$

$lab^*rgb^*_Ma: 0.0\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.0\ 0.62\ 1.0$

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 24\ 30\ -51$
 $LAB^*LCH^*_Ma: 24\ 60\ 300$
 $lab^*rgb^*_Ma: 0.5\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.0\ 0.25\ 1.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_Ma: 30\ 69\ -41$
 $LAB^*LCH^*_Ma: 30\ 81\ 329$
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.66\ 0.0\ 1.0$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b50r$
 LAB^*LAB^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 36\ 71\ -3$

$LAB^*LCH^*_Ma: 36\ 72\ 357$



$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.5$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.62$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
01		8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	11.9	18.0	22.4	26.9	31.3	35.8	40.2	44.6	49.1	15.2	21.3	27.4	31.8	36.3	40.7	45.2	49.6	54.0	58.4	62.8	67.3	71.8	76.7	81.7	86.5	91.2	95.9	100.6	105.3	110.0	114.7	119.4	124.1	128.8	133.5	138.2	142.9	147.6	152.3	157.0	161.7	166.4	171.1	175.8	180.5	185.2	189.9	194.6	199.3	204.0	208.7	213.4	218.1	222.8	227.5	232.2	236.9	241.6	246.3	251.0	255.7	260.4	265.1	269.8	274.5	279.2	283.9	288.6	293.3	298.0	302.7	307.4	312.1	316.8	321.5	326.2	330.9	335.6	340.3	345.0	349.7	354.4	359.1	363.8	368.5	373.2	377.9	382.6	387.3	392.0	396.7	401.4	406.1	410.8	415.5	420.2	424.9	429.6	434.3	439.0	443.7	448.4	453.1	457.8	462.5	467.2	471.9	476.6	481.3	486.0	490.7	495.4	500.1	504.8	509.5	514.2	518.9	523.6	528.3	533.0	537.7	542.4	547.1	551.8	556.5	561.2	565.9	570.6	575.3	580.0	584.7	589.4	594.1	598.8	603.5	608.2	612.9	617.6	622.3	627.0	631.7	636.4	641.1	645.8	650.5	655.2	659.9	664.6	669.3	674.0	678.7	683.4	688.1	692.8	697.5	702.2	706.9	711.6	716.3	721.0	725.7	730.4	735.1	739.8	744.5	749.2	753.9	758.6	763.3	768.0	772.7	777.4	782.1	786.8	791.5	796.2	800.9	805.6	810.3	815.0	819.7	824.4	829.1	833.8	838.5	843.2	847.9	852.6	857.3	862.0	866.7	871.4	876.1	880.8	885.5	890.2	894.9	899.6	904.3	909.0	913.7	918.4	923.1	927.8	932.5	937.2	941.9	946.6	951.3	956.0	960.7	965.4	970.1	974.8	979.5	984.2	988.9	993.6	998.3	1003.0	1007.7	1012.4	1017.1	1021.8	1026.5	1031.2	1035.9	1040.6	1045.3	1050.0	1054.7	1059.4	1064.1	1068.8	1073.5	1078.2	1082.9	1087.6	1092.3	1097.0	1101.7	1106.4	1111.1	1115.8	1120.5	1125.2	1129.9	1134.6	1139.3	1144.0	1148.7	1153.4	1158.1	1162.8	1167.5	1172.2	1176.9	1181.6	1186.3	1191.0	1195.7	1200.4	1205.1	1209.8	1214.5	1219.2	1223.9	1228.6	1233.3	1238.0	1242.7	1247.4	1252.1	1256.8	1261.5	1266.2	1270.9	1275.6	1280.3	1285.0	1289.7	1294.4	1299.1	1303.8	1308.5	1313.2	1317.9	1322.6	1327.3	1332.0	1336.7	1341.4	1346.1	1350.8	1355.5	1360.2	1364.9	1369.6	1374.3	1379.0	1383.7	1388.4	1393.1	1397.8	1402.5	1407.2	1411.9	1416.6	1421.3	1426.0	1430.7	1435.4	1440.1	1444.8	1449.5	1454.2	1458.9	1463.6	1468.3	1473.0	1477.7	1482.4	1487.1	1491.8	1496.5	1501.2	1505.9	1510.6	1515.3	1520.0	1524.7	1529.4	1534.1	1538.8	1543.5	1548.2	1552.9	1557.6	1562.3	1567.0	1571.7	1576.4	1581.1	1585.8	1590.5	1595.2	1599.9	1604.6	1609.3	1614.0	1618.7	1623.4	1628.1	1632.8	1637.5	1642.2	1646.9	1651.6	1656.3	1661.0	1665.7	1670.4	1675.1	1679.8	1684.5	1689.2	1693.9	1698.6	1703.3	1708.0	1712.7	1717.4	1722.1	1726.8	1731.5	1736.2	1740.9	1745.6	1750.3	1755.0	1759.7	1764.4	1769.1	1773.8	1778.5	1783.2	1787.9	1792.6	1797.3	1802.0	1806.7	1811.4	1816.1	1820.8	1825.5	1830.2	1834.9	1839.6	1844.3	1849.0	1853.7	1858.4	1863.1	1867.8	1872.5	1877.2	1881.9	1886.6	1891.3	1896.0	1900.7	1905.4	1910.1	1914.8	1919.5	1924.2	1928.9	1933.6	1938.3	1943.0	1947.7	1952.4	1957.1	1961.8	1966.5	1971.2	1975.9	1980.6	1985.3	1990.0	1994.7	1999.4	2004.1	2008.8	2013.5	2018.2	2022.9	2027.6	2032.3	2037.0	2041.7	2046.4	2051.1	2055.8	2060.5	2065.2	2069.9	2074.6	2079.3	2084.0	2088.7	2093.4	2098.1	2102.8	2107.5	2112.2	2116.9	2121.6	2126.3	2131.0	2135.7	2140.4	2145.1	2149.8	2154.5	2159.2	2163.9	2168.6	2173.3	2178.0	2182.7	2187.4	2192.1	2196.8	2201.5	2206.2	2210.9	2215.6	2220.3	2225.0	2229.7	2234.4	2239.1	2243.8	2248.5	2253.2	2257.9	2262.6	2267.3	2272.0	2276.7	2281.4	2286.1	2290.8	2295.5	2300.2	2304.9	2309.6	2314.3	2319.0	2323.7	2328.4	2333.1	2337.8	2342.5	2347.2	2351.9	2356.6	2361.3	2366.0	2370.7	2375.4	2380.1	2384.8	2389.5	2394.2	2398.9	2403.6	2408.3	2413.0	2417.7	2422.4	2427.1	2431.8	2436.5	2441.2	2445.9	2450.6	2455.3	2460.0	2464.7	2469.4	2474.1	2478.8	2483.5	2488.2	2492.9	2497.6	2502.3	2507.0	2511.7	2516.4	2521.1	2525.8	2530.5	2535.2	2539.9	2544.6	2549.3	2554.0	2558.7	2563.4	2568.1	2572.8	2577.5	2582.2	2586.9	2591.6	2596.3	2601.0	2605.7	2610.4	2615.1	2619.8	2624.5	2629.2	2633.9	2638.6	2643.3	2648.0	2652.7	2657.4	2662.1	2666.8	2671.5	2676.2	2680.9	2685.6	2690.3	2695.0	2699.7	2704.4	2709.1	2713.8	2718.5	2723.2	2727.9	2732.6	2737.3	2742.0	2746.7	2751.4	2756.1	2760.8	2765.5	2770.2	2774.9	2779.6	2784.3	2789.0	2793.7	2798.4	2803.1	2807.8	2812.5	2817.2	2821.9	2826.6	2831.3	2836.0	2840.7	2845.4	2850.1	2854.8	2859.5	2864.2	2868.9	2873.6	2878.3	2883.0	2887.7	2892.4	2897.1	2901.8	2906.5	2911.2	2915.9	2920.6	2925.3	2930.0	2934.7	2939.4	2944.1	2948.8	2953.5	2958.2	2962.9	2967.6	2972.3	2977.0	2981.7	2986.4	2991.1	2995.8	3000.5	3005.2	3009.9	3014.6	3019.3	3024.0	3028.7	3033.4	3038.1	3042.8	3047.5	3052.2	3056.9	3061.6	3066.3	3071.0	3075.7	3080.4	3085.1	3089.8	3094.5	3099.2	3103.9	3108.6	3113.3	3118.0	3122.7	3127.4	3132.1	3136.8	3141.5	3146.2	3150.9	3155.6	3160.3	3165.0	3169.7	3174.4	3179.1	3183.8	3188.5	3193.2	3197.9	3202.6	3207.3	3212.0	3216.7	3221.4	3226.1	3230.8	3235.5	3240.2	3244.9	3249.6	3254.3	3259.0	3263.7	3268.4	3273.1	3277.8	3282.5	3287.2	3291.9	3296.6	3301.3	3306.0	3310.7	3315.4	3320.1	3324.8	3329.5	3334.2	3338.9	3343.6	3348.3	3353.0	3357.7	3362.4	3367.1	3371.8	3376.5	3381.2	3385.9	3390.6	3395.3	3400.0	3404.7	3409.4	3414.1	3418.8	3423.5	3428.2	3432.9	3437.6	3442.3	3447.0	3451.7	3456.4	3461.1	3465.8	3470.5	3475.2	3479.9	3484.6	3489.3	3494.0	3498.7	3503.4	3508.1	3512.8	3517.5	3522.2	3526.9	3531.6	3536.3	3541.0	3545.7	3550.4	3555.1	3559.8	3564.5	3569.2	3573.9	3578.6	3583.3	3588.0	3592.7	3597.4	3602.1	3606.8	3611.5	3616.2	3620.9	3625.6	3630.3	3635.0	3639.7	3644.4	3649.1	3653.8	3658.5	3663.2	3667.9	3672.6	3677.3	3682.0	3686.7	3691.4	3696.1	3700.8	3705.5	3710.2	3714.9	3719.6	3724.3	3729.0	3733.7	3738.4	3743.1	3747.8	3752.5	3757.2	3761.9	3766.6	3771.3	3776.0	3780.7	3785.4	3790.1	3794.8	3799.5	3804.2	3808.9	3813.6	3818.3	3823.0	3827.7	3832.4	3837.1	3841.8	3846.5	3851.2	3855.9	3860.6	3865.3	3870.0	3874.7	3879.4	3884.1	3888.8	3893.5	3898.2	3902.9	3907.6	3912.3	3917.0	3921.7	3926.4	3931.1	3935.8	3940.5	3945.2	3949.9	3954.6	3959.3	3964.0	3968.7	3973.4	3978.1	3982.8	3987.5	3992.2	3996.9	4001.6	4006.3	4011.0	4015.7	4020.4	4025.1	4029.8	4034.5	4039.2	4043.9	4048.6	4053.3	4058.0	4062.7	4067.4	4072.1	4076.8	4081.5	4086.2	4090.9	4095.6	4100.3	4105.0	4109.7	4114.4	4119.1	4123.8	4128.5	4133.2	4137.9	4142.6	4147.3	4152.0	4156.7	4161.4	4166.1	4170.8	4175.5	4180.2	4184.9	4189.6	4194.3	4199.0	4203.7	4208.4	4213.1	4217.8	4222.5	4227.2	4231.9	4236.6	4241.3	4246.0	4250.7	4255.4	4260.1	4264.8	4269.5	4274.2	4278.9	4283.6	4288.3	4293.0	4297.7	4302.4	4307.1	4311.8	4316.5	4321.2	4325.9	4330.6	4335.3	4340.0	4344.7	4349.4	4354.1	4358.8	4363.5	4368.2	4372.9	4377.6	4382.3	4387.0	4391.7	4396.4	4401.1	4405.8	4410.5	4415.2	4419.9	4424.6	4429.3	4434.0	4438.7	4443.4	4448.1	4452.8	4457.5	4462.2	4466.9	4471.6	4476.3	4481.0	4485.7	4490.4	4495.1	4499.8	4504.5	4509.2	4513.9	4518.6	4523.3	4528.0	4532.7	4537.4	4542.1	4546.8	4551.5	4556.2	4560.9	4565.6	4570.3	4575.0	4579.7	4584.4	4589.1	4593.8	4598.5	4603.2	4607.9	4612.6	4617.3	4622.0	4626.7	4631.4	4636.1	4640.8	4645.5	4650.2	4654.9	4659.6	4664.3	4669.0	4673.7	4678.4	4683.1	4687.8	4692.5	4697.2	4701.9	4706.6	4711.3	4716.0	4720.7	4725.4	4730.1	4734.8	4739.5	4744.2	4748.9	4753.6	4758.3	4763.0	4767.7	4772.4	4777.1	4781.8	4786.5	4791.2	4795.9	4800.6	4805.3	4810.0	4814.7	4819.4	4824.1	4828.8	4833.5	4838.2	4842.9	4847.6	4852.3	4857.0	4861.7	4866.4	4871.1	4875.8	4880.5	4885.2	4889.9	4894.6	4899.3	4904.0	4908.7	4913.4	4918.1	4922.8	4927.5	4932.2	4936.9	4941.6	4946.3	4951.0	4955.7	4960.4	4965.1	4969.8	4974.5	4979.2	4983.9	4988.6	4993.3	4998.0	5002.7	5007.4	5012.1	5016.8	5021.5	5026.2	5030.9	5035.6	5040.3	5045.0	5049.7	5054.4	5059.1	5063.8	5068.5	5073.2	5077.9	5082.6	5087.3	5092.0	5096.7	5101.4	5106.1	5110.8	5115.5	5120.2	5124.9	5129.6	5134.3	5139.0	5143.7	5148.4	5153.1	5157.8	5162.5	5167.2	5171.9	5176.6	5181.3	5186.0	5190.7	5195.4	5200.1	5204.8	5209.5


Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
 $u^*_{rel} = 109$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 35\ 63\ 30$

$LAB^*LCH^*_Ma: 35\ 70\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.18$

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 39\ 55\ 49$

$LAB^*LCH^*_Ma: 39\ 74\ 42$



$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.08\ 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 51\ 39\ 65$

$LAB^*LCH^*_Ma: 51\ 76\ 59$



$lab^*rgb^*_Ma: 1.0\ 0.5\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.32\ 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 83 -3 109$

$LAB^*LCH^*_Ma: 83 109 92$



$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.99 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 67 -29 83

$LAB^*LCH^*_Ma$: 67 88 110



$lab^*rgb^*_Ma$: 0.75 1.0 0.0

$lab^*olv^*_Ma$: 0.57 1.0 0.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 54 -47 63$

$LAB^*LCH^*_Ma: 54 80 127$



$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.25 1.0 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 45 -59 43$
 $LAB^*LCH^*_Ma: 45 74 145$
 $lab^*rgb^*_Ma: 0.25 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.07$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 48 -48 16$
 $LAB^*LCH^*_Ma: 48 52 162$
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.41$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 50 -39 -6$
 $LAB^*LCH^*_Ma: 50 40 190$
 $lab^*rgb^*_Ma: 0.0 1.0 0.5$
 $lab^*olv^*_Ma: 0.0 1.0 0.69$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 52 -31 -23$
 $LAB^*LCH^*_Ma: 52 40 217$
 $lab^*rgb^*_Ma: 0.0 1.0 1.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.9$
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $LAB^*LAB^*_{Ma}: 47 \ -16 \ -35$
 $LAB^*LCH^*_{Ma}: 47 \ 40 \ 244$
 $lab^*rgb^*_{Ma}: 0.0 \ 0.5 \ 1.0$
 $lab^*olv^*_{Ma}: 0.0 \ 0.85 \ 1.0$


$u^* = g75b$
 lab^*rgb^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38\ 1\ -41$

$LAB^*LCH^*_Ma: 38\ 42\ 272$



$lab^*rgb^*_Ma: 0.0\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.0\ 0.62\ 1.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 24\ 30\ -51$
 $LAB^*LCH^*_Ma: 24\ 60\ 300$
 $lab^*rgb^*_Ma: 0.5\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.0\ 0.25\ 1.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 30\ 69\ -41$
 $LAB^*LCH^*_Ma: 30\ 81\ 329$
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.66\ 0.0\ 1.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 36\ 71\ -3$

$LAB^*LCH^*_{Ma}: 36\ 72\ 357$



$lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.5$

$lab^*olv^*_{Ma}: 1.0\ 0.0\ 0.62$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:
lab*tch* and lab*icu*
elementary hue text:
u* = 16 hues r00j, r25j, ..., b75r
contrast reduction factor:
c_R = 1.0

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




% Gamut
u*_{rel} = 109
% Regularity
g*_{H,rel} = 31
g*_{C,rel} = 40

FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 35\ 63\ 30$

$LAB^*LCH^*_Ma: 35\ 70\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$



$lab^*olv^*_Ma: 1.0\ 0.0\ 0.18$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r00j$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 39\ 55\ 49$

$LAB^*LCH^*_Ma: 39\ 74\ 42$

$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$



$lab^*olv^*_Ma: 1.0\ 0.08\ 0.0$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r25j$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 51\ 39\ 65$

$LAB^*LCH^*_Ma: 51\ 76\ 59$

$lab^*rgb^*_Ma: 1.0\ 0.5\ 0.0$


$lab^*olv^*_Ma: 1.0\ 0.32\ 0.0$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r50j$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 64\ 21\ 83$
 $LAB^*LCH^*_Ma: 64\ 86\ 76$
 $lab^*rgb^*_Ma: 1.0\ 0.75\ 0.0$
 $lab^*olv^*_Ma: 1.0\ 0.59\ 0.0$
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = r75j$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 83 -3 109$

$LAB^*LCH^*_Ma: 83 109 92$


$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.99 0.0$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $u^* = j25g$
 LAB^*cmyn^*

$LAB^*LAB^*_{Ma}$: 67 -29 83
 $LAB^*LCH^*_{Ma}$: 67 88 110
 $lab^*rgb^*_{Ma}$: 0.75 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.57 1.0 0.0
triangle lightness t^*


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j50g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 54 -47 63$
 $LAB^*LCH^*_Ma: 54 80 127$
 $lab^*rgb^*_Ma: 0.5 1.0 0.0$
 $lab^*olv^*_Ma: 0.25 1.0 0.0$
triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = j50g$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = j75g$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 45 -59 43$
 $LAB^*LCH^*_Ma: 45 74 145$
 $lab^*rgb^*_Ma: 0.25 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.07$

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $u^* = g00b$
 LAB^*cmyn^*

$LAB^*LAB^*_Ma: 48 -48 16$
 $LAB^*LCH^*_Ma: 48 52 162$
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.41$
triangle lightness t^*


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g25b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 50 -39 -6$
 $LAB^*LCH^*_Ma: 50 40 190$
 $lab^*rgb^*_Ma: 0.0 1.0 0.5$
 $lab^*olv^*_Ma: 0.0 1.0 0.69$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = g25b$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g50b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $u^* = g50b$
 LAB^*cmyn^{**}

$LAB^*LAB^*_Ma: 52 -31 -23$
 $LAB^*LCH^*_Ma: 52 40 217$
 $lab^*rgb^*_Ma: 0.0 1.0 1.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.9$
triangle lightness t^*


FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = g75b$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 47 -16 -35
 $LAB^*LCH^*_Ma$: 47 40 244
 $lab^*rgb^*_Ma$: 0.0 0.5 1.0
 $lab^*olv^*_Ma$: 0.0 0.85 1.0

triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b00r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38 \ 1 \ -41$

$LAB^*LCH^*_Ma: 38 \ 42 \ 272$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.62 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = b00r$

LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

$i^* = 0.00$

$i^* = 0.00$

$i^* = 0.00$

$i^* = 0.00$


$i^* = 0.00$

$i^* = 0.00$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b25r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*




FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):
 $u^* = b25r$
 LAB^*cmyn^*

$LAB^*LAB^*_{Ma}$: 24 30 -51
 $LAB^*LCH^*_{Ma}$: 24 60 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.25 1.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b50r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.49	103.15	103.25	92
L_M	44.13	-62.1	43.56	75.86	145
C_M	52.66	-28.55	-36.98	46.73	232
V_M	14.15	50.78	-62.59	80.61	309
M_M	37.37	79.18	-37.92	87.8	334
N_M	8.58	0.46	-3.34	3.38	278
W_M	92.02	0.69	-6.47	6.52	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_Ma: 30\ 69\ -41$
 $LAB^*LCH^*_Ma: 30\ 81\ 329$
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.66\ 0.0\ 1.0$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


$u^* = b50r$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



FRS09_92a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}: 36\ 71\ -3$
 $LAB^*LCH^*_{Ma}: 36\ 72\ 357$
 $lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.5$
 $lab^*olv^*_{Ma}: 1.0\ 0.0\ 0.62$

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

$u^* = b75r$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*cmyn'
01	000																																					