


Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164 \quad u^* = r/50$

Daten für jede Farbe:  
 Elementar-Bunttonstext:  
 $u^* = 16$  Buntton  $r/50$ ,  $r/25$ , ...,  $r/75$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$

ORS18_95aM; adaptierte CIELAB-Daten					
$L^*$	$a^*$	$b^*$	$C_{100}^*$		
D50	47.94	65.39	50.52	82.63	38
D25	51.32	59.36	53.8	80.11	42
D10	62.07	39.12	64.83	75.72	59
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
L50	25.72	31.1	-44.4	54.22	308
L50	86.61	-3.55	88.09	88.17	92
L50	78.07	-26.64	74.05	78.7	110
L50	65.83	-42.94	56.44	70.93	127
L50	54.87	-55.91	17.93	58.72	162
L50	39.92	58.74	27.99	65.07	25
L50	81.26	-2.88	71.56	71.62	92
L50	56.98	-37.23	-28.04	46.62	217
L50	53.92	-21.56	-44.93	49.84	244
L50	41.64	1.36	-44.7	44.73	272
L50	28.53	25.85	-44.45	51.43	300
L50	34.77	48.93	-29.85	57.32	329
L50	48.12	74.52	-3.84	74.62	357




ORS18_95aM; adaptierte CIELAB-Daten					
$L^*$	$a^*$	$b^*$	$C_{100}^*$		
D50	47.94	65.39	50.52	82.63	38
D25	51.32	59.36	53.8	80.11	42
D10	62.07	39.12	64.83	75.72	59
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
L50	25.72	31.1	-44.4	54.22	308
L50	86.61	-3.55	88.09	88.17	92
L50	78.07	-26.64	74.05	78.7	110
L50	65.83	-42.94	56.44	70.93	127
L50	54.87	-55.91	17.93	58.72	162
L50	39.92	58.74	27.99	65.07	25
L50	81.26	-2.88	71.56	71.62	92
L50	56.98	-37.23	-28.04	46.62	217
L50	53.92	-21.56	-44.93	49.84	244
L50	41.64	1.36	-44.7	44.73	272
L50	28.53	25.85	-44.45	51.43	300
L50	34.77	48.93	-29.85	57.32	329
L50	48.12	74.52	-3.84	74.62	357

Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071 \quad u^* = r/50$

Daten für jede Farbe:  
 Elementar-Bunttonstext:  
 $u^* = r/50$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$

ORS18_95aM; adaptierte CIELAB-Daten					
$L^*$	$a^*$	$b^*$	$C_{100}^*$		
D50	47.94	65.39	50.52	82.63	38
D25	51.32	59.36	53.8	80.11	42
D10	62.07	39.12	64.83	75.72	59
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
L50	25.72	31.1	-44.4	54.22	308
L50	86.61	-3.55	88.09	88.17	92
L50	78.07	-26.64	74.05	78.7	110
L50	65.83	-42.94	56.44	70.93	127
L50	54.87	-55.91	17.93	58.72	162
L50	39.92	58.74	27.99	65.07	25
L50	81.26	-2.88	71.56	71.62	92
L50	56.98	-37.23	-28.04	46.62	217
L50	53.92	-21.56	-44.93	49.84	244
L50	41.64	1.36	-44.7	44.73	272
L50	28.53	25.85	-44.45	51.43	300
L50	34.77	48.93	-29.85	57.32	329
L50	48.12	74.52	-3.84	74.62	357


















ORS18_95aM; adaptierte CIELAB-Daten					
$L^*$	$a^*$	$b^*$	$C_{100}^*$		
D50	47.94	65.39	50.52	82.63	38
D25	51.32	59.36	53.8	80.11	42
D10	62.07	39.12	64.83	75.72	59
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
L50	25.72	31.1	-44.4	54.22	308
L50	86.61	-3.55	88.09	88.17	92
L50	78.07	-26.64	74.05	78.7	110
L50	65.83	-42.94	56.44	70.93	127
L50	54.87	-55.91	17.93	58.72	162
L50	39.92	58.74	27.99	65.07	25
L50	81.26	-2.88	71.56	71.62	92
L50	56.98	-37.23	-28.04	46.62	217
L50	53.92	-21.56	-44.93	49.84	244
L50	41.64	1.36	-44.7	44.73	272
L50	28.53	25.85	-44.45	51.43	300
L50	34.77	48.93	-29.85	57.32	329
L50	48.12	74.52	-3.84	74.62	357

Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117 \quad u^* = r/25$

Daten für jede Farbe:  
 Elementar-Bunttonstext:  
 $u^* = 25$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$

ORS18_95aM; adaptierte CIELAB-Daten					
$L^*$	$a^*$	$b^*$	$C_{100}^*$		
D50	47.94	65.39	50.52	82.63	38
D25	51.32	59.36	53.8	80.11	42
D10	62.07	39.12	64.83	75.72	59
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
L50	25.72	31.1	-44.4	54.22	308
L50	86.61	-3.55	88.09	88.17	92
L50	78.07	-26.64	74.05	78.7	110
L50	65.83	-42.94	56.44	70.93	127
L50	54.87	-55.91	17.93	58.72	162
L50	39.92	58.74	27.99	65.07	25
L50	81.26	-2.88	71.56	71.62	92
L50	56.98	-37.23	-28.04	46.62	217
L50	53.92	-21.56	-44.93	49.84	244
L50	41.64	1.36	-44.7	44.73	272
L50	28.53	25.85	-44.45	51.43	300
L50	34.77	48.93	-29.85	57.32	329
L50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$   $u^* = r/50$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = 16$  Buntton  $r/00$ ,  $r/25$ , ...,  $r/75$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$   $u^* = r/50$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = 50$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$   $u^* = r/25g$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = 25g$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$   $u^* = r/00$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = r/00$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$   $u^* = r/75$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = r/75$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.353$   $u^* = r/50g$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = r/50g$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$


Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$   $u^* = r/25g$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = 25g$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$

Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.77	48.93	-29.85	57.32	329
B50	48.12	74.52	-3.84	74.62	357



Ein und Ausgabe: Farbmetrisches Drucker-Reflexiv-System ORS18\_95aM für relatives CIELAB-Buntton  $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$   $u^* = r/00g$

Daten für jede Farbe:  
 $lab^*ich^*$  und  $lab^*vic^*$   
 Elementar-Bunttonstext:  
 $u^* = r/00g$   
 Kontrastreduzierungsfaktor:  
 $c_R = 1.0$   
 Dreiecks-Helligkeit  $r^*$

Lab	L*	a*	b*	C <sub>ab</sub>	h <sub>ab</sub>
D50	47.94	63.39	50.52	82.63	38
Y50	90.37	-10.26	91.75	92.32	96
L50	50.9	-62.83	34.96	71.91	151
L50	58.62	-30.34	-45.01	54.3	236
Y50	25.72	31.1	-44.4	54.22	305
M50	48.13	75.28	-8.36	75.74	354
N50	18.01	0.0	0.0	0.0	0
W50	95.41	0.0	0.0	0.0	0
R50	39.92	58.74	27.99	65.07	25
G50	52.54	-55.91	17.93	58.72	162
B50	65.83	-42.94	56.44	70.93	127
J50	54.87	-57.53	40.67	70.47	145
E50	52.54	-55.91	17.93	58.72	162
F50	55.02	-45.5	-7.69	46.16	190
M50	56.98	-37.23	-28.04	46.62	217
S50	53.92	-21.56	-44.93	49.84	244
B50	41.64	1.36	-44.7	44.73	272
R50	25.52	25.85	-44.45	51.43	300
G50	34.				

















