
www.ps.bam.de/Fe08/10/Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B0: 16 equidistant steps W, G, M, Y, R, N, W; PS operator ob* setrgbcolor
Fe08-1, Picture B1: Radial grating W–C Radial grating W–M Radial grating W–Y Radial grating W–N Radial grating W–Z
Fe08-1, Picture B2: Radial grating W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-2, Picture B3: 14 CIE-test colours and 2 × 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-3, Picture B4: Landolt-rings W–N, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture B5: Landolt-rings W–C, W–M; PS operator ob* setrgbcolor
Fe08-1, Picture B6: Landolt-rings W–Y, W–N; PS operator ob* setrgbcolor
Fe08-1, Picture B7: Landolt-rings W–C, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B8: Landolt-rings W–Y, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B10: Landolt-rings W–M, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B11: Landolt-rings W–Y, W–M; PS operator ob* setrgbcolor
Fe08-1, Picture B12: Landolt-rings W–C, W–Y; PS operator ob* setrgbcolor
Fe08-1, Picture B13: Landolt-rings W–C, W–N; PS operator ob* setrgbcolor
Fe08-1, Picture B14: Landolt-rings W–C, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture B15: Landolt-rings W–M, W–N; PS operator ob* setrgbcolor
Fe08-1, Picture B16: Landolt-rings W–M, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture B17: Landolt-rings W–Y, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture B18: Landolt-rings W–Z, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture B19: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B20: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B21: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B22: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-5, Picture B23: Landolt-rings W–C, W–M; PS operator ob* setrgbcolor
Fe08-5, Picture B24: Landolt-rings W–Y, W–N; PS operator ob* setrgbcolor
Fe08-5, Picture B25: Landolt-rings W–C, W–Z; PS operator ob* setrgbcolor
Fe08-5, Picture B26: Landolt-rings W–Y, W–Z; PS operator ob* setrgbcolor
Fe08-5, Picture B27: Landolt-rings W–N, W–Z; PS operator ob* setrgbcolor
Fe08-5, Picture B28: Landolt-rings W–M, W–Z; PS operator ob* setrgbcolor
Fe08-5, Picture B29: Landolt-rings W–Y, W–M; PS operator ob* setrgbcolor
Fe08-5, Picture B30: Landolt-rings W–C, W–Y; PS operator ob* setrgbcolor
Fe08-5, Picture B31: Landolt-rings W–C, W–N; PS operator ob* setrgbcolor
Fe08-5, Picture B32: Landolt-rings W–C, W–W; PS operator ob* setrgbcolor
Fe08-5, Picture B33: Landolt-rings W–M, W–N; PS operator ob* setrgbcolor
Fe08-5, Picture B34: Landolt-rings W–M, W–W; PS operator ob* setrgbcolor
Fe08-5, Picture B35: Landolt-rings W–Y, W–W; PS operator ob* setrgbcolor
Fe08-5, Picture B36: Landolt-rings W–Z, W–W; PS operator ob* setrgbcolor
Fe08-1, Picture D0: 16 equidistant steps O, L, V, N; PS operator ob* setrgbcolor
Fe08-1, Picture D1: 16 equidistant steps C, M, Y, N; PS operator ob* setrgbcolor
Fe08-1, Picture D2: 16 equidistant steps Z, O, Z, L, Z, V, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture D3: 14 CIE-test colours and 2 × 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-3, Picture D4: Landolt-rings N–O, N–L; PS operator ob* setrgbcolor
Fe08-1, Picture D5: Landolt-rings O–L, O–V; PS operator ob* setrgbcolor
Fe08-1, Picture D6: Landolt-rings L–V, L–N; PS operator ob* setrgbcolor
Fe08-1, Picture D7: Landolt-rings V–N, V–O; PS operator ob* setrgbcolor
Fe08-1, Picture D8: Landolt-rings O–L, O–V, O–N; PS operator ob* setrgbcolor
Fe08-1, Picture D9: Landolt-rings L–V, L–N, L–O; PS operator ob* setrgbcolor
Fe08-1, Picture D10: Landolt-rings V–N, V–O, V–L; PS operator ob* setrgbcolor
Fe08-1, Picture D11: Landolt-rings N–O, N–L, N–V; PS operator ob* setrgbcolor
Fe08-1, Picture D12: Landolt-rings O–L, O–V, O–N, O–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D13: Landolt-rings L–V, L–N, L–O, L–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D14: Landolt-rings V–N, V–O, V–L, V–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D15: Landolt-rings N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D16: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D17: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D18: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D19: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D20: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D21: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture D22: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-7, Picture D23: 14 CIE-test colours and 2 × 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-7, Picture D24: Landolt-rings N–O, N–L; PS operator ob* setrgbcolor
Fe08-7, Picture D25: Landolt-rings O–L, O–V; PS operator ob* setrgbcolor
Fe08-7, Picture D26: Landolt-rings L–V, L–N; PS operator ob* setrgbcolor
Fe08-7, Picture D27: Landolt-rings V–N, V–O; PS operator ob* setrgbcolor
Fe08-7, Picture D28: Landolt-rings O–L, O–V, O–N; PS operator ob* setrgbcolor
Fe08-7, Picture D29: Landolt-rings L–V, L–N, L–O; PS operator ob* setrgbcolor
Fe08-7, Picture D30: Landolt-rings V–N, V–O, V–L; PS operator ob* setrgbcolor
Fe08-7, Picture D31: Landolt-rings N–O, N–L, N–V; PS operator ob* setrgbcolor
Fe08-7, Picture D32: Landolt-rings O–L, O–V, O–N, O–Z; PS operator ob* setrgbcolor
Fe08-7, Picture D33: Landolt-rings L–V, L–N, L–O, L–Z; PS operator ob* setrgbcolor
Fe08-7, Picture D34: Landolt-rings V–N, V–O, V–L, V–Z; PS operator ob* setrgbcolor
Fe08-7, Picture D35: Landolt-rings N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-7, Picture D36: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture E0: 16 equidistant steps W, C, M, Y, R, N, W; PS operator ob* setrgbcolor
Fe08-1, Picture E1: 16 equidistant steps Z, C, Z, M, Z, Y, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture E2: 16 equidistant steps W, O, L, V, W; PS operator ob* setrgbcolor
Fe08-1, Picture E3: 16 equidistant steps Z, O, Z, L, Z, V, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture E4: Landolt-rings W, C, M, Y, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E5: Landolt-rings W, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E6: Landolt-rings W, C, M, Y, N, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E7: Landolt-rings W, O, L, V, N, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E8: Landolt-rings W, C, M, Y, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E9: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E10: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E11: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E12: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E13: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E14: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E15: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E16: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E17: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E18: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E19: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E20: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E21: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E22: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E23: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E24: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E25: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E26: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E27: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E28: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E29: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E30: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E31: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E32: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E33: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E34: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E35: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture E36: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F0: 16 equidistant steps W, C, M, Y, R, N, W; PS operator ob* setrgbcolor
Fe08-1, Picture F1: 16 equidistant steps Z, C, Z, M, Z, Y, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture F2: 16 equidistant steps W, O, L, V, W; PS operator ob* setrgbcolor
Fe08-1, Picture F3: 16 equidistant steps Z, O, Z, L, Z, V, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture F4: Landolt-rings W, C, M, Y, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F5: Landolt-rings W, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F6: Landolt-rings W, C, M, Y, N, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F7: Landolt-rings W, O, L, V, N, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F8: Landolt-rings W, C, M, Y, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F9: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F10: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F11: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F12: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F13: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F14: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F15: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F16: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F17: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F18: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F19: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F20: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F21: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F22: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F23: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F24: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F25: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F26: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F27: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F28: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F29: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F30: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F31: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F32: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F33: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F34: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F35: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture F36: Landolt-rings W, C, M, Y, N, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture G0: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G1: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G2: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G3: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G4: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G5: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G6: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G7: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G8: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G9: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G10: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G11: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G12: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G13: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G14: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G15: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G16: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G17: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G18: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G19: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G20: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G21: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G22: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G23: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G24: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G25: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G26: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G27: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G28: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G29: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G30: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G31: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G32: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G33: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G34: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G35: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture G36: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H0: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H1: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H2: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H3: 16 equidistant steps A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H4: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H5: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H6: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H7: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H8: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H9: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H10: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H11: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H12: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H13: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H14: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H15: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H16: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H17: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H18: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H19: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H20: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H21: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H22: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H23: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H24: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H25: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H26: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H27: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H28: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H29: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H30: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H31: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H32: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H33: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H34: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H35: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture H36: Landolt-rings A, B, C, D, E, F; PS operator ob* setrgbcolor
Fe08-1, Picture I0: Landolt-rings N–O, N–L; PS operator ob* setrgbcolor
Fe08-1, Picture I1: Landolt-rings O–L, O–V; PS operator ob* setrgbcolor
Fe08-1, Picture I2: Landolt-rings L–V, L–N; PS operator ob* setrgbcolor
Fe08-1, Picture I3: Landolt-rings V–N, V–O; PS operator ob* setrgbcolor
Fe08-1, Picture I4: Landolt-rings O–L, O–V, O–N; PS operator ob* setrgbcolor
Fe08-1, Picture I5: Landolt-rings L–V, L–N, L–O; PS operator ob* setrgbcolor
Fe08-1, Picture I6: Landolt-rings V–N, V–O, V–L; PS operator ob* setrgbcolor
Fe08-1, Picture I7: Landolt-rings N–O, N–L, N–V; PS operator ob* setrgbcolor
Fe08-1, Picture I8: Landolt-rings O–L, O–V, O–N, O–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I9: Landolt-rings L–V, L–N, L–O, L–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I10: Landolt-rings V–N, V–O, V–L, V–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I11: Landolt-rings N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I12: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I13: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I14: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I15: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I16: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I17: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I18: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I19: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I20: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I21: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I22: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I23: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I24: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I25: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I26: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I27: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I28: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I29: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I30: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I31: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I32: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I33: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I34: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I35: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture I36: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J0: 16 equidistant steps O, L, V, N; PS operator ob* setrgbcolor
Fe08-1, Picture J1: 16 equidistant steps C, M, Y, N; PS operator ob* setrgbcolor
Fe08-1, Picture J2: 16 equidistant steps Z, O, Z, L, Z, V, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture J3: 16 equidistant steps Z, O, Z, L, Z, V, Z, N; PS operator ob* setrgbcolor
Fe08-1, Picture J4: Landolt-rings N–O, N–L; PS operator ob* setrgbcolor
Fe08-1, Picture J5: Landolt-rings O–L, O–V; PS operator ob* setrgbcolor
Fe08-1, Picture J6: Landolt-rings L–V, L–N; PS operator ob* setrgbcolor
Fe08-1, Picture J7: Landolt-rings V–N, V–O; PS operator ob* setrgbcolor
Fe08-1, Picture J8: Landolt-rings O–L, O–V, O–N; PS operator ob* setrgbcolor
Fe08-1, Picture J9: Landolt-rings L–V, L–N, L–O; PS operator ob* setrgbcolor
Fe08-1, Picture J10: Landolt-rings V–N, V–O, V–L; PS operator ob* setrgbcolor
Fe08-1, Picture J11: Landolt-rings N–O, N–L, N–V; PS operator ob* setrgbcolor
Fe08-1, Picture J12: Landolt-rings O–L, O–V, O–N, O–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J13: Landolt-rings L–V, L–N, L–O, L–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J14: Landolt-rings V–N, V–O, V–L, V–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J15: Landolt-rings N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J16: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J17: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J18: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J19: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrgbcolor
Fe08-1, Picture J20: Landolt-rings O–L, O–V, O–N, O–Z, L–V, L–N, L–O, L–Z, V–N, V–O, V–L, V–Z, N–O, N–L, N–V, N–Z; PS operator ob* setrg


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, C, M, Y, N; PS operator ob* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, C, M, Y, Z; PS operator ob* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, C, M, Y, W; PS operator ob* setrgbcolor
Fe08-1, Picture B7: Radial grating W–C Radial grating W–M Radial grating W–Y Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–C, W–M, W–Y, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, C, M, Y, N; PS operator ob* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, C, M, Y, Z; PS operator ob* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, C, M, Y, W; PS operator ob* setrgbcolor
Fe08-1, Picture B7: Radial grating W–O Radial grating W–L Radial grating W–V Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-2; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, O, L, V, N; PS operator ob* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, O, L, V, W; PS operator ob* setrgbcolor
Fe08-1, Picture B7: Radial grating W–O Radial grating W–L Radial grating W–V Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator ob* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–O, W–L, W–V, W–N, W–Z; PS operator ob* setrgbcolor
Fe08-3; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture D6N: 16 equidistant steps W, O, L, V, N; PS operator ob* setrgbcolor
Fe08-1, Picture D6Z: 16 equidistant steps Z, O, L, V, N; PS operator ob* setrgbcolor
Fe08-1, Picture D6S: Script and Landolt-rings W, O, L, V, Z; PS operator ob* setrgbcolor
Fe08-1, Picture D6Z: Landolt-rings W, O, L, V, W; PS operator ob* setrgbcolor
Fe08-1, Picture D6N: Landolt-rings W–O, W–L; PS operator ob* setrgbcolor
Fe08-1, Picture D6Z: Landolt-rings Z–O, Z–L; PS operator ob* setrgbcolor
Fe08-7, Picture D7N: Landolt-rings W–V, W–N; PS operator ob* setrgbcolor
Fe08-7, Picture D7Z: Landolt-rings Z–V, W–N; PS operator ob* setrgbcolor
Fe08-4; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a




www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, C', M', J', N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6N: 16 equidistant steps W, C', M', W', J', N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, C', M', J', Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, C', M', J', W; PS operator rgb* setrgbcolor
Fe08-1, Picture B7: Radial grating W–B Radial grating W–G Radial grating W–R Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator rgb* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-6; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, C', M', J', N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6N: 16 equidistant steps W, C', M', W', J', N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, C', M', J', Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, C', M', J', W; PS operator rgb* setrgbcolor
Fe08-1, Picture B7: Radial grating W–C' Radial grating W–M' Radial grating W–J Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–C', W–M', W–J, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–C', W–M', W–J, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator rgb* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–C', W–M', W–J, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–C', W–M', W–J, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–C', W–M', W–J, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, R, G, B, N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6N: 16 equidistant steps W, R, G, B, W; PS operator rgb* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, R, G, B, Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, R, G, B, W; PS operator rgb* setrgbcolor
Fe08-1, Picture B7: Radial grating W–B Radial grating W–G Radial grating W–R Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator rgb* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–B, W–G, W–R, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-8; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk
See for similar files: http://www.ps.bam.de/Fe08/; DM.HTM
Technical information: http://www.ps.bam.de
Version 2.1, ie=1.1, GoSye=1
BAM registration: 20080001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tbda4a


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
Fe08-1, Picture B5: 16 equidistant steps W, R, G, B, N; PS operator rgb* setrgbcolor
Fe08-1, Picture B6N: 16 equidistant steps W, R, G, B, W; PS operator rgb* setrgbcolor
Fe08-1, Picture B6S: Script and Landolt-rings W, R, G, B, Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B6Z: Script and Landolt-rings W, R, G, B, W; PS operator rgb* setrgbcolor
Fe08-1, Picture B7: Radial grating W–R Radial grating W–G Radial grating W–B Radial grating W–N Radial grating W–Z
Fe08-1, Picture B8: Landolt-rings W–R, W–G, W–B, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-1, Picture B9: Landolt-rings W–R, W–G, W–B, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B3: 14 CIE-equidistant steps L* = 16 grey steps; Use of PS operator rgb* setrgbcolor
Fe08-7, Picture B7: Landolt-rings W–R, W–G, W–B, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B7N: Landolt-rings W–R, W–G, W–B, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-7, Picture B9: Landolt-rings W–R, W–G, W–B, W–N, W–Z; PS operator rgb* setrgbcolor
Fe08-9; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-1; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-2; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-3; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-4; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk




www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-6; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-7; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-8; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk


www.ps.bam.de/Fe08/10Y/Y10100NP.PS./PDF, Page 1/6; ORS20_95, L*=20_95; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n
See for similar files: http://www.ps.bam.de/Fe08/ DM.HTM
Technical information: http://www.ps.bam.de
BAM registration: 20000001-Fe08/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=tba4a
Version 2.1, ie=1.1, CoSy=1
Fe08-9; Test charts of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv*/rgb* interpretation
input: rgb*->olv*/rgb* setrgbcolor
output: olv*/rgb*->cmyn6* setcmyk