


BAM registration: 20080901-Fe18/10L/L18e00NA.TXT/.PS application for evaluation and measurement of printer or monitor systems

BAM material: code=rha4ta

BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor



See for similar files: <http://www.ps.bam.de/Fe18/>; www.ps.bam.de/Fe.HTML
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1




BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor

BAM registration: 20080901-Fe18/10L/L18e00NA.TXT/.PS BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Fe18/>; www.ps.bam.de/Fe.HTML
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1



BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor



BAM registration: 20080901-Fe18/10L/L18e00NA.TXT/.PS BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

c

m

y

o

o

o

v

v

BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor

c

m

y

o

l

v

c

BAM registration: 20080901-Fe18/10L/L18e00NA.TXT/.PS, Page 6/6; ORS19_96, L*=19_96; transfer and output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmyn



www.ps.bam.de/Fe18/10L/L18e00NA.TXT/.PS, Page 6/6; ORS19_96, L*=19_96; transfer and output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmyn

See for similar files: <http://www.ps.bam.de/Fe18/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de> Version 2.1, io=11, ColSpx=1

BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor



BAM registration for evaluation and measurement of printer or monitor systems

