


See for similar files: <http://www.ps.barn.de/Fe19>; [www.ps.barn.de/Fe.HTM](http://www.ps.barn.de/Fe.HTM)  
 Technical information: <http://www.ps.barn.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20080901-Fe19/10L/L19e00NA.TXT/.PS    BAM material: code=rh4tat  
application for evaluation and measurement of printer or monitor systems




BAM-test chart Fe19; Colorimetric systems  
D65: colour scales and 4 separations for 16

input: 000n / w / nnn0 / www set...  
output: no change compared to input


See for similar files: <http://www.ps.barn.de/Fe19>; [www.ps.barn.de/Fe.HTM](http://www.ps.barn.de/Fe.HTM)  
 Technical information: <http://www.ps.barn.de> Version 2.1, io=1,1, ColSpX=1





BAM registration: 20080901-Fe19/10/L19e00NA.1X1/.ps    BAM material: code=rh4tt  
application for evaluation and measurement of printer or monitor systems





BAM-test chart Fe19; Colorimetric systems  
D65: colour scales and 4 separations for 16 hues *g00b* to *b75r*




```
input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor
```







See for similar files: <http://www.ps.bam.de/Fe19/>; [www.ps.bam.de/Fe19/Version 2.1, io=1,1, ColSpx=1](http://www.ps.bam.de/Fe19/Version%202.1%2C%20io%3D1%2C%20ColSpx%3D1)



See for similar files: <http://www.ps.bam.de/Fe19/>; [www.ps.bam.de/Fe19/](http://www.ps.bam.de/Fe19/)  
Technical information: <http://www.ps.bam.de>  
Version 2.1, io=1,1, ColSpX=1

BAM registration: 20080901-Fe19/10L/L19e00NA.TXT/ .PS  
BAM material: code=rhadt4  
application for evaluation and measurement of printer or monitor systems

