

BAM registration: 20080901-Fe23/10L/L23E00FP.PS/.PDF BAM material: code=rh4t4ta
- application for evaluation and measurement of printer or monitor systems




input: 000n / w / nnn0 / www set...
output: no change compared to input

See for similar files: <http://www.ps.bam.de/Fe23/10L/L23E00FP.PS/>; www.ps.bam.de/Fe23/10L/L23E00FP.DAT in File (F)

Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB, ColSpx=1

www.ps.bam.de/Fe23/10L/L23E00FP.PS/ .PDF; ORS18; linearized output
F: linearized outputFe23/10L/L23E00FP.DAT in File (F)










BAM-test chart Fe23; Colorimetric systems, Page 2/6
D65: colour scales and 4 separations for 16 hues $o00y$ to $m75o$


input: $000n / w / nnn0 / www$ set...
output: $\rightarrow LAB^* \rightarrow cmy6n^* \rightarrow setcmyk$


BAM registration: 20080901-Fe23/10L/L23E00FP.PS/ .PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rhadata

C



m





See for similar files: <http://www.ps.bam.de/Fe23/>; www.ps.bam.de/Fe.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB, ColSpx=1

