




See for similar files: <http://www.ps.bam.de/Fe49/>; www.ps.bam.de/Fe49/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




BAM registration: 20081001-Fe49/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe491-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe491-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor




Fe491-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe491-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor




Fe491-7, Picture B7: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor




Fe491-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe49-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation


input: rgb->olv* setrgbcolor
output: no change compared to input






See for similar files: <http://www.ps.bam.de/Fe49/>; [www.ps.bam.de/Fe49/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe49/Version%202.1,%20io%3D1,%20ColSpx%3D1)


BAM registration: 20081001-Fe49/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe491-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe491-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor




Fe491-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe491-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor




Fe491-7, Picture B7: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor






Fe491-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor










Fe49-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk















c














m






y






See for similar files: <http://www.ps.bam.de/Fe49/>; [http://www.ps.bam.de/Fe49/Version 2.1, io=1.1, ColSpx=1](http://www.ps.bam.de/Fe49/Version%202.1,%20io=1.1,%20ColSpx=1)


BAM registration: 20081001-Fe49/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe491-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe491-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor



Fe491-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe491-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor



Fe491-7, Picture B3: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor



Fe491-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe49-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation

input: rgb -> olv* setrgbcolor
output: olv* -> cmyn6* setcmk

