

Siehe ähnliche Dateien: <http://www.ps.bam.de/Fg16/>; www.ps.bam.de/Fg16/
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB, ColSpx=0

Ein und Ausgabe:
Farbmetrisches Drucker-Reflexiv-System FRS09_92
Daten für jede Farbe:
 u^*_a und u^*_b und u^*_c
Buntreinstreue:
 $u^*_a = 16$ Buntreinstreue $r00j$, $r25j$, $r50j$, $r75j$
Kontraststärkungsfaktor:
 $c_m = 1.0$

FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

Ein und Ausgabe:
Farbmetrisches Drucker-Reflexiv-System FRS09_92, L*=09_92 für relative CIE-LAB-Buntreue $h^* = \text{lab}^*h^* = h_{a0}/360 = 0.071$ $u^*_a = 0.071$
Daten für jede Farbe:
 u^*_a und u^*_b und u^*_c
Buntreinstreue:
 $u^*_a = 0.071$ $u^*_b = 0.071$ $u^*_c = 0.071$
Kontraststärkungsfaktor:
 $c_m = 1.0$
Dreiecks-Heiligkeit h^*

FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

Ein und Ausgabe:
Farbmetrisches Drucker-Reflexiv-System FRS09_92, L*=09_92 für relative CIE-LAB-Buntreue $h^* = \text{lab}^*h^* = h_{a0}/360 = 0.117$ $u^*_a = 0.117$
Daten für jede Farbe:
 u^*_a und u^*_b und u^*_c
Buntreinstreue:
 $u^*_a = 0.117$ $u^*_b = 0.117$ $u^*_c = 0.117$
Kontraststärkungsfaktor:
 $c_m = 1.0$
Dreiecks-Heiligkeit h^*
















FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98

Ein und Ausgabe:
Farbmetrisches Drucker-Reflexiv-System FRS09_92, L*=09_92 für relative CIE-LAB-Buntreue $h^* = \text{lab}^*h^* = h_{a0}/360 = 0.164$ $u^*_a = 0.164$
Daten für jede Farbe:
 u^*_a und u^*_b und u^*_c
Buntreinstreue:
 $u^*_a = 0.164$ $u^*_b = 0.164$ $u^*_c = 0.164$
Kontraststärkungsfaktor:
 $c_m = 1.0$
Dreiecks-Heiligkeit h^*


FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98


FRS09_92, adaptives CIE-LAB-Daten
L*, a*, b*
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98
L* 39.12 54.56 49.45 74.64 42.02
a* 13.24 18.11 18.73 70.15 25.98
b* 15.07 18.73 70.15 25.98



Siehe ähnliche Dateien: <http://www.ps.bam.de/Fig16/>; www.ps.bam.de/Fg.HTM
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB, ColSpx=0







Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen

