

















see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P60, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P55, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

















Munsell Chroma=2, Value=1,2,5,8 &9 for CIE illuminant C; diagram for illuminant P50, $Y_w=100$

input: w/rgb/cmyk $\rightarrow$ rgb

TUB registration: 20170801-BE11/BE11LONA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
 technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)
 Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P45, $Y_w=100$

















input: w/rgb/cmyk -> rgb

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P45, $Y_w=100$

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
 application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



















TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P35, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P30, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE11L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE11/BE11.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE11; CIE (x, y) and chromatic values (A_i, B_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P25, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE11/BE1110NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta