



LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$




LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$




LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$




LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$




LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$




LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$



LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$



LMS_F02_L cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{l}_{F02_L,1}(\lambda) = B_{11}\bar{x}_{F02_L,1}(\lambda) + B_{12}\bar{y}_{F02_L,1}(\lambda)$$

