

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P60, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	55.29	34.58	0.41	0.6123	0.383	0.0046	237.4	38	592	16	484
Y _{me}	510_770	71.7	79.88	2.4	0.4656	0.5187	0.0156	218.4	33	569	13	466
G _{me}	470_570	18.76	54.15	22.37	0.1969	0.5683	0.2347	210.3	22	512	−1	512c
C _m	380_570	32.4	55.75	94.07	0.1778	0.3059	0.5162	214.3	16	484	38	592
B _{me}	380_510	16.0	10.46	92.08	0.135	0.0882	0.7767	227.8	13	466	33	569
M _m	570_470	68.93	36.18	72.09	0.3889	0.2041	0.4068	246.2	−1	512c	22	512
R _o	570_440	60.91	34.83	27.88	0.4927	0.2817	0.2255	240.9	−1	490c	18	490
G _o	520_570	16.75	45.64	2.36	0.2586	0.7048	0.0365	214.0	27	538	−1	538c
W ₁	380_770	87.36	90.0	94.11	0.3218	0.3315	0.3466	225.8	29	549	−1	549c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P55, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	57.06	35.53	0.38	0.6136	0.3821	0.0041	237.9	38	592	17	485
Y _{me}	510_770	73.43	80.4	2.33	0.4702	0.5148	0.0149	219.2	33	569	13	467
G _{me}	470_570	18.6	53.34	21.18	0.1997	0.5727	0.2274	210.6	22	512	−1	512c
C _m	380_570	30.98	54.81	86.34	0.18	0.3184	0.5015	214.2	17	485	38	592
B _{me}	380_510	14.62	9.94	84.39	0.1342	0.0913	0.7744	227.3	13	467	33	569
M _m	570_470	69.44	36.99	65.52	0.4038	0.2151	0.381	246.0	−1	512c	22	512
R _o	570_440	62.08	35.74	24.9	0.5058	0.2912	0.2029	241.1	−1	490c	18	490
G _o	520_570	16.71	45.21	2.28	0.2602	0.7041	0.0356	214.1	27	538	−1	538c
W ₁	380_770	87.71	90.0	86.38	0.3321	0.3407	0.327	225.7	4	422	32	564

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P50, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	59.24	36.67	0.35	0.6153	0.3809	0.0036	238.4	38	593	17	486
Y _{me}	510_770	75.55	80.99	2.24	0.4758	0.51	0.0141	220.0	34	570	13	468
G _{me}	470_570	18.4	52.33	19.82	0.2032	0.5779	0.2188	210.8	22	511	−1	511c
C _m	380_570	29.4	53.66	77.8	0.1828	0.3335	0.4836	213.9	17	486	38	593
B _{me}	380_510	13.11	9.35	75.91	0.1332	0.0951	0.7716	226.8	13	468	34	570
M _m	570_470	70.24	38.0	58.32	0.4217	0.2281	0.3501	245.7	−1	511c	22	511
R _o	570_440	63.61	36.86	21.7	0.5206	0.3017	0.1776	241.3	−1	491c	18	491
G _o	520_570	16.64	44.65	2.19	0.2621	0.7032	0.0345	214.1	27	538	−1	538c
W ₁	380_770	88.31	90.0	77.85	0.3447	0.3513	0.3039	225.5	14	471	34	573

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	61.97	38.1	0.31	0.6173	0.3795	0.0031	238.9	38	593	17	487
Y _{me}	510_770	78.18	81.68	2.13	0.4826	0.5042	0.0131	221.0	34	571	13	468
G _{me}	470_570	18.14	51.07	18.23	0.2075	0.584	0.2084	211.1	22	510	−1	510c
C _m	380_570	27.65	52.24	68.41	0.1864	0.3522	0.4613	213.7	17	487	38	593
B _{me}	380_510	11.46	8.66	66.6	0.1321	0.0999	0.7679	226.1	13	468	34	571
M _m	570_470	71.47	39.26	50.48	0.4433	0.2435	0.3131	245.4	−1	510c	22	510
R _o	570_440	65.65	38.26	18.3	0.5371	0.313	0.1497	241.4	−1	491c	18	491
G _o	520_570	16.54	43.92	2.08	0.2645	0.702	0.0333	214.1	27	538	−1	538c
W ₁	380_770	89.28	90.0	68.46	0.3603	0.3632	0.2763	225.2	17	488	39	597

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P40, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	65.48	39.9	0.27	0.6197	0.3776	0.0026	239.4	38	593	17	488
Y _{me}	510_770	81.52	82.48	2.0	0.491	0.4968	0.012	222.0	34	572	13	469
G _{me}	470_570	17.8	49.45	16.38	0.2128	0.5911	0.1959	211.3	22	510	−1	510c
C _m	380_570	25.7	50.44	58.17	0.1913	0.3755	0.4331	213.3	17	488	38	593
B _{me}	380_510	9.67	7.86	56.44	0.1307	0.1063	0.7629	225.2	13	469	34	572
M _m	570_470	73.37	40.88	42.04	0.4694	0.2615	0.269	245.0	−1	510c	22	510
R _o	570_440	68.44	40.03	14.74	0.5554	0.3248	0.1196	241.5	48	643	18	492
G _o	520_570	16.39	42.92	1.95	0.2674	0.7005	0.0319	214.0	27	538	−1	538c
W ₁	380_770	90.83	90.0	58.22	0.3799	0.3764	0.2435	224.7	20	500	−1	500c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P35, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	70.12	42.23	0.23	0.6228	0.375	0.0021	239.8	38	594	18	490
Y _{me}	510_770	85.89	83.42	1.84	0.5018	0.4873	0.0108	222.9	34	574	14	470
G _{me}	470_570	17.34	47.31	14.23	0.2198	0.5997	0.1804	211.3	21	509	−1	509c
C _m	380_570	23.53	48.11	47.14	0.1981	0.405	0.3968	212.9	18	490	38	594
B _{me}	380_510	7.78	6.92	45.52	0.1291	0.1149	0.7558	224.1	14	470	34	574
M _m	570_470	76.31	43.02	33.12	0.5005	0.2821	0.2172	244.3	−1	509c	21	509
R _o	570_440	72.34	42.32	11.12	0.575	0.3364	0.0884	241.4	44	622	18	494
G _o	520_570	16.13	41.54	1.79	0.2712	0.6984	0.0302	213.7	27	538	−1	538c
W ₁	380_770	93.3	90.0	47.19	0.4047	0.3904	0.2047	223.9	33	566	−1	566c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	76.47	45.33	0.19	0.6268	0.3716	0.0015	239.9	39	595	18	492
Y _{me}	510_770	91.8	84.52	1.65	0.5157	0.4749	0.0092	223.6	35	576	14	472
G _{me}	470_570	16.67	44.41	11.73	0.2289	0.6098	0.1611	211.3	21	509	−1	509c
C _m	380_570	21.14	45.0	35.54	0.2078	0.4425	0.3495	212.3	18	492	39	595
B _{me}	380_510	5.82	5.82	34.08	0.1274	0.1273	0.7452	222.6	14	472	35	576
M _m	570_470	80.93	45.93	23.98	0.5365	0.3044	0.159	243.3	−1	509c	21	509
R _o	570_440	77.98	45.4	7.6	0.5953	0.3466	0.058	241.1	42	612	19	495
G _o	520_570	15.7	39.53	1.6	0.2762	0.6955	0.0282	213.2	27	538	−1	538c
W ₁	380_770	97.23	90.0	35.59	0.4363	0.4038	0.1597	222.7	−1	506c	21	506

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P25, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	85.59	49.63	0.14	0.6322	0.3666	0.0011	239.5	39	596	19	495
Y _{me}	510_770	100.16	85.8	1.4	0.5345	0.4579	0.0075	223.3	35	578	14	474
G _{me}	470_570	15.66	40.31	8.88	0.2415	0.6215	0.1368	210.9	21	509	−1	509c
C _m	380_570	18.46	40.7	23.88	0.2223	0.4901	0.2875	211.5	19	495	39	596
B _{me}	380_510	3.91	4.54	22.62	0.126	0.1463	0.7276	220.6	14	474	35	578
M _m	570_470	88.39	50.02	15.14	0.5756	0.3257	0.0986	241.8	−1	509c	21	509
R _o	570_440	86.47	49.67	4.42	0.6151	0.3533	0.0314	240.2	41	606	19	498
G _o	520_570	14.96	36.51	1.35	0.2831	0.6911	0.0256	212.3	27	538	−1	538c
W ₁	380_770	103.66	90.0	23.93	0.4764	0.4136	0.1099	220.9	−1	505c	21	505