

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; D65, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.27	68.68	68.83	97.24	0.1728	-0.047	45.0	38	592	15	479
Y _{me}	510_770	91.38	-10.88	88.79	89.46	0.1249	-0.0485	96.9	33	567	14	471
G _{me}	470_570	79.32	-76.99	37.48	85.63	0.0896	-0.0702	154.0	21	508	9	449
C _m	380_570	80.3	-47.71	-24.9	53.81	0.1052	-0.1028	207.5	16	483	42	613
B _{me}	380_510	39.64	40.63	-91.86	100.44	0.1665	-0.1724	293.8	13	467	31	558
M _m	570_470	65.64	104.96	-32.83	109.97	0.1942	-0.11	342.6	7	438	20	501
R _o	570_440	64.45	84.26	13.55	85.35	0.1823	-0.0814	9.1	-1	488c	17	488
G _o	520_570	73.89	-70.29	71.33	100.15	0.0909	-0.0502	134.5	27	536	12	462
W ₁	380_770	96.0	0.0	0.0	0.0	0.13	-0.0899	345.9	12	461	27	535

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; D50, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.52	72.27	60.06	93.97	0.1747	-0.0467	39.7	38	593	16	481
Y _{me}	510_770	92.1	-5.76	75.29	75.51	0.1282	-0.0482	94.3	34	570	14	471
G _{me}	470_570	77.9	-76.82	28.1	81.8	0.09	-0.0681	159.9	21	508	8	441
C _m	380_570	78.67	-54.89	-24.54	60.13	0.1019	-0.096	204.0	17	486	42	613
B _{me}	380_510	36.78	24.23	-87.07	90.38	0.1539	-0.1655	285.5	13	469	33	565
M _m	570_470	67.51	97.15	-24.81	100.27	0.1891	-0.0979	345.6	6	431	20	503
R _o	570_440	66.63	82.2	18.3	84.21	0.1806	-0.072	12.5	-1	489c	17	489
G _o	520_570	73.09	-70.47	59.07	91.96	0.0913	-0.0499	140.0	27	536	11	458
W ₁	380_770	96.0	0.0	0.0	0.0	0.1309	-0.0831	350.5	7	439	21	507

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P45, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	68.1	71.15	58.28	91.98	0.1751	-0.0466	39.3	38	593	16	482
Y _{me} 510_770	92.43	-5.05	71.84	72.02	0.1304	-0.0481	94.0	34	571	14	471
G _{me} 470_570	76.73	-78.73	26.14	82.96	0.0903	-0.0671	161.6	21	508	7	439
C _m 380_570	77.43	-57.65	-25.45	63.02	0.1019	-0.0948	203.8	17	486	42	612
B _{me} 380_510	35.35	22.59	-86.61	89.51	0.1548	-0.1656	284.6	13	469	33	567
M _m 570_470	68.95	93.83	-22.27	96.44	0.188	-0.0943	346.6	5	429	20	504
R _o 570_440	68.22	81.29	15.6	82.78	0.181	-0.072	10.8	-1	490c	18	490
G _o 520_570	72.18	-72.35	55.38	91.12	0.0917	-0.0498	142.5	27	537	11	457
W ₁ 380_770	96.0	0.0	0.0	0.0	0.1328	-0.0812	333.3	17	489	-1	489c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; A00, $Y_m=510_770$, LABHNU1_79												
<i>CodeD65</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	73.87	71.69	37.58	80.95	0.1797	-0.0462	27.6	39	595	17	487
Y _{me}	510_770	93.84	1.31	43.07	43.09	0.1404	-0.0475	88.2	35	576	14	471
G _{me}	470_570	71.77	-84.22	8.4	84.64	0.0919	-0.0623	174.3	21	508	-1	508c
C _m	380_570	72.13	-74.53	-23.29	78.09	0.0976	-0.0803	197.3	18	492	41	609
B _{me}	380_510	28.02	-8.14	-72.46	72.92	0.1306	-0.1494	263.5	14	472	35	577
M _m	570_470	74.21	79.75	-6.98	80.05	0.184	-0.0709	354.9	-1	508c	21	508
R _o	570_440	73.9	74.84	19.48	77.33	0.1815	-0.0562	14.5	43	618	18	494
G _o	520_570	68.57	-78.71	30.25	84.33	0.0933	-0.0492	158.9	27	537	8	441
W ₁	380_770	96.0	0.0	0.0	0.0	0.1398	-0.0671	0.0	-1	441c	-1	537c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; E00, $Y_m=510_770$, LABHNU1_79												
<i>CodeD65</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.77	68.45	67.66	96.25	0.1746	-0.0468	44.6	38	593	15	479
Y _{me}	510_770	91.88	-9.75	84.96	85.52	0.1288	-0.0483	96.5	34	570	14	470
G _{me}	470_570	77.58	-81.09	34.96	88.31	0.09	-0.069	156.6	21	508	9	446
C _m	380_570	78.48	-52.52	-26.9	59.01	0.1055	-0.1019	207.1	16	483	42	614
B _{me}	380_510	37.69	39.45	-92.28	100.36	0.17	-0.1736	293.1	13	467	32	561
M _m	570_470	67.91	100.88	-28.85	104.93	0.1934	-0.1049	344.0	7	435	20	502
R _o	570_440	66.94	84.07	11.5	84.85	0.184	-0.0807	7.7	-1	489c	17	489
G _o	520_570	72.54	-74.28	66.6	99.77	0.0913	-0.0501	138.1	27	536	12	460
W ₁	380_770	96.0	0.0	0.0	0.0	0.1333	-0.0877	0.0	18	493	-1	493c

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; C00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	64.81	65.8	72.7	98.05	0.1727	-0.047	47.8	38	592	15	478
Y _{me} 510_770	91.21	-12.46	93.53	94.35	0.1262	-0.0484	97.5	33	568	14	470
G _{me} 470_570	78.86	-79.12	39.31	88.34	0.0903	-0.0713	153.5	21	508	10	450
C _m 380_570	79.92	-46.68	-26.37	53.61	0.1077	-0.1058	209.4	16	482	42	613
B _{me} 380_510	40.27	45.31	-93.75	104.12	0.1723	-0.1753	295.7	13	467	31	557
M _m 570_470	66.26	105.23	-33.46	110.42	0.196	-0.1124	342.3	7	439	20	501
R _o 570_440	65.01	83.52	12.6	84.46	0.1835	-0.0842	8.5	-1	488c	17	488
G _o 520_570	73.21	-71.97	74.83	103.83	0.0917	-0.0501	133.8	27	537	12	462
W ₁ 380_770	96.0	0.0	0.0	0.0	0.132	-0.092	350.5	14	472	34	572

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	68.7	70.29	61.08	93.12	0.1761	-0.0466	40.9	38	594	16	481
Y _{me} 510_770	92.42	-6.15	74.98	75.23	0.1318	-0.0481	94.6	34	572	14	470
G _{me} 470_570	76.18	-81.64	27.98	86.31	0.0904	-0.0675	161.0	21	508	7	439
C _m 380_570	76.93	-58.37	-26.87	64.26	0.1033	-0.0971	204.7	17	485	42	613
B _{me} 380_510	35.41	27.43	-88.75	92.89	0.1613	-0.169	287.1	13	468	33	567
M _m 570_470	69.58	94.73	-22.94	97.47	0.19	-0.0961	346.3	5	429	20	504
R _o 570_440	68.83	81.67	14.81	83.0	0.1828	-0.0739	10.2	-1	490c	18	490
G _o 520_570	71.61	-75.11	57.47	94.57	0.0918	-0.0499	142.5	27	537	11	457
W ₁ 380_770	96.0	0.0	0.0	0.0	0.1347	-0.0826	9.4	34	573	14	471

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, LABHNU1_79												
<i>CodeD65</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.74	66.17	72.89	98.45	0.1729	-0.0471	47.7	38	592	15	478
Y _{me}	510_770	91.34	-13.52	93.72	94.69	0.1256	-0.0485	98.2	33	568	14	470
G _{me}	470_570	78.94	-80.39	41.49	90.46	0.0896	-0.0703	152.6	21	508	10	451
C _m	380_570	79.97	-46.82	-26.35	53.73	0.1075	-0.1059	209.3	16	482	42	613
B _{me}	380_510	39.8	50.12	-94.73	107.17	0.1768	-0.1771	297.8	13	466	31	555
M _m	570_470	66.16	107.36	-34.74	112.84	0.1972	-0.1133	342.0	7	439	20	501
R _o	570_440	64.97	86.45	7.77	86.8	0.1853	-0.0874	5.1	-1	489c	17	489
G _o	520_570	73.46	-73.36	74.99	104.91	0.0909	-0.0503	134.3	27	536	12	462
W ₁	380_770	96.0	0.0	0.0	0.0	0.1319	-0.0922	0.0	-1	462c	-1	536c