

XYZ_Y=97.06, 99.99, 104.57

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 0.800

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P60, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 569.775 97.07 70.08 52.41 0.3949 0.3461 596.48

Y₁ 494.775 88.45 97.34 55.59 0.3664 0.4032 571.463

G₁ 494.568 57.61 77.35 55.57 0.3005 0.407 535 535c

C₁ 380.568 65.77 80.06 104.6 0.2626 0.3197 489 596

M₂ 390.494 57.52 52.8 101.402 0.2708 0.2996 463 571

M₃ 569.484 86.64 72.79 101.404 0.3371 0.2769 535 535

W₁ 380.775 97.45 99.99 104.570 0.3218 0.3315 100%

N₁ 380.775 48.53 49.99 52.28 0.3218 0.3315 50%

Z₁ 380.775 17.59 18.02 0.3218 0.3315 18%

Parameter: Y & Name Illuminant P60 Y_w=100, Y_N=50

XYZ_Y=98.12, 100.0, 86.5

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 1.000

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P50, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 495.775 91.07 97.01 45.35 0.3901 0.4155 573 467

G₁ 495.570 60.02 78.98 45.33 0.3256 0.4384 542 542c

C₁ 380.570 67.12 82.01 86.52 0.2848 0.348 491 601

M₂ 390.495 56.25 53.13 84.52 0.2991 0.2739 467 573

M₃ 570.495 87.3 71.16 84.54 0.3592 0.2928 542 542

W₁ 380.775 98.12 100.0 86.5 0.3447 0.3513 100%

N₁ 380.775 49.06 50.0 43.25 0.3447 0.3513 50%

Z₁ 380.775 17.66 18.0 15.37 0.3447 0.3513 18%

Parameter: Y & Name Illuminant P50 Y_w=100, Y_N=50

XYZ_Y=100.93, 100.0, 64.68

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 1.300

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P40, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 498.775 85.62 70.05 32.43 0.3537 0.4330 601 451

Y₁ 498.775 95.81 97.72 34.43 0.4202 0.4286 576 468

G₁ 498.573 65.92 79.49 64.69 0.3137 0.3783 493 493

C₁ 380.573 65.92 79.49 64.69 0.3137 0.3783 493 493

M₂ 390.498 55.73 52.42 62.69 0.3262 0.3068 468 576

M₃ 573.498 90.79 72.97 62.71 0.4098 0.3222 548 548

W₁ 380.775 100.93 100.0 64.68 0.3799 0.3764 100%

N₁ 380.775 50.46 50.0 32.34 0.3799 0.3764 50%

Z₁ 380.775 18.16 18.0 11.64 0.3799 0.3764 18%

Parameter: Y & Name Illuminant P40 Y_w=100, Y_N=50

XYZ_Y=108.04, 100.0, 39.55

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 2.500

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P30, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 502.775 93.17 74.13 10.83 0.3602 0.3871 604 454

Y₁ 502.775 105.078 68.21 0.4687 0.4371 590 473

G₁ 502.578 66.03 76.7 21.07 0.4031 0.4682 546 546

C₁ 380.578 66.03 76.74 39.54 0.3685 0.4203 498 604

M₂ 380.503 57.14 52.14 38.28 0.3872 0.3533 473 580

M₃ 578.503 96.19 73.4 38.28 0.4625 0.3531 546 546

W₁ 380.775 108.04 100.0 39.55 0.4633 0.4038 100%

N₁ 380.775 54.02 50.0 19.77 0.4633 0.4038 50%

Z₁ 380.775 19.44 18.0 7.11 0.4633 0.4038 18%

Parameter: Y & Name Illuminant P30 Y_w=100, Y_N=50

XYZ_Y=97.45, 100.0, 95.98

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 0.900

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P55, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 569.775 88.8 70.17 48.11 0.4038 0.3524 597 497

Y₁ 494.775 89.6 97.41 51.05 0.3763 0.4091 572 464

G₁ 494.569 57.61 77.34 51.02 0.3098 0.4158 536 536c

C₁ 380.569 65.52 79.97 86.0 0.2713 0.3111 490 597

M₂ 390.494 56.52 52.73 93.07 0.2801 0.2601 464 592

M₃ 569.484 86.71 72.8 93.08 0.3484 0.2659 536 536

W₁ 380.775 97.45 100.0 95.98 0.3321 0.3407 100%

N₁ 380.775 48.72 50.0 47.99 0.3321 0.3407 50%

Z₁ 380.775 17.54 18.0 17.27 0.3321 0.3407 18%

Parameter: Y & Name Illuminant P55 Y_w=100, Y_N=50

XYZ_Y=99.2, 100.0, 76.07

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 1.100

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P45, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 497.775 93.08 97.41 40.21 0.4034 0.4222 574 467

G₁ 497.572 60.02 77.97 40.19 0.3368 0.4375 541 541c

C₁ 380.572 66.18 80.6 76.08 0.2969 0.3616 492 600

M₂ 390.497 56.58 52.73 74.0 0.3059 0.2887 467 574

M₃ 572.497 88.3 72.17 74.0 0.3692 0.3069 541 541

W₁ 380.775 99.2 100.0 76.07 0.3603 0.3632 100%

N₁ 380.775 49.6 50.0 38.03 0.3603 0.3632 50%

Z₁ 380.775 17.85 18.0 13.69 0.3603 0.3632 18%

Parameter: Y & Name Illuminant P45 Y_w=100, Y_N=50

XYZ_Y=103.66, 99.99, 52.43

A₂ = 2.5 (a₂ - a₂₀) Y

B₂ = 2.5 B₂ (b₂ - b₂₀) Y

a₂ = a₂₀ ((x - x_c)/y)

b₂ = b₂₀ (z/y)

a₂₀ = 1, b₂₀ = -0.4

x_c = 0.110, B₂ = 1.800

C_{AB,2} = [A₂² + B₂²]^{1/2}

6 Oswald colours (e)

of maximum (m) C_{AB} in

linear colour space (C_{AB,2} Y)

Illumin. P35, Y_w=100, Y_N=50

Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃ X₄ Y₄ Z₄ X₅ Y₅ Z₅

M₁ 575.775 86.85 68.08 35.08 0.4308 0.3768 578 472

Y₁ 500.775 95.96 97.31 27.49 0.4438 0.4336 578 472

G₁ 500.575 64.68 78.42 27.47 0.3791 0.4597 548 548c

C₁ 380.575 68.8 81.16 52.44 0.3399 0.4009 496 605

M₂ 390.500 56.05 52.83 51.23 0.35 0.3259 472 578

M₃ 575.500 95.97 71.72 52.43 0.4251 0.3652 548 548

W₁ 380.775 103.66 99.99 52.43 0.4047 0.3904 100%

N₁ 380.775 51.83 49.99 26.21 0.4047 0.3904 50%

Z₁ 380.775 18.66 18.0 9.43 0.4047 0.3904 18%

Parameter: Y & Name Illuminant P35 Y_w=100, Y_N=50

XYZ_Y=115.18, 100.0, 26.59

A₂ = 2.5 (a₂ - a₂₀) Y