

$XYZ_w = 97.93, 100.0, 118.95$

$A_1 = 2.5 (a_1 - a_{1,n}) Y$

$B_1 = 2.5 B_c (b_1 - b_{1,n}) Y$

$a_1 = a_{20} [(x - x_c) / y]$

$b_1 = b_{20} [z / y]$

$a_{20} = 1, b_{20} = -0.4$

$x_c = 0.110, B_c = 1.000$

$C_{AB1} = [A_1^2 + B_1^2]^{1/2}$

6 Ostwald colours (o)

of maximum (m) C_{AB} in
chromatic value diagram (A, B)¹⁰⁰

Illumin. Q00, $Y_w = 100, Y_n = 10$

Name	Range	X_d	Y_d	Z_d	x_d	y_d	λ_d	$\hat{a}_d$
R _d	567_775	64.71	45.09	12.05	0.531	0.37	596	487
Y _d	492_775	79.97	94.93	18.29	0.4139	0.4913	570	462
G _d	492_567	25.14	59.93	18.25	0.2433	0.58	535	535c
C _d	380_567	43.11	65.01	118.92	0.1898	0.2863	487	596
B _d	380_492	27.85	15.17	112.68	0.1789	0.0974	462	570
M _d	567_492	82.68	50.17	112.72	0.3366	0.2042	535c	535
W _d	380_775	97.93	100.0	118.95	0.309	0.3155	100%	
N _d	380_775	9.79	10.0	11.89	0.309	0.3155	10%	
Z _d	380_775	17.62	18.0	21.41	0.309	0.3155	18%	

Parameter:

Y & Name

Illuminant Q00

$Y_w = 100, Y_n = 10$

